

PUMP INTRAVENOUS INFUSION TOC

CARDINAL HEALTH

MEDSYSTEM 111

MODEL# 2865B

Manufacturer's PHONE: (858) 458-6003 FAX: (858) 458-7507

Distributor's PHONE: (614) 757-5000 FAX: (610) 444-5887

Manufacturer's Website: <http://www.alarismed.com>

Distributor's Website:

<http://www.cardinal.com/alaris/products/infusion/MedSystemIII/>

AAC "J" ITEM NSN 6515-01-550-5669

**UA's: 257A, 261A, 267B, 905A, 912A, F301, F308, F309, F310, F377, N301, N308,
N309, N310**

**USAMMA POC: Customer Relations Management 301-619-4301/4316, DSN 343-4301/4316
UNIT PRICE: \$5,704.51**

System Description: The multi-channel infusion system brings clinical versatility to drug infusion technology. The instrument combines three independent infusion channels with features like dose rate calculation and portability in a small, compact size.

Features:

- A small, compact size and lightweight design
- Reduced bedside clutter
- Accuracy - delivers intravenous, intra-arterial, epidural and subcutaneous applications
- Flexibility - deliver a wide range of fluids from various containers, including syringes, utilizing a syringe adapter set
- Versatility - can travel with patients in the field throughout their hospital stay, meeting a wide range of infusion needs; unique clamping system allows pump attachment virtually anywhere.
- Set-based free-flow protection - SmartSite[®] needle-free valve ports and standard injection ports are available
- Dose rate calculation, single-page programming, selectable drug library and titration of drugs by the user in either dose or volumetric rate



**PUMP INTRAVENOUS INFUSION
MODEL# MEDSYSTEM III
NSN 6515-01-550-5669**



**ADMINISTRATIVE SET PIGGY
BACK
PART# 72213N
NSN 6515-01-416-4032**



**ADMINISTRATIVE SET MAIN
STREAM LINE
PART# 28034E
NSN 6515-01-452-3442**

**PUMP INTRAVENOUS INFUSION
PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS**

Dimensions	Height	7.9 inches
	Width	6.0 inches
	Depth	2.1 inches
Weight		3.6 lbs
Internal Battery		Main Rechargeable NiCad Battery, Memory Backup Non-rechargeable Lithium
Battery Capacity		Minimum 6 hours with all three channels at 125 ml/hr
Operating Temperature		50°F to 104°F
Humidity		90 %
Power Requirements		110/120VAC 60HZ
Watts		6 watts
Amps		54 mA

**PUMP INTRAVENOUS INFUSION
(START-UP)**

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	DIST/MFG	Shelf Life, months	Refrig Y/N
6515015505669		Pump Intravenous Infusion Portable Btry Operated	2865B	1	EA	\$5,704.51	\$5,704.51	Alaris Medical	indef.	N
6515014523445		Administration set	28034E	1	50/PG	Included W/ 5669 NSN	Included W/ 5669 NSN	Alaris Medical	N/A	N
6515014164032		Administration set	72213N	1	100/PG	Included W/ 5669 NSN	Included W/ 5669 NSN	Alaris Medical	N/A	N
7610015436723		Service Manual	2863012	2	EA	Included W/ 5669 NSN	Included W/ 5669 NSN	Alaris Medical	N/A	N
7610015437003		Operator Manual	10551005	2	EA	Included W/ 5669 NSN	Included W/ 5669 NSN	Alaris Medical	N/A	N
No NSN Required		Field Maintenance Software and Drug List Editor Kit	10015452	1	EA	Included W/ 5669 NSN	Included W/ 5669 NSN	Alaris Medical	N/A	N