

**APEX LOCATOR DENTAL ROOT ZX COMPACT AUTO EXTREME
ACCURACY TOC**

Manufactured by: J. MORITA USA INC.

MODEL #: 24-5336392

Manufacturer's PHONE: (949) 581-9600 FAX: (949) 581-8790

Website: <http://www.jmoritausa.com>

AAC "L" ITEM NSN 6520-01-449-5436

UA's: 1371, 1374, 274A, 278A,

USAMMA POC: Customer Relations Management 301-619-4301/4316,

DSN 343-4301/4316

UNIT PRICE: \$899.00

System Description: The Root ZX II is lightweight and features an expanded, easy to read display screen. A new PC board, utilizing superior technology, produces unmatched clinical accuracy rates, not affected by the presence or absence of blood, other discharges, or electrolytes. The action of the meter in the display corresponds exactly to the tactile sensation of using the file. The base of the unit has also been modified for greater stability during procedures. Other features include: slim, lightweight file holder, no zero-adjustment, automatic calibration, battery power indication and automatic power off function. The unit has an independently evaluated accuracy rate of 96.2%.

Features:

- Larger, easy to read screen
- Shock-resistant design
- Unmatched clinical accuracy
- Ability to work in wet canals
- Self-calibrating; no buttons to push



**APEX LOCATOR DENTAL ROOT ZX
 COMPACT AUTO EXTREME ACCURACY
 MODEL # 24-5336392
 NSN # 6520-01-449-5436**

**APEX LOCATOR DENTAL ROOT ZX COMPACT AUTO
 EXTREME ACCURACY
 PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS**

Dimensions with case	Height	4.13 inches
	Width	4.13 inches
	Length	4.52 inches
Cube		.045cu ft
Weight		0.816 lbs
Atmospheric Pressure Range		800 – 1,060 hPa
Operating Temperature Range		50° F to 104° F
Storage Temperature Range		14° F to 158° F
Relative Humidity (in use)		30 to 80% non condensing
Relative Humidity (storage)		8 to 80% non condensing
Power Requirements		4.5 VDC
Amps(with battery operation)		0.03 amps
Watts		0.135 watts

**APEX LOCATOR DENTAL ROOT ZX COMPACT AUTO
EXTREME ACCURACY
(START-UP)**

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	DIST/MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6520014495436		Apex locator dental root ZX Compact auto extreme accuracy	24-5336392	1	EA	\$899.00	\$899.00	J. Morita USA Inc.	indef.	N	3
		Probe Cord	24-7503661	1	EA	Included W/5436 NSN	Included W/5436 NSN	J. Morita USA Inc.	N/A	N	3
	See Resupply	File Holders	24-107042	3	EA	Included W/5436 NSN	Included W/5436 NSN	J. Morita USA Inc.	N/A	N	3
		Contrary Electrodes (Lip Clips-5)	24-107043	1	5/PG	Included W/5436 NSN	Included W/5436 NSN	J. Morita USA Inc.	N/A	N	3
		Function Tester	24-7503910	1	EA	Included W/5436 NSN	Included W/5436 NSN	J. Morita USA Inc.	N/A	N	3
	See Resupply	Batteries AA		3	EA	Included W/5436 NSN	Included W/5436 NSN	J. Morita USA Inc.	N/A	N	3
		Operator Manual		1	EA	Included W/5436 NSN	Included W/5436 NSN	J. Morita USA Inc.	N/A	N	3