

**STERILIZER SURGICAL TOC**

**THIS SYSTEM IS PURCHASED FROM  
GOVERNMENT SCIENTIFIC SYSTEMS INC.**

**MODEL# TUT2540MPACKAGEEA**

**Distributor's PHONE: (703) 734-1805 FAX (703) 734-1803**

**MANUFACTURED BY TUTTNAUER USA CO.**

**MODEL# 2540M**

**Manufacturer's PHONE: (631) 737-4850 FAX: (631) 737-0720**

**Distributor's Website: <http://www.govsci.com>**

**Manufacturer's Website: <http://www.tuttnauer.com>**


**AAC "J" ITEM NSN 6530-01-531-4807**

**UA's: 267B, 274A, 901A, 905A, 912A**

**USAMMA POC: Customer Relations Management 301-619-4301/4316, DSN 343-4301/4316  
UNIT PRICE: \$3,611.54**

**Systems Description:** Tuttnauer manual autoclaves set the standard for steam Sterilization. The Tuttnauer manual autoclave is designed to compliment any healthcare and laboratory facility. Our basic manual autoclave will satisfy all of your sterilization needs. Time tested reliability and durability are built into every Tuttnauer product. The Tuttnauer M Series is also available in a quick cycle model. This sterilizer offers all the proven, dependable features of our manual autoclave, with the added benefit of reducing the total sterilization cycle time by 50%. Speed and reliability are accomplished without sacrificing load size. This is the perfect choice for quick instrument turn-around or a high-volume office.

**Special Features:** A fast Cycle Time .9 minutes from a hot start \*(Standard Unwrapped Cycle time). Automatic shut off at the end of both the sterilization and dry cycles. A long life electro polished chamber and door. It has a double safety locking device that prevents the door from opening while chamber is pressurized. The drain valve is located on the front, allowing for a quick and easy draining of water reservoir. It has a dual safety thermostat to protect against overheating. This sterilizer is a table top steam autoclave; sterilization cycle and separate drying cycle feature automatic shut off. The size of the chamber is 10 inches by 18 inches deep.




**STERILIZER SURGICAL  
MODEL# TUT2540MPACKAGEEA  
NSN 6530-01-531-4807**



**CASE, HARDENED  
PART# HDD041805200**



**STERILIZER SHOWN IN HARDENED  
CASE**



**INSTRUMENT POUCH RACK  
PART# AR910**

## STERILIZER SURGICAL PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

<b>Overall Dimensions</b>	<b>Height</b>	<b>14 inches</b>
	<b>Width</b>	<b>20 inches</b>
	<b>Depth</b>	<b>20 inches</b>
<b>Chamber Dimensions</b>		<b>10 inches diameter x18" inches deep</b>
<b>Cube</b>		<b>19.55 cu ft</b>
<b>Weight</b>		<b>50 lbs</b>
<b>Operating Temperature Range</b>	<b>15° C to 95° C</b>	<b>59° F to 95 ° F</b>
<b>Storage Temperature Range</b>	<b>15° C to 95° C</b>	<b>59° F to 95° F</b>
<b>Relative Humidity</b>		<b>0 to 85%</b>
<b>Power Supply</b>		<b>120 nominal VAC 50/60 Hz</b>
<b>Amps</b>		<b>12 amps</b>
<b>Watts</b>		<b>1400 watts</b>

## STERILIZER SURGICAL (START-UP)

NSN	NOTES	Nomenclature	PN	MFG PN	QTY	UI	Unit Price	Total Price	DIST/MFG	Shelf Life, months	Refrig Y/N
6530015314807		Sterilizer Surgical	TUT2540MPACKAGEEA	2540M	1	EA	\$3,768.60	\$3,768.60	GSS INC	Indef	N
6530015408014		Pouch Rack	AR910	AR910	1	2/PG	Included W/4807 NSN	Included W/4807 NSN	GSS INC	N/A	N
6530015408023		Tray	CT620010	CT620010	4	EA	Included W/4807 NSN	Included W/4807 NSN	GSS INC	N/A	N
6530015392908		Case, Hardened	DST041805200EA	HDD04185200	1	EA	Included W/4807 NSN	Included W/4807 NSN	GSS INC	N/A	N
7610015408195		Manual, Operator/Service	EMHC01.	EMHC01.	1	EA	Included W/4807 NSN	Included W/4807 NSN	GSS INC	N/A	N