

STERILIZER SURGICAL INSTRUMENT STEAM TOC

**THIS SYSTEM IS PURCHASED FROM
GOVERNMENT SCIENTIFIC SYSTEMS INC.**

Supplier's Phone: (703) 734-1805 FAX (703) 734-1803

MANUFACTURED BY TUTTNAUER USA CO.

MODEL # 2540M

Manufacturer's Phone: (631) 737-4850 FAX: (631) 737-0720

Website: <http://www.govsci.com>

<http://www.tuttnauer.com>

AAC "J" ITEM NSN 6530-01-531-4807


UA's: N302, N403, 4901, 4905, 4912

USAMMA POC: Equipment Acquisition Division, 301 619-4060, DSN 343-4060

UNIT PRICE: \$3,611.54

Systems Description: Tuttnauer manual autoclaves set the standard for steam Sterilization. The Tuttnauer manual autoclave is designed to compliment any healthcare and laboratory facility. Our basic manual autoclave will satisfy all of your sterilization needs. Time tested reliability and durability are built into every Tuttnauer product. The Tuttnauer M Series is also available in a quick cycle model. This sterilizer offers all the proven, dependable features of our manual autoclave, with the added benefit of reducing the total sterilization cycle time by 50%. Speed and reliability are accomplished without sacrificing load size. This is the perfect choice for quick instrument turn-around or a high-volume office.


Special Features: A fast Cycle Time .9 minutes from a hot start *(Standard Unwrapped Cycle time). Automatic shut off at the end of both the sterilization and dry cycles. A long life electro polished chamber and door. It has a double safety locking device that prevents the door from opening while chamber is pressurized. The drain valve is located on the front, allowing for a quick and easy draining of water reservoir. It has a dual safety thermostat to protect against overheating. This sterilizer is a table top steam autoclave; sterilization cycle and separate drying cycle feature automatic shut off. The size of the chamber is 10 inches by 18 inches deep



**Hardened Case for the
Tuttnauer Sterilizer**



Sterilizer shown in Hardened Case



Instrument Pouch Rack

Characteristics

Overall Dimensions		
	Height	14"
	Width	20"
	Depth	20"
Operating temp	59° to 95° F	
Storage temp	59° to 95° F	
Relative humidity	0 to 85%	
Chamber Dimensions		10" diameter x18" deep"
Weight	50 lbs	
Cube	19.55 cu ft	
Power Supply	120 voltage nominal 12 amp VAC 50/60 Hz	
Watts	1400 W	

STERILIZER SURGICAL DRESSING CONSUMABLES (START-UP)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6530015408014	Included W/NSN	Pouch Rack	AR910	1	EA	\$43.79	\$43.79	GSS INC	Indef	N/A	2
6530015408023	Included W/NSN	Tray	CT620010	4	EA	\$65.55	\$65.55	GSS INC	Indef	N/A	2
6530015392908	Included W/NSN	Case, Hardened	HDD041805200	1	EA	\$851.65	\$851.65	GSS INC	Indef	N/A	2
7610015408195	Included W/NSN	Manual, Operato/Service	EMHC01.	1	EA	\$1.00	\$1.00	GSS INC	Indef	N/A	2