

MICROSCOPE OPTICAL LABORATORY GENERAL PURPOSE TOC

NIKON INC

MODEL #: ECLIPSE 50i-TE-4PA TILT HEAD MIC

Manufacturer's PHONE: (631) 547-8500 EXT 8571 FAX: (631) 547-8652

Website: <http://www.nikonusa.com/template.php?cat=5&grp=25&productNr=50i>

AAC "W" ITEM NSN 6650-01-207-0829

AAC "J" ITEM NSN 6650-01-519-8473

**UA's: 207A, 215B, 263C, 905A, 912A, 914A, F303, N303, N304, N403, N436, N503,
N504, N703, N704**

USAMMA POC: Customer Relations Management 301-619-4301/4316, DSN 343-4301/4316

UNIT PRICE: \$7,009.80

System Description: A standard laboratory microscope for use in a variety of clinical specialty settings. Includes objectives at the following magnification 4X, 10X, 40X, and 100X. It is also adaptable for high resolution bright field, dark field, EPI-Fluorescence and phase contrasts use. The light source (bulb), power cord, and optics are interchangeable with E400 (NSN 6650-01-501-2807). The body tube contains an access port adaptable for use with a camera using "C" mount adapter. Includes case.



**MICROSCOPE OPTICAL LABORATORY
MODEL # ECLIPSE 50i-TE-4PA TILT HEAD MIC
NSN 6650-01-519-8473**



**CASE, MICROSCOPE
PART # 50i**

MICROSCOPE OPTICAL LABORATORY PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	22 inches
	Width	17 inches
	Depth	12.7 inches
Cube		2.75 cu ft
Weight		40 lbs
Operating Temperature Range		50° F to 95° F (10° C to 35° C)
Storage Temperature Range		Not to exceed 105° F (41° C)
Relative Humidity (in use)		Less than 85%, non-condensing
Relative Humidity (storage)		Less than 90%, non-condensing
Power Requirements		110/220 VAC 50/60 Hz
Amps		9 amps
Watts		148 watts

MICROSCOPE OPTICAL LABORATORY (START-UP)

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	DIST/MFG	Shelf Life, months	Refrig Y/N
6650015198473		Microscope optical lab general purpose inclined adjustable	ECLIPSE 50i-TE-4PA	1	EA	\$7,657.01	\$7,657.01	Nikon Inc.	indef.	N
6240015429964		Bulb, Halogen	84246	1	EA	Included w/ 8473 NSN	Included w/ 8473 NSN	Nikon Inc.	indef.	N
6650015426063		Power cord, grounded three wire	79035	1	EA	Included w/ 8473 NSN	Included w/ 8473 NSN	Nikon Inc.	indef.	N
6650015557384		Case Hardened, shippable, for 50i/55i	92405	1	EA	Included w/ 8473 NSN	Included w/ 8473 NSN	Nikon Inc.	indef.	N
7610015437003		Operators Manual		1	EA	Included w/ 8473 NSN	Included w/ 8473 NSN	Nikon Inc.	N/A	N
7610015436723	Not Included W/NSN	Service Manual	NIKON-BIOM8	1	EA	\$75.00	\$75.00	Nikon Inc.	N/A	N