

**MICROSCOPE SET STEREOSCOPE LEICA S4 STEREO ZOOM MODULAR
W/GOOSENECK TOC**

I MILLER PRECISION OPTICAL INSTRUMENTS

MODEL #: S4E-GL2C

Manufacturers PHONE: (215) 925-2285 FAX: (215) 925-8374

Website: <http://IMillerMicroscopes.com>

AAC "J" ITEM NSN 6650-01-556-0738


UA's: 7124, 106A, 215B

**USAMMA POC: Customer Relations Management, 301-619-4301/4316, DSN 343-4301/4316
UNIT PRICE: \$2,287.41**

System Description: This is a microscope for routine inspections that offers high quality optics, robust and reliable mechanics, and comfortable user interfaces. The instrument has a flat (planar) field of view which is the largest (36.5mm) in its class. The Leica also offers a long working distance (110mm) and clear, sharp images. The microscope comes with 1 ergonomic eyepiece for eyeglasses and a double gooseneck flexible light guide with focusing lenses. Shipped in a custom carrying case.

Features:

- 4.8:1 zoom
- Working distance of 110 mm
- Field of view diameter 36.5 mm
- Ergonomic 38° viewing angle
- 6.3x – 30x magnification
- ESD (electro static discharge) safe construction (antistatic)



**MICROSCOPE SET
STEREOSCOPE LEICA S4
W/GOOSENECK
MODEL # S4E-GL2C
NSN 6650-01-556-0738**

**MICROSCOPE SET STEREOSCOPE LEICA S4 STEREO ZOOM
MODULAR W/GOOSENECK
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Dimensions	Height	14 inches
	Width	8 inches
	Depth	11 inches
Cube		0.7 cu ft
Weight		11 lb
Power Requirements		120 VAC
Amps		
Watts		



**DOUBLE GOOSENECK FLEXIBLE
LIGHT GUIDE
PART # 10 446 389**



**EXAMPLE OF DOUBLE
GOOSENECK ATTACHED TO
ILLUMINATOR**



**CASE, CUSTOM CARRYING
PART # 2750**

**MICROSCOPE SET STEREOSCOPE LEICA S4 STEREO ZOOM
MODULAR W/GOOSENECK
(START-UP)**

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	DIST/MFG	Shelf Life, months	Refrig Y/N
6650015560738		Microscope set stereoscope Leica S4 stereo zoom	S4E-GL2C	1	EA	\$2,287.41	\$2,287.41	I Miller	indef	N
		Leica S4E stereozoom microscope pod	10446293	1	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N
		Eyepiece, widefield, 10x/23	10447137	2	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N
		Focusing column	10446339	1	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N
		Base	10446340	1	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N
		L2 light source	10446385	1	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N
		Power supply	10447015	1	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N
		Power cable	10445661	1	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N
		Bulb	10447056	1	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N
		L2 adapter	10446374	1	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N
		Double gooseneck	10446389	1	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N
		Focusing lens	10446391	2	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N
		Case custom fitted carrying	2750	1	EA	Included w/ 0738 NSN	Included w/ 0738 NSN	I Miller	indef	N

NOTE: FOR OPERATOR MANUAL, CLICK

[LEICA MICROSYSTEMS WEBSITE /](http://www.leica-microsystems.com/website/products.nsf?opendatabase&language=english&ndb=website/sc_sms.nsf)

[http://www.leica-](http://www.leica-microsystems.com/website/products.nsf?opendatabase&language=english&ndb=website/sc_sms.nsf)

[microsystems.com/website/products.nsf?opendatabase&language=english&ndb=we](http://www.leica-microsystems.com/website/products.nsf?opendatabase&language=english&ndb=website/sc_sms.nsf)

[bsite/sc_sms.nsf](http://www.leica-microsystems.com/website/products.nsf?opendatabase&language=english&ndb=website/sc_sms.nsf)

**ENTER S4E IN SEARCH FIELD, CLICK ON LEICA S4E, CLICK ON
DOWNLOADS TAB, CLICK ON OPERATOR MANUAL OR TECH INFO TO
DOWNLOAD AS ZIP FILE. WINZIP REQUIRED TO UNZIP FILE, ACROBAT
READER REQUIRED TO OPEN/READ FILE.**