MEDICAL EQUIPMENT SET GROUND AMBULANCE

Support and Consumables Handbook

6545-01-534-6129

UA 256A

LIN M26413

ARCHIVED

August 2009

U.S. Army Medical Materiel Agency

The information contained in this manual was prepared
by the U.S. Army Medical Materiel Agency,
PMO, Medical Devices,
Acquisition Information Division,
Fort Detrick, MD

This manual is still in draft form and may contain inaccuracies.
To report inaccuracies or additions, please contact:
Customer Relations Management
301-619-4301/6901/1288, DSN 343-4301/6901/1288, or at
USAMMACRM@amedd.army.mil
Responses may also be mailed to:

Commander
U.S. Army Medical Materiel Agency (USAMMA)
MCMR-MMO-OC
693 Neiman Street
Fort Detrick, MD 21702-5001

For additional equipment item information, visit the USAMMA Medical Equipment Literature section on the web at
<http://www.usamma.army.mil/med_equip_lit_cdroms.cfm>

Review the Master Table of Contents for all of the published USAMMA Medical Equipment CDs at
<http://www.usamma.army.mil/assets/docs/Master%20Table%20of%20Contents.pdf>

You can also order a copy of each published CD by completing and submitting the form at
<http://www.usamma.army.mil/CDROM_Requests_form.cfm>

NOTE: CLICK ON TITLE FOR DIRECT LINK

TABLE OF CONTENTS

SECTION	DEVICE	NSN	PAGE
1	BLANKET HYPOTHERMIA	(J) 6515-01-500-6087	1
2	BLOOD-FLUID WARMER	(L) 6515-01-500-3521	5
3	LITTER TAGLINE MMS KIT	(L) 6545-01-381-0654	15
4	OTOSCOPE & OPHTHALMOSCOPE SET	(H) 6515-01-333-3165	21
5	OXIMETER PULSE FINGER	(L) 6515-01-466-0971	25
6	RESCUE AND TRANSPORT SYSTEM	(H) 6530-01-260-1222	29
7	SPLINT TRACTION - EXTRICATION ADULT	(L) 6515-01-250-8936	33
8	SUCTION APPARATUS SURGICAL PROGRAMMABLE	(J) 6515-01-435-0050	39
9	THERMOMETER KIT CLINICAL	(J) 6515-01-523-9935	45

Please provide all comments at the website link listed below.

https://ice.disa.mil/index.cfm?fa=card&site_id=750&service_provider_id=102377

Select: EQUIPMENT PUBLICATIONS BUTTON AT TOP OF FORM

BLANKET HYPOTHERMIA

TOC

DISTRIBUTOR: MARKETING ASSESSMENT INC.
MANUFACTURER: THERMAL GEAR
Manufacturer Model# SERIES 8000
Distributor's PHONE: (703) 673-9003 FAX: (703) 673-9004
Manufacturer's PHONE: (703) 392-9344 FAX: (703) 392-3803
Distributor's Website: <http://www.chillbuster.com/>
Manufacturer's Website: <http://www.chillbuster.com>

AAC 'J' ITEM NSN 6515-01-500-6087

USAMMA POC: Customer Relations Management 301-619-4301/6901 - DSN 343-4301/6901
UNIT PRICE: $1,650.00

System Description: The ChillBuster Blanket system is specifically designed to treat hypothermia encountered in the field, and in the pre-hospital, hospital or surgical environments.

Features:
- User set temperature range of 65˚ to 105°F for controlled warming
- 1.75-3.5 hours of operation, allowing for extended patient transport
- Blanket wire heats to 105°F within 60 seconds for rapid thermal response
- AC/DC converter permits an alternative to line power operation to enhance operating flexibility
- Optional cigarette lighter adapter allows unlimited blanket operation during transport
- Optional Blanket covers: sterile, single-use and non-sterile general use



BLANKET HYPOTHERMIA CHILLBUSTER
PART # SERIES 8000
NSN 6515015006087

BLANKET HYPOTHERMIA CHILLBUSTER - DEMONSTRATION
PART # SERIES 8000
NSN 6515015006087

BLANKET HYPOTHERMIA
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**10.5**
	Width (Inches)	**11**
	Length (Inches)	**18**
	Cube (Cubic Feet)	**1.2031**
	Weight	**10 lbs.**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		**-40° to 122°F**
Operating Temp		**14° to 113°F**
Storage Humidity		**15 to 90% Non-Condensing**
Operating Humidity		
Amps		
Watts		
Power Requirements	**100/250VAC @ 47-63Hz, Single Phase 60 watts max** **External Power: 12 VDC @ 5 amps, neg grnd**	
Notes		

BLANKET HYPOTHERMIA
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Thermal Gear	DIST PN Marketing Assessment Inc.	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015006087		Blanket Hypothermia		SERIES 8000	1	EA	$1,650.00	$1,650.00	N/A
	See Resupply for NSN	Blanket Covers, Disposable			10	EA	Incl w/NSN 6087	Incl w/NSN 6087	N/A
6515015221231		Cigarette Adapter	200-9111-00-00E		1	EA	Incl w/NSN 6087	Incl w/NSN 6087	N/A
6515015221240		AC/DC Switching Power Supply	200-9110-02-00E		1	EA	Incl w/NSN 6087	Incl w/NSN 6087	N/A
6515015221377		Carrying Bag	200-9111-01-00E		1	EA	Incl w/NSN 6087	Incl w/NSN 6087	N/A
6515015224385		Blanket – 30 in. x 60 in.	200-9103-01-00E		1	EA	Incl w/NSN 6087	Incl w/NSN 6087	N/A
7610015437003		Literature, Operation Manuals			1	EA	Incl w/NSN 6087	Incl w/NSN 6087	N/A

BLANKET HYPOTHERMIA
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Thermal Gear	DIST PN Marketing Assessment Inc.	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015221231		Cigarette Adapter	200-9111-00-00E		1	EA	$60.00	$60.00	N/A
6515015221240		AC/DC Switching Power Supply	200-9110-02-00E		1	EA	$225.00	$225.00	N/A
6515015221377		Carrying Bag	200-9111-01-00E		1	EA	$135.00	$135.00	N/A
6515015224385		Blanket – 30 in. x 60 in.	200-9103-01-00E		1	EA	$300.00	$300.00	N/A
6532014980837	Must Specify Size When Ordering	Blanket Covers, 25/Case 30"x 60", Disposable	200-9112-13-00E		1	25/PG	$125.00	$125.00	N/A
6532014988413		Battery Blanket 12V 7amp		200-9115-00-00E	1	EA	$75.00	$75.00	N/A
7610015437003		Literature, Operation Manuals			1	EA	$0.00	$0.00	N/A

BLOOD-FLUID WARMER

TOC

MANUFACTURER: ESTILL MEDICAL TECHN, INC.
Manufacturer Model# TA-200
Manufacturer's PHONE: (214) 561-6001 FAX: (214) 561-1930
Manufacturer's Website: <http://www.thermalangel.com>

Item Web Link:
<http://www.thermalangel.com>

AAC 'L' ITEM NSN 6515-01-500-3521

UA's: 254A, 268B

USAMMA POC: Customer Relations Management 301-619-4301/6901 - DSN 343-4301/6901
UNIT PRICE: $147.57

System Description: The Thermal Angel is an in line, battery-powered, disposable, lightweight and completely portable blood and IV fluid warming device, capable of intravenous application and irrigation warming. The Thermal Angel can be used to help prevent fluid-induced hypothermia. The Thermal Angel TA-200 will strive to achieve 38°C (100.4°F) ±3°C at a flow rate of 2 to 150 ml/min given a fluid input temperature of 20°C (68°F) with a fully charged TA-BCE Battery.

Features:
- Lightweight (9 oz), in-line, portable, battery-powered blood and IV fluid warmer
- No cartridges or cleaning
- Inserted below standard IV tubing, coming from the bag and before the extension set leading to the infusion site
- Will strive to achieve 38°C (100.4°F) ±3°C at a flow rate of 2 to 150 ml/min given a fluid input temperature of 20°C (68°F) with a fully charged TA-BCE Battery
- Quick setup within 30 seconds
- Warms in approximately 45 seconds
- Placed at or near the infusion site for minimal heat loss through tubing
- Failsafe to prevent overheating
- Ability to remain with patient from first contact through hospital stay
- Can be used in the field, ambulances, helicopters, ER, OR, military and other areas
- The unit uses standard luer fittings and will accept all standard IV line sets
- Single patient use
- Heaters adjust automatically in response to changes in flow rate
- Disposable



THERMAL ANGEL
PART # TA-200
NSN 6515015003521

THERMAL ANGEL UNIT
PART # TA-200
NSN 6515015003521

9 INCH EXTENSTION SET
PART # TA-9EXT
NSN 6515015038228

BATTERY
PART # TA-BCE
NSN 6515015002858

BATTERY CHARGER
PART # TA-CAC
NSN 6515015003022

BATTERY BAG
PART # TA-CC
NSN 6515015003045

POWER CABLE
PART # TA-CDC
NSN 6515015003027

A COMPATIBLE SET UP - IV BAG, PUMP, WARMER

BLOOD-FLUID WARMER
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**9**
	Width (Inches)	**2.8**
	Length (Inches)	**0.95**
	Cube (Cubic Feet)	**0.0139**
	Weight	**9.2 oz.**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		**32°F to 104°F**
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**10.5 VDC Min / 13.8 VDC Max**	
Notes		

BLOOD-FLUID WARMER
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Estill Medical Techn, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015003521		Blood-Fluid Warmer	TA-200		1	EA	$147.57	$147.57	N/A
6515015002858		Battery Pack Rechargeable	TA-BCE		1	EA	Incl w/NSN 3521	Incl w/NSN 3521	N/A
6515015003022		Battery Charger	TA-CAC		1	EA	Incl w/NSN 3521	Incl w/NSN 3521	N/A
6515015003027		Power Cord	TA-CDC		1	EA	Incl w/NSN 3521	Incl w/NSN 3521	N/A
6515015003045		Battery Bag	TA-CC		1	EA	Incl w/NSN 3521	Incl w/NSN 3521	N/A
6515015038228		9" IV Extension	TA-9EXT		1	EA	Incl w/NSN 3521	Incl w/NSN 3521	N/A

BLOOD-FLUID WARMER
ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM

NSN	Notes	Nomenclature	MFR PN Estill Medical Techn, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015002858		Battery Pack Rechargeable	TA-BCE		1	EA	$64.38	$64.38	N/A
6515015003022		Battery Charger	TA-CAC		2	EA	$85.51	$171.02	N/A
6515015003027		Power Cord	TA-CDC		1	EA	$17.50	$17.50	N/A
6515015003045		Battery Bag	TA-CC		1	EA	$61.62	$61.62	N/A
6515015038228		9" IV Extension	TA-9EXT		2	EA	$7.71	$15.42	N/A

BLOOD-FLUID WARMER
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Estill Medical Techn, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015002858		Battery Pack Rechargeable	TA-BCE		1	EA	$64.38	$64.38	N/A
6515015003022		Battery Charger	TA-CAC		1	EA	$85.51	$85.51	N/A
6515015003027		Power Cord	TA-CDC		1	EA	$17.50	$17.50	N/A
6515015003045		Battery Bag	TA-CC		1	EA	$61.62	$61.62	N/A
6515015038228		9" IV Extension	TA-9EXT		1	EA	$7.71	$7.71	N/A

BLOOD-FLUID WARMER
ADDITIONAL NOTE:

Preliminary Evaluation of Compatibility Between Infusion Dynamics Power Infuser® and Estilll Medical's Thermal Angel® Blood and IV Fluid Warmer (TA-200). Testing performed by Infusion Dynamics, Inc. - August 9, 2002

The Power Infuser was found to be COMPATIBLE with Estill Medical's Thermal Angel provided the following configuration was used:

[IV bag] - [Power Infuser] - [Thermal Angel] - [Patient]

Standard IV tubing set was connected between the IV bag and the Power Infuser. An 18” pump-to-patient IV tubing set was used between the Power Infuser and Thermal Angel and between the Thermal Angel and the 18ga. patient needle.

Flow rates in this configuration matched the rates without the warmer in the line. Temperature of outflow fluid was 38.3°C with the pump set to L/hr. According to the TA-200 instructions, fluid should be warmed to 38°C ± 3°C. When the Power Infuser was set to 6L/hr. and placed in-line with the Thermal Angel warmer, the pump's OCC alarm triggered approximately 2.5 seconds after the line at the patient end was occluded. Without the warmer in the line the OCC alarm triggers approximately 1.2 seconds after occlusion. This slightly longer time to occlusion is due to the compliance of the tubing when it is warmed.

Approximately 1-2 cc of fluid is released when the occlusion is cleared. The peak pressure during the occlusion reached 14-18 PSI (724 - 931mmHg), and settled down to approximately 9 PSI (465mmHg) after the alarm was triggered and the pump stopped. No leaks in the set or any decay in the pressure were observed in the period of several minutes that the occlusion was maintained after the pump OCC alarm triggered.

The Power Infuser was NOT COMPATIBLE with the Thermal Angel Warmer in this configuration:

[IV bag] - [Thermal Angel] - [Power Infuser] - [Patient]

When the Power Infuser is running at 6L/hr. and is downstream of the warmer, the occlusion alarm will not activate when the patient tubing is occluded. (Operation at the 1L/hr., 2 L/hr. and 4L/hr. settings is acceptable). This occurs due to a more compliant system resulting from the elevated temperature in the fluid path.

A compatible set up: IV bag, pump, warmer, patient.

BLOOD-FLUID WARMER
ITEM TABLES

TA-200 External Physical Specifications

SPECIFICATION	VALUE
Length	9.0 inches (22.86 cm)
Width	2.8 inches (7.11 cm)
Depth	0.95 inches (2.41 cm)
Weight	9.2 ounces (260.82 g)

TA-200 Absolute Minimum and Maximum Specifications

SPECIFICATION	MINIMUM	MAXIMUM
Output Temperature	NA	47°C (116.6°F) failsafe fuse
Input Temperature	4°C (39.2°F)	38°C (100.4°F)
Input Flow Rate	0 ml/min	200 ml/min
Input Voltage	10.5 Volts DC	13.8 Volts DC
Storage Temperature	0°C (32°F)	40°C (104°F)

TA-200 Performance Specifications

SPECIFICATION	VALUE
Output Temperature	38°C (100.4°F)
Accuracy	±3°C (5.4°F)
Input Temperature	20°C (68°F)
Input Flow Rate	2 to 150 ml/min
Input Voltage	12 Volts DC from a fully charged power source
Warm-up Time	Approximately 45 seconds

TA-200 Fluid Path Specifications

DIMENSION	VALUE
Volume	0.540 cu. in. (8.85 ml)
Material	Passivated 316L stainless steel tube
Tube Length	50.25 in. (127.5 cm)
Tube Wall Thickness	0.035 in. (.098 cm)
Tube I.D.	0.117 in. (.30 cm)

TA-200 Heater Specifications

SPECIFICATION	VALUE
Type	Electrical resistance, band heater
Material	1 oz. copper
Substrate	3 mil polyester film
Approximate Area	17 sq. in.
Nominal Power	216 watts @ 12 Volts DC

TA-200 Controller Specifications

SPECIFICATION	VALUE
Operational Voltage	5 Volts DC
Processor	8-bit microcontroller
Clock Rate	8 MHz
ADC Configuration	8-bits
Sensor	NTC Thermistor mounted in fluid stream
Control Algorithm	Closed-loop PID (Proportional Integral Differential)
Sample Rate	4.8 Ks/sec

TA-200 Quick Steps

STEP	ACTION
1	Remove the female luer cap from the inlet end of the Thermal Angel®.
2	Connect IV tubing to the female luer. Tighten until resistance is met. Do not over tighten.
3	Remove the male luer cap from the outlet end of the Thermal Angel®.
4	Connect 9 Inch IV Extension Set to the male luer. Tighten until resistance is met. Do not over tighten.
5	Connect assembled IV line to fluid source and prime the line.
6	Connect the male end of the Power Cable to the inlet end cap of the Thermal Angel®. Connect the female end of the Power Cable to the Battery.
7	The green LED on the Thermal Angel® inlet end cap should display continuous illumination without blinking.
8	Connect 9 Inch IV Extension Set to IV catheter.
9	Engage roller clamp on IV tubing to adjust flow.

LITTER TAGLINE MMS KIT

TOC

MANUFACTURER: SKEDCO INC.
Manufacturer Model# SK-1010
Manufacturer's PHONE: (503) 639-2119 FAX: (503) 639-4538
Manufacturer's Website: <http://www.skedco.com>

Item Web Link:
<http://www.skedco.com/product/detail/sk-1010>

AAC 'L' ITEM NSN 6545-01-381-0654

UA's: 244A, 257B, 268B, 506A

USAMMA POC: Customer Relations Management 301-619-4301/6901 - DSN 343-4301/6901
UNIT PRICE: $187.85

System Description: The purpose of a tag line is to prevent dangerous litter spin that occurs when hoisting a litter by helicopter. This kit is designed to prevent spin while preventing other problems normally associated with tag lines, such as tangled rope, deployment difficulties, and storage problems.

Features: The Skedco Helitag Kit contains 250 feet of 7 mm water rescue rope. It has a polypropylene core with a nylon sheath which allows it to float in the water and have good abrasion resistance. Both ends have a figure 8 knot on the end of the rope that is backed up with a double overhand knot for safety.

HELITAG HELICOPTER LITTER TAGLINE MMS KIT
PART # SK-1010
NSN 6545013810654

Recommended Personnel Placement for Helicopter Hoisting of a Stretcher

Preferred Placement | Good Placement | Improper Placement



Ideal placement. Use of two tag lines is the safest way to prevent any litter from spinning. Two tag lines should always be used in training and non hostile situations for best litter control. Maximum visibility for pilot and crew.

Good placement to prevent stretcher spin with minimum tension applied to tag line. Maximum visibility for pilot and ground crew.

While better than no tag line at all, this placement of personnel and equipment tilts the stretcher, increasing the likelihood of spin, and requires greater tension on the tag line to prevent the spin, creating an increased possibility of weak link separation.

WARNING! A NEW WEAK LINK MUST BE USED EACH TIME A HUMAN LOAD IS HOISTED!

RECOMMENDED PERSONNEL PLACEMENT DIAGRAM

LITTER TAGLINE MMS KIT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**0**
	Width (Inches)	**0**
	Length (Inches)	**0**
	Cube (Cubic Feet)	**1.45**
	Weight	**5lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**N/A**	
Notes		

LITTER TAGLINE MMS KIT
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6545013810654		Litter Tagline MMS Kit	SK-1010		1	EA	$187.85	$187.85	N/A
6530014457291		Link Litter Tagline Medical Evacuation	SK-1011		1	10/PG	Incl w/NSN 0654	Incl w/NSN 0654	N/A
6545015191108		'V' Strap	SK-1015		1	EA	Incl w/NSN 0654	Incl w/NSN 0654	N/A
6545015191158		PETZL M17 AM'D Locking D Carabiner, Black	SK-1013		1	EA	Incl w/NSN 0654	Incl w/NSN 0654	N/A
6545015195175		250' x 7mm PMI Water Rescue Rope	SK-1012		1	EA	Incl w/NSN 0654	Incl w/NSN 0654	N/A
6545015195181		Helitag Throw Bag	SK-1016		1	EA	Incl w/NSN 0654	Incl w/NSN 0654	N/A
6545015195190		Screw Link	SK-1014		1	EA	Incl w/NSN 0654	Incl w/NSN 0654	N/A

LITTER TAGLINE MMS KIT
ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530014457291		Link Litter Tagline Medical Evacuation	SK-1011		1	10/PG	$21.96	$21.96	N/A

LITTER TAGLINE MMS KIT
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530014457291		Link Litter Tagline Medical Evacuation	SK-1011		1	10/PG	$21.96	$21.96	N/A
6545015191108		'V' Strap	SK-1015		1	EA	$12.00	$12.00	N/A
6545015191158		PETZL M17 AM'D Locking D Carabiner, Black	SK-1013		1	EA	$13.20	$13.20	N/A
6545015195175		250' x 7mm PMI Water Rescue Rope	SK-1012		1	EA	$84.00	$84.00	N/A
6545015195181		Helitag Throw Bag	SK-1016		1	EA	$35.00	$35.00	N/A
6545015195190		Screw Link	SK-1014		1	EA	$5.04	$5.04	N/A

LITTER TAGLINE MMS KIT
WEB LINKS

Click Below for Product Instructions

<http://www.skedco.com/public/video/helicopter_rescue.wmv>

OTOSCOPE & OPHTHALMOSCOPE SET

TOC

MANUFACTURER: WELCH ALLYN
Manufacturer Model# 92821
Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361
Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:
<http://www.welchallyn.com/apps/products/product.jsp?id=19-pe-114-1294170570249>

AAC 'H' ITEM NSN 6515-01-333-3165

UA's: 256B, 261A, 267B, 268B, 269A, 506A, 623A, 7054, N315, N316, N320, N413, N477, N513, N713, P301, P308, P309, P310

USAMMA POC: Customer Relations Management 301-619-4301/6901 - DSN 343-4301/6901
UNIT PRICE: $508.87

System Description: This item is a hand-held, battery powered, lighted instrument for examining the external canal and tympanic membrane of the ear and also for viewing the interior of the eye or examining the retina.

Features:
- 2.5V PocketScope Ophthalmoscope uses halogen bulbs for true tissue color and consistent, long lasting illumination. It has 6 aperture selections for general and specialist use, and 48 lenses for better resolution
- 2.5V Otoscope also has built-in throat illuminator – two-in-one instrument features halogen illumination and fiberoptics for a cool light with no reflections or obstructions, plus a rectangular viewing lens for instrumentation under magnification
- 2.5V PocketScope handle has a smooth rheostat to control light intensity and features a handy pocket clip

OTOSCOPE & OPHTHALMOSCOPE SET
PART # 92821
NSN 6515013333165

OTOSCOPE & OPHTHALMOSCOPE SET
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**2**
	Width (Inches)	**6**
	Length (Inches)	**10**
	Cube (Cubic Feet)	**0.0694**
	Weight	**1.05 lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	**0.0992**
	Weight	**2.11 lbs**
Storage Temp		**-4° F to 120° F**
Operating Temp		**50° F to 104° F**
Storage Humidity		**95% max humidity**
Operating Humidity		
Amps		
Watts		
Power Requirements	**Two 1.5 VDC AA Batteries**	
Notes		

OTOSCOPE & OPHTHALMOSCOPE SET
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515013333165		Otoscope & Ophthalmoscope Set	92821		1	SE	$508.87	$508.87	N/A
6515015205725		Head Otoscope Diagnostic Halogen Hpx 2.5V 9.8 Diopter 4In Focal Length	21111		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205740		Bulb Replacement Exam Instrument F/Halogen Otoscope 2.5V	03400-U		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205754		Bulb Replacement Exam Instrument F/Ophthalmoscope	03900-U		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205763		Head Ophthalmoscope Pocket 2.5V Halogen Bulb Red Free Filter Micro/Sm	13000		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205778		2.5 Volt Handle (Accepts Two AA Batteries)	72830		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6545015190982		Case Soft Zipper F/Pocketscope	05928-U		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A

OTOSCOPE & OPHTHALMOSCOPE SET
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Battery Non-Rechargeable Alkaline 1.5v AA Cell	20-0571-1988 NEDA 15A		1	24/PG	$41.60	$41.60	36
6515013294847		Speculum Otoscope Slit Type 4mm Disposable	52434		1	1000/PG	$19.25	$19.25	N/A
6515015205725		Head Otoscope Diagnostic Halogen Hpx 2.5V 9.8 Diopter 4In Focal Length	21111		1	EA	$59.79	$59.79	N/A
6515015205740		Bulb Replacement Exam Instrument F/Halogen Otoscope 2.5V	03400-U		1	EA	$12.60	$12.60	N/A
6515015205754		Bulb Replacement Exam Instrument F/Ophthalmoscope	03900-U		1	EA	$13.21	$13.21	N/A
6515015205763		Head Ophthalmoscope Pocket 2.5V Halogen Bulb Red Free Filter Micro/Sm	13000		1	EA	$88.27	$88.27	N/A
6515015205778		2.5 Volt Handle (Accepts Two AA Batteries)	72830		1	EA	$81.13	$81.13	N/A
6515015250236		Disposable Specula 4.25Mm	31237-010A		1	850/PG	$29.04	$29.04	N/A
6515015250240		Disposable Specula 2.75Mm	31237-020A		1	850/PG	$29.04	$29.04	N/A
6545015190982		Case Soft Zipper F/Pocketscope	05928-U		1	EA	$12.00	$12.00	N/A

OXIMETER PULSE FINGER

TOC

MANUFACTURER: NONIN MEDICAL INC.
Manufacturer Model# 9500
Manufacturer's PHONE: (540) 662-8000 FAX: (800) 590-0081
Manufacturer's Website: <http://www.nonin.com>

AAC 'L' ITEM NSN 6515-01-466-0971

UA's: 254A

USAMMA POC: Customer Relations Management 301-619-4301/6901 - DSN 343-4301/6901
UNIT PRICE: $350.00

System Description: Now you can check your heart rate and blood-oxygen saturation levels simply and quickly with the Nonin Onyx 9500 Pulse Oximeter. Just place over your fingertip. It will automatically turn itself on and light up a display, providing you with instant, real-time info on your heart-rate and blood-oxygen saturation levels. When you take the Nonin 9500 Pulse Oximeter off of your finger, it automatically turns itself off after 7 seconds, saving the battery life.

Features: The pulse oximeter has a bright LED digital display that is easy to read. The Nonin 9500 comes with a handy lanyard wrist cord, 2 AAA Batteries and Instruction / Service Manual. The manufacturer backs up the quality and durability of this convenient device with a full TWO-YEAR WARRANTY

- Oxygen Sat. Range: 0-100 %
- Pulse Rate Range: 18-300 BPM
- Up to 1600 Spot-Checks On One Set Of Batteries
- Proven Accuracy and Durability

PULSE OXIMETER
PART # 9500
NSN 6515014660971

PULSE OXIMETER - FINGER
PART # 9500
NSN 6515014660971

OXIMETER PULSE FINGER
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**1.3**
	Width (Inches)	**1.3**
	Length (Inches)	**2.2**
	Cube (Cubic Feet)	**0.0022**
	Weight	**2 oz**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		**-22° to +122°F**
Operating Temp		**32° to 104°F**
Storage Humidity		**10% to 90%**
Operating Humidity		**10% to 90%**
Amps		
Watts		
Power Requirements	**1.5 volt AAA Battery, 18 hours continuous operation**	
Notes		

OXIMETER PULSE FINGER
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Nonin Medical Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014660971		Oximeter Pulse Finger	9500		1	EA	$350.00	$350.00	N/A
	See Resupply	Battery Nonrechargeable Alkaline AAA 1.5V			2	EA	Incl w/NSN 0971	Incl w/NSN 0971	N/A
	See Resupply	Lanyard	9500L-B		1	EA	Incl w/NSN 0971	Incl w/NSN 0971	N/A

OXIMETER PULSE FINGER
ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM

NSN	Notes	Nomenclature	MFR PN Nonin Medical Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135008264798		Battery Nonrechargeable Alkaline AAA 1.5V	C18.1		1	12/PG	$1.72	$1.72	36

OXIMETER PULSE FINGER
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Nonin Medical Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
		Lanyard	9500L-B		1	30/PG	$3.00	$3.00	N/A
6135008264798		Battery Nonrechargeable Alkaline AAA 1.5V	C18.1		1	12/PG	$1.72	$1.72	36

RESCUE AND TRANSPORT SYSTEM

TOC

MANUFACTURER: SKEDCO INC.
Manufacturer Model# SK-200
Manufacturer's PHONE: (503) 639-2119 FAX: (503) 639-4538
Manufacturer's Website: <http://www.skedco.com>

Item Web Link:
<http://www.skedco.com/product/detail/sk-200-or>

AAC 'H' ITEM NSN 6530-01-260-1222

UA's: 244A, 254A, 256B, 257B, 269A

USAMMA POC: Customer Relations Management 301-619-4301/6901 - DSN 343-4301/6901
UNIT PRICE: $584.99

System Description: The Sked comes equipped for horizontal hoisting by helicopter or vertical hoisting in caves or confined industrial spaces. When the patient is packaged the stretcher becomes rigid. The durable plastic provides protection for the patient while allowing extrication through the most demanding confined spaces. The stretcher is rolled for storage in a tough cordura backpack which is included with the system.

Features: Each Sked® Basic Rescue System comes complete with:

- The Sked® Stretcher (SK-201)
- Cordura backpack/Towing Harness (SK-202)
- Horizontal Lift Slings (SK-203)
- Vertical Lift Sling (SK-207)
- Steel Locking 'D' Carabiner (SK-206)
- Tow Strap (SK-204)
- Removable Webbing Handles (SK-205)

RESCUE AND TRANSPORT SYSTEM PATIENT BASIC HIGH DENSITY
PART # SK-200
NSN 6530012601222

RESCUE AND TRANSPORT SYSTEM
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**36**
	Width (Inches)	**9**
	Length (Inches)	**9**
	Cube (Cubic Feet)	**1.6875**
	Weight	**19 lbs.**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**N/A**	
Notes		

RESCUE AND TRANSPORT SYSTEM
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530012601222		Rescue and Transport System	SK-200		1	EA	$584.99	$584.99	N/A
6530012598296		Litter Rescue & Transport	SK-201		1	EA	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012601214		Handle Webbing Rescue Removable	SK-205		1	4/PG	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012602699		Sling Lift Rescue Verticle Flex Rope 30ft x 3/8inch	SK-207		1	EA	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012602700		Sling Lift Rescue Horizontal	SK-203		1	2/PG	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012606703		Backpack Case Carrying Cordura	SK-202		1	EA	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012624510		Carabiner D Locking - Large Black	SK-206		1	EA	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012624511		Strap Tow Rescue System	SK-204		1	EA	Incl w/NSN 1222	Incl w/NSN 1222	N/A

RESCUE AND TRANSPORT SYSTEM
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530012598296		Litter Rescue & Transport	SK-201		1	EA	$269.01	$269.01	N/A
6530012601214		Handle Webbing Rescue Removable	SK-205		1	4/PG	$7.95	$7.95	N/A
6530012602699		Sling Lift Rescue Verticle Flex Rope 30ft x 3/8inch	SK-207		1	EA	$30.34	$30.34	N/A
6530012602700		Sling Lift Rescue Horizontal	SK-203		1	2/PG	$26.25	$26.25	N/A
6530012606703		Backpack Case Carrying Cordura	SK-202		1	EA	$47.46	$47.46	N/A
6530012624510		Carabiner D Locking - Large Black	SK-206		1	EA	$20.68	$20.68	N/A
6530012624511		Strap Tow Rescue System	SK-204		1	EA	$17.86	$17.86	N/A

RESCUE AND TRANSPORT SYSTEM
WEB LINKS

Click Below for Instruction Manual

<http://www.skedco.com/Public/Documents/sked_instruction.pdf>

SPLINT TRACTION - EXTRICATION ADULT

TOC

MANUFACTURER: REEL RESEARCH & DVPMT
Manufacturer Model# 8801
Manufacturer's PHONE: (831) 336-3960 FAX: (931) 336-3532
Manufacturer's Website: <http://www.splints.com>

Item Web Link:
<http://splints.webs.com/reeladult.htm>

AAC 'L' ITEM NSN 6515-01-250-8936

UA's: 1374 , 257B , 267B , 268B , 269A , 506A , 9118 , N583 , N783 , P308

USAMMA POC: Customer Relations Management 301-619-4301/6901 - DSN 343-4301/6901
UNIT PRICE: $715.92

System Description: This version of the Reel Splint Immobilizer™ has a unique twist. Two snap ring twist "Quick Disconnect" sleeves are positioned at the bottom or distal end of the splint. These sleeves allow the Reel's exclusive traction ratchet to be inserted into the distal portion of the splint. With the immobilizer component in the straight and neutral position, the ratchet can then be connected; thus creating the world's most highly effective long bone traction splint. In this traction configuration, there are two vitally important developments incorporated into the splint's design.

● ANATOMICAL PIVOTING ISCHIAL PAD: This assures proper alignment at and with the patient's "ischial pathway angle." Pivoting left or right, the ischial pad can be situated with proper and complete consideration of delicate proximal injury sites. The majority of femur fractures occur in this upper third portion of the thigh making this a major concern.

● POSITIVE MIDLINE POF: Allows the knee to be slightly flexed and supported at an angle that emulates the patient's natural anatomical position of function (or POF). This is highly beneficial in achieving proper natural limb alignment during traction while positively effecting nuero vascular integrity.

Features:
- Extrication handles - ideal for patient and extremity management
- Wound visualization & treatment - strap design allows complete & total access
- Limb repositioning - adapts readily for patient comfort or neuron-vascular restoration
- Folding design for storage
- Autoclavable
- Elevation stand is pin free - makes stand deployment, storage retractions & replacement simple
- Single Hand Ratcheting Control - one medic can control both mechanical traction application & patient manual traction at the same time
- Safety Traction Lock - when engaged, this lock feature disables the traction ratcheting knob, preventing any accidental loss of traction
- Reel’s one-size-fits-all Ankle Hitch saves time, money & training while providing a significantly improved neutral foot position result
- The smaller profile “wrap around” design leaves pulse points accessible

SPLINT TRACTION - EXTRICATION WITH LEG
PART # 8801
NSN 6515012508936



SPLINT TRACTION - EXTRICATION RATCHET ATTACHMENT
PART # RSA-018



SPLINT TRACTION - EXTRICATION PARTS
PART # 8801
NSN 6515012508936



SPLINT SUPPORT, LEG LOWER LIMB WITHOUT TRACTION REEL STYLE ADULT SIZE
PART # 9801
NSN 6515015141347

SPLINT TRACTION - EXTRICATION ADULT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**41**
	Width (Inches)	**11**
	Length (Inches)	**5**
	Cube (Cubic Feet)	**1.305**
	Weight	**11 lbs.**
Ship Dimensions	**Height (Inches)**	**28**
	Width (Inches)	**10.5**
	Length (Inches)	**5.5**
	Cube (Cubic Feet)	**0.9358**
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**N/A**	
Notes	**Storage Height: 17 inches** **Storage Width: 10 inches** **Storage Depth: 11 inches**	

SPLINT TRACTION - EXTRICATION ADULT
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Reel Research & Dvpmt	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515012508936		Splint Traction - Extrication Adult	8801		1	EA	$715.92	$715.92	N/A
7610005437003		Literature, Operator	8801 IM		2	EA	Incl w/NSN 8936	Incl w/NSN 8936	N/A

SPLINT TRACTION - EXTRICATION ADULT
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Reel Research & Dvpmt	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6910014435573	download available on links page	Training CD	AP-24		1	EA	$4.99	$4.99	N/A

SUCTION APPARATUS SURGICAL PROGRAMMABLE

TOC

MANUFACTURER: IMPACT INSTRUMENTATION INC.
Manufacturer Model# 800-0326-04
Manufacturer's PHONE: (973) 882-1212 FAX: (973) 882-4993
Manufacturer's Website: <http://www.impactii.com>

Item Web Link:
<http://www.impactinstrumentation.com/326.html>

AAC 'J' ITEM NSN 6515-01-435-0050

UA's: 244A, 249B, 254A, 256B, 257B, 261A, 267B, 269A, 512A, 625A, 905C, 912B, N305, N307, N316, N320, N436, N477, N513, N713, P301, P308, P309, P310

USAMMA POC: Customer Relations Management 301-619-4301/6901 - DSN 343-4301/6901
UNIT PRICE: $2,758.56

System Description: The Model 326 is a multifunction, continuous and programmable intermittent suction unit. Built around Impact's ultra-lite® vacuum pump. The Model 326 may be used for oropharyngeal, tracheal, wound drainage, and abdominal or thoracic decompression procedures - short or long-term use. Its supplied accessories permit continuous use from AC or DC power, and internal rechargeable batteries provide power for several hours of transport or emergency backup. Collection canister assembly includes a reusable collection jar, canister, elbows and fittings. The 326 also includes Air Worthiness Release (AWR).

Features:
- AC/DC rechargeable battery operation
- Simultaneous battery recharge and operation
- Dual-scale metric/English vacuum gauge
- Extended operation between recharges
- Energy efficient, easy to use
- Oil-less vacuum pump
- Exceeds all clinical standards for upper airway & gastrointestinal suctioning
- 2 universal collection canister brackets hold 2 canisters up to 2000 ml capacity each
- Patient adaptable intermittent suction
- Continuously variable programmable selections
- Small/lightweight/versatile
- EMI/RFI certified for aeromedical use
- Built-in wall/pole mounting bracket interface
- Low battery indicator
- 2 Velcro straps to attach unit to a litter – 1” x 24” w/ 18” loop in the middle and a 3” hook at the ends

SUCTION APPARATUS, SURGICAL PROGRAMMABLE - OPEN CASE
PART # 800-0326-04
NSN 6515014350050



SUCTION APPARATUS, SURGICAL PROGRAMMABLE
PART # 326M

SUCTION APPARATUS SURGICAL PROGRAMMABLE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**11.5**
	Width (Inches)	**9.5**
	Length (Inches)	**4.87**
	Cube (Cubic Feet)	**0.3079**
	Weight	**12 lbs**
Ship Dimensions	**Height (Inches)**	**18**
	Width (Inches)	**7.25**
	Length (Inches)	**24**
	Cube (Cubic Feet)	**1.8125**
	Weight	**29 lbs**
Storage Temp		
Operating Temp		**-4º to 120º F**
Storage Humidity		
Operating Humidity		**Tested to level required for Air Worthiness - 94±4%RH, 85º F±3.6º**
Amps		**2.5 Steady State**
Watts		**100**
Power Requirements	**115/230 VAC, 50-400 Hz**	
Notes	**Operating Time: Minimum, 2 hours-cycled** **Recharge Time: Maximum, 16 hours** **Free Air Flow - Continuous: 30 Liters per Minute (LPM)** **Free Air Flow - Intermittent: 5-8 Liters per Minute (LPM)** **Vacuum Range - Continuous: Adjustable, 0-550 mmHg (0-22" Hg)** **Vacuum Range - Intermittent: Adjustable, 0-220 mmHg (0-8" Hg)** **Power Requirements - Battery pack, rechargeable, sealed lead acid: Internal 12VDC** **Power Requirements - Continuous operation and/or recharge w/supplied auto power cable: External 12VDC** **Power Requirements - Continuous operation and/or recharge (cable not supplied): External 11-30VDC** **Power Requirements - Continuous operation and/or recharge w/supplied AC/DC power supply: External 115/230 VAC**	

SUCTION APPARATUS SURGICAL PROGRAMMABLE ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Impact Instrumentation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014350050		Suction Apparatus Surgical Programmable	800-0326-04		1	EA	$2,758.56	$2,758.56	N/A
6140013318528	Installed in Apparatus	Battery, Rechargeable 12VDC 5Ah	704-0750-03		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	18
6515015096967		Case, Padded w/ 2 Velcro Straps, Soft Side	402-0017-00		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
6515015096977		Case, Carry-All w/ Label, Hard Side	703-0326-16		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
6545015571419	Contents Listed in Table Below	Assembly Accessory Kit	802-0326-03		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
7610015437003		Literature, Operation and Service	906-0326-03		2	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A

SUCTION APPARATUS SURGICAL PROGRAMMABLE ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Impact Instrumentation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
5920015085022	PN 802-0326-03 Kit Contents	Fuse	081-0020-00		1	EA	$1.05	$1.05	N/A
6140013318528	Installed in Apparatus	Battery, Rechargeable 12VDC 5Ah	704-0750-03		1	EA	$116.34	$116.34	18
6515011942187	PN 802-0326-03 Kit Contents	Filter Disp U/W Pn 326M Or 306M Reusable Canister App Surg	465-0005-00		1	EA	$15.48	$15.48	N/A
6515015039456	1000cc reusable PN 802-0326-03 Kit Contents	Collection Canister Assembly	703-0326-07		1	EA	$82.72	$82.72	N/A
6515015043306	PN 802-0326-03 Kit Contents	Cable, Power, Charger, AC/DC	703-0326-06		1	EA	$357.94	$357.94	N/A
6515015085047		Filter, Hydrophobic/Bacterio Static, Disposable	465-0005-05		1	5/PG	$45.23	$45.23	N/A
6515015096877	PN 802-0326-03 Kit Contents	Cable, Power, DC, Vehicle Lighter	708-0326-01		1	EA	$53.80	$53.80	N/A
6515015096967		Case, Padded w/ 2 Velcro Straps, Soft Side	402-0017-00		1	EA	$173.73	$173.73	N/A
6515015096977		Case, Carry-All w/ Label, Hard Side	703-0326-16		1	EA	$145.25	$145.25	N/A
6515015097331	PN 802-0326-03 Kit Contents	Velcro Strap	334-0020-00		1	EA	$47.68	$47.68	N/A
6515015098638	PN 802-0326-03 Kit Contents	Bracket Assembly, Canister	334-0030-00		1	EA	$31.11	$31.11	N/A
6515015117007		Tubing, Suction, 72 inch	820-0018-50		1	50/PG	$168.00	$168.00	N/A
6515015117017	PN 802-0326-03 Kit Contents	Tubing, Suction, 24 inch	540-0051-00		1	EA	$4.27	$4.27	N/A
6515015117023	PN 802-0326-03 Kit Contents	Tubing, Clear, 12 inch	540-0068-00		1	EA	$0.97	$0.97	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Impact Instrumentation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015117034	PN 802-0326-03 Kit Contents	Tubing, Clear, 18 inch	540-0055-00		1	EA	$3.32	$3.32	N/A
6515015117035	PN 802-0326-03 Kit Contents	Tubing, Suction, 72 inch	820-0018-00		1	EA	$5.76	$5.76	N/A
6545015571419	Contents Listed in Table Below	Assembly Accessory Kit	802-0326-03		1	EA	$743.57	$743.57	N/A
7610015437003		Literature, Operation and Service	906-0326-03		1	EA	$36.00	$36.00	N/A

SUCTION APPARATUS SURGICAL PROGRAMMABLE WEB LINKS

Click Below for Specification Sheet

<http://www.impactinstrumentation.com/images/326.pdf>

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

SUCTION APPARATUS SURGICAL PROGRAMMABLE
ITEM TABLES

Contents of Assembly Accessory Kit NSN 6545015571419

NOMEN	PN	QTY	UI
Collection canister assembly, 1000cc reusable	703-0326-07	2	EA
Tubing, suction, 72 inch	820-0018-00	1	EA
Tubing, suction, 24 inch	540-0051-00	2	EA
Tubing, clear, 18 inch	540-0055-00	2	EA
Tubing, clear, 12 inch	540-0068-00	1	EA
Filter, hydrophobic/ bacterio static, disposable	465-0005-00	2	EA
Bracket assembly, canister	334-0030-00	2	EA
Fuse	081-0020-00	2	EA
Velcro strap	334-0020-00	2	EA
Cable, power, DC, vehicle lighter	708-0326-01	1	EA
Cable, power, charger, AC/DC	703-0326-06	1	EA

THERMOMETER KIT CLINICAL

TOC

MANUFACTURER: WELCH ALLYN
Manufacturer Model# 01692-MC
Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361
Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:
<http://www.welchallyn.com/products/en-us/x-11-ac-100-0000000001198.htm>

AAC 'J' ITEM NSN 6515-01-523-9935

UA's: 174A, 244A, 254A, 256B, 257B, 261A, 268B, 269A, 506A, 625A, 905C, N316, N413, N477, N513, N713, P308, P309, P310, P311

USAMMA POC: Customer Relations Management 301-619-4301/6901 - DSN 343-4301/6901
UNIT PRICE: $557.87

System Description: The digital thermometer is battery operated with interchangeable oral and rectal probes; includes probe case, four (4) boxes of probe covers, with twenty-five (25) per box. There are three (3) extra AA batteries, and it comes in a case with inserts. The thermometer can be mounted to the wall.

Features:
- Provides 4-second oral, 10-second pediatric axillary temperature for children seventeen (17) years and younger, 10-second rectal, and 15-second axillary temperatures for eighteen (18) years and older
- Monitor mode capability for measuring 3-5 minute temperatures
- Used probe covers may be ejected

THERMOMETER, DIGITAL
PART # 01692-2000
NSN 6515015257595



THERMOMETER KIT, CLINICAL WITH CASE
PART # 01692-MC
NSN 6515015239935

WITH PROBE ATTACHED
PART # 01692-MC
NSN 6515015239935

PROBE AND WELL KIT, ORAL 4 INCH
PART # 02893-0000
NSN 6515015331281



PROBE AND WELL KIT, RECTAL 4 INCH
PART # 02892-0000
NSN 6515015324146

THERMOMETER KIT CLINICAL
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**11**
	Width (Inches)	**7**
	Length (Inches)	**5**
	Cube (Cubic Feet)	**0.2228**
	Weight	**1.9 lbs.**
Ship Dimensions	**Height (Inches)**	**11**
	Width (Inches)	**7**
	Length (Inches)	**5**
	Cube (Cubic Feet)	**0.2228**
	Weight	**3.0 lbs.**
Storage Temp		**-4° F to 122° F**
Operating Temp		**50° F to 104° F**
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**1.5 VDC AA Batteries - 3**	
Notes	**Patient Temperature Range: 80° F to 110° F ± 0.2° F**	

THERMOMETER KIT CLINICAL
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015239935		Thermometer Kit Clinical	01692-MC		1	EA	$557.87	$557.87	N/A
	See Resupply for NSN	Cover, Electronic Thermometer Probe, Plastic, Disposable	20500-250		4	25/PG	Incl w/NSN 9935	Incl w/NSN 9935	N/A
	3 batteries come with the unit; 3 extra ones are inside the soft case. See Resupply for NSN.	Batteries, Alkaline (AA)			6	EA	Incl w/NSN 9935	Incl w/NSN 9935	36
6515015257595		Digital Thermometer w/Oral Probe & Well Kit	01692-2000		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015324146		Probe & Well Kit, Rectal, 4”	02892-0000		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015331281		Probe & Well Kit, Oral, 4”	02893-0000		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6685015726374		Soft Case	701861		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
7610015437003		Literature, Operator			1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A

THERMOMETER KIT CLINICAL
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Batteries, Alkaline (AA)	W-B-101 CL12		1	24/PG	$41.60	$41.60	36
6515012031332		Cover, Electronic Thermometer Probe Plastic Disposable	05031-101		1	1000/PG	$29.86	$29.86	N/A
6515013738659		Cover Electronic Therometer Probe Plastic Disposable 100S	416-100		1	100/PG	$6.82	$6.82	N/A
6515015257595		Digital Thermometer w/Oral Probe & Well Kit	01692-2000		1	EA	$466.67	$466.67	N/A
6515015324116		Holder Probe and Well Thermometer	21330-0000		1	EA	$10.83	$10.83	N/A
6515015324128		Cover, Electronic Thermometer Probe, Plastic, Disposable	20500-250		1	250/PG	$21.31	$21.31	N/A
6515015324146		Probe & Well Kit, Rectal, 4”	02892-0000		1	EA	$88.31	$88.31	N/A
6515015331281		Probe & Well Kit, Oral, 4”	02893-0000		1	EA	$102.26	$102.26	N/A
6685015726374		Soft Case	701861		1	EA	$50.00	$50.00	N/A

THERMOMETER KIT CLINICAL
WEB LINKS

Click Below for User's Manual

<http://www.welchallyn.com/documents/Thermometry/Electronic%20Thermometry/SureTemp%20690/71213_0000_stplus_usermanual_2009_02_04.pdf>