

MES GROUND AMBULANCE



Support and Consumables Handbook

6545-01-598-4589

UA 256C

LIN M26413

Semper Responsus

REVISED

January 2013

U.S. Army Medical Materiel Agency

The information contained in this manual was prepared by the

U.S. Army Medical Materiel Agency
Office of PM, Medical Devices
Acquisition Information Division
693 Neiman Street
Fort Detrick, MD 21702-5001

This manual is a living document and may contain inaccuracies due to changes in mission requirements or equipment updates. To report corrections or additions please contact:

Customer Relationship Management
301-619-1288/4301, DSN 343-1288/4301, or at:

USAMMACRM@amedd.army.mil

**For additional equipment item information, visit the
USAMMA Medical Equipment Literature section on the web at
<<http://www.usamma.amedd.army.mil/med equip lit cdroms.cfm>>**

**Review the Master Table of Contents for all of the
published USAMMA Medical Equipment CDs at
<<http://www.usamma.amedd.army.mil/assets/docs/Master%20Table%20of%20Contents.pdf>>**

**You can also order a copy of each published CD by completing and submitting the form at
<<http://www.usamma.amedd.army.mil/CDROM Requests form.cfm>>**

**NOTE: CLICK ON TITLE
FOR DIRECT LINK**

TABLE OF CONTENTS

SECTION	DEVICE	NSN	PAGE
1	<u>BLOOD-FLUID WARMER SYSTEM PORTABLE</u>	<u>(L) 6515-01-599-6715</u>	1
2	<u>OTOSCOPE & OPHTHALMOSCOPE SET</u>	<u>(H) 6515-01-333-3165</u>	11
3	<u>OXIMETER PULSE PORTABLE FINGERTIP</u>	<u>(J) 6515-01-557-1136</u>	17
4	<u>PANEL MODULAR MEDICAL TRAUMA</u>	<u>(L) 6530-01-515-7651</u>	23
5	<u>RESCUE AND TRANSPORT SYSTEM</u>	<u>(L) 6530-01-260-1222</u>	29
6	<u>SPLINT TRACTION - EXTRICATION ADULT</u>	<u>(L) 6515-01-250-8936</u>	33
7	<u>SUCTION APPARATUS SURGICAL PROGRAMMABLE</u>	<u>(L) 6515-01-435-0050</u>	39
8	<u>THERMOMETER KIT CLINICAL</u>	<u>(L) 6515-01-523-9935</u>	45

Please provide all comments at the website link listed below.

https://ice.disa.mil/index.cfm?fa=card&site_id=750&service_provider_id=102377

Select: EQUIPMENT PUBLICATIONS BUTTON AT TOP OF FORM

BLOOD-FLUID WARMER SYSTEM PORTABLE

[TOC](#)

DISTRIBUTOR: BOUND TREE MEDICAL
MANUFACTURER: ESTILL MEDICAL TECHN, INC.

Manufacturer Model# TA-UOM

Distributor's PHONE: (800) 533-0523 FAX: (800) 257-5713

Manufacturer's PHONE: (214) 561-6001 FAX: (214) 561-1960

Distributor's Website: <http://www.boundtree.com>

Manufacturer's Website: <http://www.thermalangel.com>

Item Web Link:

<http://www.thermalangel.com/html/products/catalog/Thermal%20Angel%20Ultra%20Operations%20Module%20TA-UOM%20.html>

AAC 'L' ITEM NSN 6515-01-599-6715

UAs: 256C, 267C

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$2,938.62

System Description: This unit is an in-line, battery-powered disposable, lightweight and completely portable blood and IV fluid warming device, capable of intravenous application and irrigation warming. This unit can be used to help prevent fluid-induced hypothermia.

Because of the innovative technology utilized, this device enjoys some significant advantages over many types of blood warming products.

Many other fluid warmers require the use of a separate medical instrument that only accepts a proprietary disposable fluid path, either a custom tubing set or a custom cassette. This device is a smart disposable unit that combines the required features of a sterile fluid path with the intelligence of an advanced technology medical instrument, thus requiring no custom delivery sets. Inside each warmer is a calibrated microprocessor that directly controls all heating of the integrated fluid path. This design advantage eliminates clinical setup errors.

Features:

- In-line, disposable, portable, battery-powered blood and IV fluid infusion warmer
- Lightweight (9 oz)
- No cartridges or cleaning
- Quick setup: within 30 seconds
- Warms in approximately 45 seconds
- Placed at or near the infusion site for minimal heat loss through tubing
- Failsafe to prevent overheating
- Ability to remain with patient from first contact through hospital stay
- Can be used in the field, ambulances, helicopters, ER, OR, military and other care areas
- The unit uses standard luer fittings and will accept all standard IV line sets
- Single patient use
- Adjustable heat settings



**BLOOD-FLUID WARMER SYSTEM PORTABLE
PART # TA-UOM
NSN 6515015996715**



**BLOOD-FLUID WARMER SYS DISP
PART # TA-200
NSN 6515015003521**



TUBING EXTENSION BLOOD-FLUID WARMER PLASTIC
PART # TA-9EXTNF
NSN 6515015038228



BATTERY PACK RECHARGEABLE FLUID WARMER
PART # TA-UB1
NSN 6515015925803



**CABLE POWER ULTRA
PART # TA-UPC**



**BATTERY CHARGER ULTRA
PART # TA-UBC**



**VEHICLE CHARGER ULTRA
PART # TA-UVC**



**PIGTAIL CHARGER ULTRA
PART # TA-UPT**

**BLOOD-FLUID WARMER SYSTEM PORTABLE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	4
	Width (Inches)	10.5
	Length (Inches)	7
	Cube (Cubic Feet)	0.1701
	Weight	4.5 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		32 to 104 °F
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	13.8 VDC	
Notes		

**BLOOD-FLUID WARMER SYSTEM PORTABLE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Estill Medical Techn, Inc.	DIST PN Bound Tree Medical	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015996715		Blood-Fluid Warmer System Portable	TA-UOM		1	EA	\$2,938.62	\$2,938.62	N/A
6130015996720	See Table Below for Contents	Charging Set Battery Set Of Three Chargers For The Blood-Fluid Warmer	TA-UCM		1	EA	Incl w/NSN 6715	Incl w/NSN 6715	N/A
NSN Not Required		Literature Operation			1	EA	Incl w/NSN 6715	Incl w/NSN 6715	N/A
NSN Not Required	See Table Below for Contents	Module Deployment Blood-Fluid Warmer	TA-UDM		1	EA	Incl w/NSN 6715	Incl w/NSN 6715	N/A

**BLOOD-FLUID WARMER SYSTEM PORTABLE
ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM**

NSN	Notes	Nomenclature	MFR PN Estill Medical Techn, Inc.	DIST PN Bound Tree Medical	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015003521		Blood-Fluid Warmer System Disposable 9"X 2.8"X .95"	TA-200		8	EA	\$164.50	\$1,316.00	N/A
6515015038228		Tubing Extension Blood-Fluid Warmer Plas 9" Lg Ster Disp IV	TA-9EXTNF		10	EA	\$9.25	\$92.50	N/A
6515015925803		Battery Pack Rechargeable Fluid Warmer	TA-UB1		1	EA	\$1,538.46	\$1,538.46	N/A

**BLOOD-FLUID WARMER SYSTEM PORTABLE
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Estill Medical Techn, Inc.	DIST PN Bound Tree Medical	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6130015996720	See Table Below for Contents	Charging Set Battery Set Of Three Chargers For The Blood-Fluid Warmer	TA-UCM		1	EA	\$323.75	\$323.75	N/A
6515015003521		Blood-Fluid Warmer System Disposable 9"X 2.8"X .95"	TA-200		1	EA	\$164.50	\$164.50	N/A
6515015038228		Tubing Extension Blood-Fluid Warmer Plas 9" Lg Ster Disp IV	TA-9EXTNF		1	EA	\$9.25	\$9.25	N/A
6515015925803		Battery Pack Rechargeable Fluid Warmer	TA-UB1		1	EA	\$1,538.46	\$1,538.46	N/A
6515016127440	Component of P/N TA-UDM	Cable Assembly Special Purpose Electrical	TA-UPC		1	EA	\$71.50	\$71.50	N/A
No NSN Required		Battery Charger Ultra	TA-UBC		1	EA	\$250.00	\$250.00	N/A
NSN Not Required	See Table Below for Contents	Module Deployment Blood-Fluid Warmer	TA-UDM		1	EA	\$1,797.21	\$1,797.21	N/A
NSN Not Required		Pigtail Charger Ultra	TA-UPT		1	EA	\$50.00	\$50.00	N/A
NSN Not Required		Vehicle Charger Ultra	TA-UVC		1	EA	\$50.00	\$50.00	N/A

BLOOD-FLUID WARMER SYSTEM PORTABLE
ITEM TABLES

TA-UDM Module Deployment Blood-Fluid Warmer Contents

NSN	Nomenclature	PN	Qty	UI	Cost
6515-01-500-3521	Blood-Fluid Warmer Sys Disp 9"X 2.8"X .95"	TA-200	1	EA	\$164.50
6515-01-503-8228	Tubing Extension Blood-Fluid Warmer Plas 9" Lg Ster Disp IV	TA-9EXTNF	1	EA	\$9.25
6515-01-592-5803	Battery Pack Rechargeable Fluid Warmer	TA-UB1	1	EA	\$1538.46
6515-01-612-7440	Cable Assembly Special Purpose Electrical	TA-UPC	1	EA	\$71.50
	Case Carrying Soft Deployment		1	EA	

TA-UCM Charging Set, Battery Set For The Blood-Fluid Warmer Contents

Nomenclature	PN	Qty	UI	Cost
Charger Battery Ultra	TA-UBC	1	EA	\$250.00
Charger Vehicle Ultra	TA-UVC	1	EA	\$50.00
Charger Pigtail Ultra	TA-UPT	1	EA	\$50.00
Case Carrying Soft Charging		1	EA	

OTOSCOPE & OPHTHALMOSCOPE SET

[TOC](#)

MANUFACTURER: WELCH ALLYN

Manufacturer Model# 92821

Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361

Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:

<http://www.welchallyn.com/apps/products/product.jsp?id=19-pe-114-1294170570249>

AAC 'H' ITEM NSN 6515-01-333-3165

UAs: 256C, 261B, 267C, 268B, 269B, 506A, 623A, 7054, N315, N316, N320, N413, N477, N513, N713, P301, P308, P309, P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$271.70

System Description: This item is a hand-held, battery powered, lighted instrument for examining the external canal and tympanic membrane of the ear and also for viewing the interior of the eye or examining the retina.

Features:

- 2.5V PocketScope Ophthalmoscope uses halogen bulbs for true tissue color and consistent, long lasting illumination. It has six aperture selections for general and specialist use, and 48 lenses for better resolution
- 2.5V Otoscope also has a built-in throat illuminator – two-in-one instrument features halogen illumination and fiberoptics for a cool light with no reflections or obstructions, plus a rectangular viewing lens for instrumentation under magnification
- 2.5V PocketScope handle has a smooth rheostat to control light intensity and features a handy pocket clip



OTOSCOPE & OPHTHALMOSCOPE SET
PART # 92821
NSN 6515013333165

**OTOSCOPE & OPHTHALMOSCOPE SET
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	2
	Width (Inches)	6
	Length (Inches)	10
	Cube (Cubic Feet)	0.0694
	Weight	1.05 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	0.0992
	Weight	2.11 lbs
Storage Temp		-4 to 120 °F
Operating Temp		50 to 104 °F
Storage Humidity		95% max humidity
Operating Humidity		
Amps		
Watts		
Power Requirements	Two 1.5 VDC AA Batteries	
Notes		

**OTOSCOPE & OPHTHALMOSCOPE SET
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515013333165		Otoscope & Ophthalmoscope Set	92821		1	SE	\$271.70	\$271.70	N/A
6515015205725	See Additional Note Below	Head Otoscope Diagnostic Halogen Hpx 2.5V 9.8 Diopter 4In Focal Length	21111F	21111	1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205763	See Additional Note Below	Head Ophthalmoscope Pocket 2.5V Halogen Bulb Red Free Filter Micro/Sm	13010	13000	1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205778	See Additional Note Below	Otoscope-Ophthalmoscope Handle 2.5V for 6515013333165	72843	72830	2	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6545015190982		Case Soft Zipper F/Pocketscope	05928-U		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
NSN Not Required		Literature Operation	PM130023 -4		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
NSN Not Required		Specula, Assorted	21103-U		1	SE	Incl w/NSN 3165	Incl w/NSN 3165	N/A

**OTOSCOPE & OPHTHALMOSCOPE SET
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Battery NonRechargeable Alkaline AA 1.5V 36 Months Shelf Life 24s	20-0571- 1988 NEDA 15A		1	24/PG	\$41.60	\$41.60	36
6515013294847		Speculum Otoscope Slit Type 4mm Disposable	52434		1	1000/P G	\$19.25	\$19.25	N/A
6515015205725		Head Otoscope Diagnostic Halogen Hpx 2.5V 9.8 Diopter 4In Focal Length	21111		1	EA	\$59.97	\$59.97	N/A
6515015205740		Bulb Replacement Exam Instrument F/Halogen Otoscope 2.5V	03400-U		1	EA	\$12.60	\$12.60	N/A
6515015205754		Bulb Replacement Exam Instrument F/Ophthalmoscope	03900-U		1	EA	\$13.21	\$13.21	N/A
6515015205763		Head Ophthalmoscope Pocket 2.5V Halogen Bulb Red Free Filter Micro/Sm	13000		1	EA	\$130.00	\$130.00	N/A
6515015205778		Otoscope-Ophthalmoscope Handle 2.5V for 6515013333165	72830		1	EA	\$53.24	\$53.24	N/A
6515015250236		Speculum Otoscope Sz 4.25mm Disposable Use	31237- 010A		1	850/PG	\$22.65	\$22.65	N/A
6515015250240		Speculum Otoscope Disposable Sz 2.75mm	31237- 020A		1	850/PG	\$22.65	\$22.65	N/A
6545015190982		Case Soft Zipper F/Pocketscope	05928-U		1	EA	\$12.00	\$12.00	N/A

OTOSCOPE & OPHTHALMOSCOPE SET

ADDITIONAL NOTE:

The Welch-Allyn part number on the start-up list is deliberately different from Resupply part number, although they are the same item, per manufacturer.

OXIMETER PULSE PORTABLE FINGERTIP

TOC

DISTRIBUTOR: OWENS & MINOR
MANUFACTURER: NONIN MEDICAL INC.

Distributor Model# 473009550

Manufacturer Model# 9550

Distributor's PHONE: (804) 723-7000 FAX: (804) 723-7100

Manufacturer's PHONE: (540) 662-8000 FAX: (800) 590-0081

Distributor's Website: <http://www.owens-minor.com>

Manufacturer's Website: <http://www.nonin.com>

Item Web Link:

<http://www.nonin.com/PulseOximetry/Fingertip/Onyx9550>

AAC 'J' ITEM NSN 6515-01-557-1136

UAs: 009A, 246C, 256C, 257B, 261B, 267C, 269B, 506A, 623A, N413, N513, N713, P301, P307, P308, P309, P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: \$545.48

System Description: Now you can check your heart rate and blood-oxygen saturation levels simply and quickly with the Nonin Onyx 9550 Pulse Oximeter. Just place over your fingertip. It will automatically turn itself on and light up a display, providing you with instant, real-time info on your heart-rate and blood-oxygen saturation levels. When you take the Nonin 9550 Pulse Oximeter off of your finger, it automatically turns itself off after 7 seconds, saving the battery life.

Features: The portability and functionality of the Onyx II makes it a valuable tool in any situation where a fast and accurate reading of blood oxygen saturation and pulse rate is needed.

- Oxygen Saturation Range: 0-100 percent SpO₂
- Pulse Rate Range: 18-321 bpm
- Small & Lightweight. Carry the Onyx II anywhere – on a lanyard, in a carrying case or in your pocket. It weighs less than 2 oz.
- Large Bright LED Display. SpO₂ and Pulse Rate that can be read from any angle, day or night.
- Pulse Quality Indicator. Brilliant, easy-to-see LED provides a quick and accurate assessment of patient readings.
- Pediatric to Adult Finger Sizes. Accommodates a wide range of finger thicknesses, 0.3 inch - 1.0 inch (8 mm to 26 mm).
- Automatic On/Off
- Energy Efficient. A new turn-off mechanism allows two AAA batteries to provide approximately 2500 spot-checks or 21 hours of continuous operation.
- Durable & Reliable. Rugged enough to be used in the most demanding situations. The Onyx II has the US Army aeromedical certification for use in helicopters.
- 2 AAA Batteries and Instruction / Service Manual included



**PULSE OXIMETER
PART # 473009550
NSN 6515015571136**



**PULSE OXIMETER - FINGER
PART # 473009550
NSN 6515015571136**



**OXIMETER PULSE PORTABLE FINGERTIP PEDIATRIC-ADULT INCL SOFT CASE
PART # 473009550
NSN 6515015571136**

**OXIMETER PULSE PORTABLE FINGERTIP
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	1.3
	Width (Inches)	1.27
	Length (Inches)	2.2
	Cube (Cubic Feet)	0.0021
	Weight	2 oz
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		-22 to 122 °F
Operating Temp		32 to 104 °F
Storage Humidity		10 to 95% Non- condensing
Operating Humidity		10 to 90% Non- condensing
Amps		
Watts		
Power Requirements	Two 1.5 VDC AAA Batteries	
Notes	<p>Hyperbaric Pressure: Up to 4 atmospheres Blood Oxygen Saturation (%SpO2 ± 1SD) Accuracy: 70 – 100% ± 2 digits Pulse Rate Accuracy: 20 – 250 bpm ± 3% Red Measurement Wavelengths: 660 nanometers Infrared Measurement Wavelengths: 910 nanometers Numeric Displays: Two 3-digit LED's Pulse Strength Displays: Tricolor LED segments Pulse Rate Range: 18 to 321 pulses per min Oxygen Saturation Range (%SpO2): 0 to 100 %</p>	

**OXIMETER PULSE PORTABLE FINGERTIP
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Nonin Medical Inc.	DIST PN Owens & Minor	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015571136		Oximeter Pulse Portable Fingertip	9550	473009550	1	EA	\$545.48	\$545.48	N/A
	Awaiting NSN; See Additional Note Below	Lanyard	9550L-B		1	EA	Incl w/NSN 1136	Incl w/NSN 1136	N/A
6135008264798	See Additional Note Below	Battery Nonrechargeable Alkaline AAA 1.5V	C18.1		2	EA	Incl w/NSN 1136	Incl w/NSN 1136	36
NSN Not Required		Case, Soft Carrying Standard	9550CC- BC	473009550	1	EA	Incl w/NSN 1136	Incl w/NSN 1136	N/A
NSN Not Required		Literature, Operator	9550INS		1	EA	Incl w/NSN 1136	Incl w/NSN 1136	N/A

**OXIMETER PULSE PORTABLE FINGERTIP
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Nonin Medical Inc.	DIST PN Owens & Minor	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN; See Additional Note Below	Lanyard	9550L-B		1	30/PG	\$3.00	\$3.00	N/A
6135008264798	See Additional Note Below	Battery Nonrechargeable Alkaline AAA 1.5V	C18.1		1	12/PG	\$1.72	\$1.72	36

**OXIMETER PULSE PORTABLE FINGERTIP
ADDITIONAL NOTE:**

Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

PANEL MODULAR MEDICAL TRAUMA

[TOC](#)

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# RAMMP-T

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

Item Web Link:

http://specopstech.com/osc/product_info.php?cPath=197_232&products_id=1809&page=medical

AAC 'L' ITEM NSN 6530-01-515-7651

UAs: 256C, 257B, 261B, 268B, 269B, 506A, P308

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$752.15

System Description: Fully customizable panel for trauma care providers working in the field or from a fixed platform. These systems offer the utmost in flexibility and bridge the gap between aid bags and larger storage containers with a streamlined, highly organized modular system. System focuses on tactical deployment flexibility and adaptability to any circumstances where medical aid will be administered. Panels can be hung both vertically & horizontally in temporary and permanent facilities as well as fitting fixed wing, rotary wing and ground mobility vehicles. Systems can be carried backpack or suitcase style. All pouches are removable and interchangeable accommodating mission specific customization. Pouches are labeled and have see-through vinyl for easy content recognition.

Folded 20" x 19"

Expanded 20" x 45"

Features: This impressive modular medical bag features 10 internal modular zippered pockets (9 with snap backs and 1 Velcro™ back) that have Velcro™ labels covering Assessment, Airway, Breathing, Chest Tube, Circulation A, Circulation B, Medication, Burn Care, Splinting and IV Therapy. The bag also has 5 outer pockets (4 with Velcro™ closure and 1 zipper). The bag can be secured in the folded position with two side and end buckles. Plus each end has 4 heavy duty grommets. There are carrying handles on each end and in the middle for carrying when folded. The pack also features shoulder and backpack straps.



PANEL MODULAR MEDICAL TRAUMA RAPID ACCESS - OPEN
PART # RAMMP-T
NSN 6530015157651



PANEL MODULAR MEDICAL TRAUMA RAPID ACCESS - IN USE
PART # RAMMP-T
NSN 6530015157651



PANEL MODULAR MEDICAL TRAUMA RAPID ACCESS - FOLDED
PART # RAMMP-T
NSN 6530015157651

**PANEL MODULAR MEDICAL TRAUMA
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	43.5
	Width (Inches)	16.5
	Length (Inches)	3
	Cube (Cubic Feet)	1.2461
	Weight	2.25 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**PANEL MODULAR MEDICAL TRAUMA
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015157651		Panel Modular Medical Trauma	RAMMP-T		1	EA	\$752.15	\$752.15	N/A

**PANEL MODULAR MEDICAL TRAUMA
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

RESCUE AND TRANSPORT SYSTEM

[TOC](#)

MANUFACTURER: SKEDCO INC.

Manufacturer Model# SK-200-GR

Manufacturer's PHONE: (503) 639-2119 FAX: (503) 639-4538

Manufacturer's Website: <http://www.skedco.com>

Item Web Link:

<http://www.skedco.com/Military/sked-rescue-stretchers/sk-200-gr>

AAC 'L' ITEM NSN 6530-01-260-1222

UAs: 256C, 257B, 269B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$584.99

System Description: The Sked® comes equipped for horizontal hoisting by helicopter or vertical hoisting in caves or confined industrial spaces. When the patient is packaged the stretcher becomes rigid. The durable plastic provides protection for the patient while allowing extrication through the most demanding confined spaces. The stretcher is rolled for storage in a tough cordura backpack which is included with the system.

Features: Each Sked® Basic Rescue System comes complete with:

- SK-201-GR The Sked® Stretcher
- SK-202 Cordura backpack/Towing Harness
- SK-203 Horizontal Lift Slings
- SK-204 Tow Strap
- SK-205 Removable Webbing Handles
- SK-206 Steel Locking 'D' Carabiner
- SK-207-GR Vertical Lift Sling



RESCUE AND TRANSPORT SYSTEM PATIENT BASIC HIGH DENSITY
PART # SK-200
NSN 6530012601222

**RESCUE AND TRANSPORT SYSTEM
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	36
	Width (Inches)	9
	Length (Inches)	9
	Cube (Cubic Feet)	1.6875
	Weight	19 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**RESCUE AND TRANSPORT SYSTEM
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530012601222		Rescue and Transport System	SK-200		1	EA	\$584.99	\$584.99	N/A
6530012598296		Litter Rescue & Transport	SK-201		1	EA	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012601214		Handle Webbing Rescue Removable	SK-205		1	4/PG	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012602699		Sling Lift Rescue Verticle Flex Rope 30ft x 3/8inch	SK-207		1	EA	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012602700		Sling Lift Rescue Horizontal	SK-203		1	2/PG	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012606703		Backpack Case Carrying Cordura	SK-202		1	EA	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012624510		Carabiner D Locking - Large Black	SK-206		1	EA	Incl w/NSN 1222	Incl w/NSN 1222	N/A
6530012624511		Strap Tow Rescue System	SK-204		1	EA	Incl w/NSN 1222	Incl w/NSN 1222	N/A

**RESCUE AND TRANSPORT SYSTEM
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530012598296		Litter Rescue & Transport	SK-201		1	EA	\$269.01	\$269.01	N/A
6530012601214		Handle Webbing Rescue Removable	SK-205		1	4/PG	\$7.95	\$7.95	N/A
6530012602699		Sling Lift Rescue Verticle Flex Rope 30ft x 3/8inch	SK-207		1	EA	\$30.34	\$30.34	N/A
6530012602700		Sling Lift Rescue Horizontal	SK-203		1	2/PG	\$26.25	\$26.25	N/A
6530012606703		Backpack Case Carrying Cordura	SK-202		1	EA	\$47.46	\$47.46	N/A
6530012624510		Carabiner D Locking - Large Black	SK-206		1	EA	\$20.68	\$20.68	N/A
6530012624511		Strap Tow Rescue System	SK-204		1	EA	\$17.86	\$17.86	N/A

**RESCUE AND TRANSPORT SYSTEM
WEB LINKS**

[Click Below for Sked Stretcher Fact Sheet](#)

http://www.skedco.com/Public/Documents/sked_fact_sheet_1109952885.pdf

[Click Below for Instruction Manual](#)

http://www.skedco.com/Public/Documents/sked_instruction.pdf

SPLINT TRACTION - EXTRICATION ADULT

[TOC](#)

MANUFACTURER: REEL RESEARCH & DVPMT

Manufacturer Model# 8801

Manufacturer's PHONE: (831) 336-3960 FAX: (931) 336-3532

Manufacturer's Website: <http://www.splints.com>

Item Web Link:

<http://splints.webs.com/reeladult.htm>

AAC 'L' ITEM NSN 6515-01-250-8936

UAs: 256C, 257B, 267C, 268B, 269B, 506A, 9118, P308

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$715.92

System Description: This version of the Reel Splint Immobilizer™ has a unique twist. Two snap ring twist "Quick Disconnect" sleeves are positioned at the bottom or distal end of the splint. These sleeves allow the Reel's exclusive traction ratchet to be inserted into the distal portion of the splint. With the immobilizer component in the straight and neutral position, the ratchet can then be connected; thus creating the world's most highly effective long bone traction splint. In this traction configuration, there are two vitally important developments incorporated into the splint's design.

- **ANATOMICAL PIVOTING ISCHIAL PAD:** This assures proper alignment at and with the patient's "ischial pathway angle." Pivoting left or right, the ischial pad can be situated with proper and complete consideration of delicate proximal injury sites. The majority of femur fractures occur in this upper third portion of the thigh making this a major concern.
- **POSITIVE MIDLINE POF:** Allows the knee to be slightly flexed and supported at an angle that emulates the patient's natural anatomical position of function (or POF). This is highly beneficial in achieving proper natural limb alignment during traction while positively effecting neuro vascular integrity.

- Features:**
- Extrication handles - ideal for patient and extremity management
 - Wound visualization & treatment - strap design allows complete & total access
 - Limb repositioning - adapts readily for patient comfort or neuron-vascular restoration
 - Folding design for storage
 - Autoclavable
 - Elevation stand is pin free - makes stand deployment, storage retractions & replacement simple
 - Single Hand Ratcheting Control - one medic can control both mechanical traction application & patient manual traction at the same time
 - Safety Traction Lock - when engaged, this lock feature disables the traction ratcheting knob, preventing any accidental loss of traction
 - Reel's one-size-fits-all Ankle Hitch saves time, money & training while providing a significantly improved neutral foot position result
 - The smaller profile "wrap around" design leaves pulse points accessible




SPLINT TRACTION - EXTRICATION WITH LEG
PART # 8801
NSN 6515012508936



SPLINT TRACTION - EXTRICATION RATCHET ATTACHMENT
PART # RSA-018

REPLACEMENT PARTS


Reel Splint Immobilizer 9801
Reel Splint Tactical System 8801



SPLINT TRACTION - EXTRICATION PARTS
PART # 8801
NSN 6515012508936

REPLACEMENT PARTS

Reel Splint Immobilizer 9801
Reel Splint Tactical System 8801



SPLINT SUPPORT, LEG LOWER LIMB WITHOUT TRACTION REEL STYLE ADULT SIZE
PART # 9801
NSN 6515015141347

**SPLINT TRACTION - EXTRICATION ADULT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	41
	Width (Inches)	11
	Length (Inches)	5
	Cube (Cubic Feet)	1.305
	Weight	11 lbs
Ship Dimensions	Height (Inches)	28
	Width (Inches)	10.5
	Length (Inches)	5.5
	Cube (Cubic Feet)	0.9358
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	Storage Height: 17 inches Storage Width: 10 inches Storage Depth: 11 inches	

**SPLINT TRACTION - EXTRICATION ADULT
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Reel Research & Dvpmt	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515012508936		Splint Traction - Extrication Adult	8801		1	EA	\$715.92	\$715.92	N/A
NSN Not Required		Literature, Operator	8801 IM		2	EA	Incl w/NSN 8936	Incl w/NSN 8936	N/A

**SPLINT TRACTION - EXTRICATION ADULT
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Reel Research & Dvpmt	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6910014435573		Training CD	AP-24		1	EA	\$4.99	\$4.99	N/A

SUCTION APPARATUS SURGICAL PROGRAMMABLE

TOC

MANUFACTURER: IMPACT INSTRUMENTATION INC.

Manufacturer Model# 800-0326-04

Manufacturer's PHONE: (973) 882-1212 FAX: (973) 882-4993

Manufacturer's Website: <http://www.impactii.com>

Item Web Link:

<http://www.impactinstrumentation.com/326.html>

AAC 'L' ITEM NSN 6515-01-435-0050

UAs: 249B , 256C , 257B , 258C , 261B , 267C , 269B , 512A , 625A , 905C , 912B , N305 , N316 , N320 , N436 , N477 , N513 , N713 , P301 , P307 , P308 , P309 , P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$2,758.56

System Description: The Model 326 is a multifunction, continuous and programmable intermittent suction unit, built around Impact's ultra-lite® vacuum pump. The Model 326 may be used for oropharyngeal, tracheal, wound drainage, and abdominal or thoracic decompression procedures - short or long-term use. Its supplied accessories permit continuous use from AC or DC power and internal rechargeable batteries provide power for several hours of transport or emergency backup. Collection canister assembly includes a reusable collection jar, canister, elbows and fittings. The 326 also includes Air Worthiness Release (AWR).

Features:

- AC/DC rechargeable battery operation
- Simultaneous battery recharge and operation
- Dual-scale metric/English vacuum gauge
- Extended operation between recharges
- Energy efficient, easy to use
- Oil-less vacuum pump
- Exceeds all clinical standards for upper airway & gastrointestinal suctioning
- 2 universal collection canister brackets hold 2 canisters up to 2000 ml capacity each
- Patient adaptable intermittent suction
- Continuously variable programmable selections
- Small/lightweight/versatile
- EMI/RFI certified for aeromedical use
- Built-in wall/pole mounting bracket interface
- Low battery indicator
- 2 Velcro straps to attach unit to a litter – 1” x 24” w/ 18” loop in the middle and a 3” hook at the ends



SUCTION APPARATUS, SURGICAL PROGRAMMABLE - OPEN CASE
PART # 800-0326-04
NSN 6515014350050



SUCTION APPARATUS, SURGICAL PROGRAMMABLE
PART # 326M

**SUCTION APPARATUS SURGICAL PROGRAMMABLE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	11.5
	Width (Inches)	9.5
	Length (Inches)	4.87
	Cube (Cubic Feet)	0.3079
	Weight	12 lbs
Ship Dimensions	Height (Inches)	18
	Width (Inches)	7.25
	Length (Inches)	24
	Cube (Cubic Feet)	1.8125
	Weight	29 lbs
Storage Temp		
Operating Temp		-4 to 120 °F
Storage Humidity		
Operating Humidity		Tested to level required for Air Worthiness - 94±4%RH, 85° F±3.6°
Amps		2.5 Steady State
Watts		100
Power Requirements	115/230 VAC, 50-400 Hz; Battery pack, rechargeable, sealed lead acid	
Notes	Operating Time: Minimum, 2 hours-cycled Recharge Time: Maximum, 16 hours Free Air Flow - Continuous: 30 Liters per Minute (lpm) Free Air Flow - Intermittent: 5-8 Liters per Minute (lpm) Vacuum Range - Continuous: Adjustable, 0-550 mmHg (0-22" Hg) Vacuum Range - Intermittent: Adjustable, 0-220 mmHg (0-8" Hg)	

**SUCTION APPARATUS SURGICAL PROGRAMMABLE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Impact Instrument ation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014350050		Suction Apparatus Surgical Programmable	800-0326-04		1	EA	\$2,758.56	\$2,758.56	N/A
6140013318528	Installed in Apparatus	Battery, Rechargeable 12VDC 5Ah	704-0750-03		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	18
6515015096967		Case, Padded w/ 2 Velcro Straps, Soft Side	402-0017-00		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
6515015096977		Case, Carry-All w/ Label, Hard Side	703-0326-16		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
6545015571419	Contents Listed in Table Below	Parts Kit for Suction Apparatus	802-0326-03		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
NSN Not Required		Literature, Operation and Service	906-0326-03		2	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A

**SUCTION APPARATUS SURGICAL PROGRAMMABLE
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Impact Instrument ation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
5920015085022	Available in Kit	Fuse	081-0020-00		1	EA	\$1.05	\$1.05	N/A
6140013318528	Installed in Apparatus	Battery, Rechargeable 12VDC 5Ah	704-0750-03		1	EA	\$116.34	\$116.34	18
6515011942187	Available in Kit	Filter Disp U/W Pn 326M Or 306M Reusable Canister App Surg	465-0005-00		1	EA	\$15.48	\$15.48	N/A
6515015039456	1000cc reusable Available in Kit	Collection Canister Assembly	703-0326-07		1	EA	\$82.72	\$82.72	N/A
6515015043306	Available in Kit	Cable, Power, Charger, AC/DC	703-0326-06		1	EA	\$357.94	\$357.94	N/A
6515015085047		Filter, Hydrophobic/Bacterio Static, Disposable	465-0005-05		1	5/PG	\$45.23	\$45.23	N/A
6515015096877	Available in Kit	Cable, Power, DC, Vehicle Lighter	708-0326-01		1	EA	\$53.80	\$53.80	N/A
6515015096967		Case, Padded w/ 2 Velcro Straps, Soft Side	402-0017-00		1	EA	\$173.73	\$173.73	N/A
6515015096977		Case, Carry-All w/ Label, Hard Side	703-0326-16		1	EA	\$145.25	\$145.25	N/A
6515015097331	Available in Kit	Velcro Strap	334-0020-00		1	EA	\$47.68	\$47.68	N/A
6515015098638	Available in Kit	Bracket Assembly, Canister	334-0030-00		1	EA	\$31.11	\$31.11	N/A
6515015117007		Tubing, Suction, 72 inch	820-0018-50		1	50/PG	\$168.00	\$168.00	N/A
6515015117017	Available in Kit	Tubing, Suction, 24 inch	540-0051-00		1	EA	\$4.27	\$4.27	N/A
6515015117023	Available in Kit	Tubing, Clear, 12 inch	540-0068-00		1	EA	\$0.97	\$0.97	N/A
6515015117034	Available in Kit	Tubing, Clear, 18 inch	540-0055-00		1	EA	\$3.32	\$3.32	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Impact Instrument ation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015117035	Available in Kit	Tubing, Suction, 72 inch	820-0018-00		1	EA	\$5.76	\$5.76	N/A
6545015571419	Contents Listed in Table Below	Parts Kit for Suction Apparatus	802-0326-03		1	EA	\$743.57	\$743.57	N/A
NSN Not Required		Literature, Operation and Service	906-0326-03		1	EA	\$36.00	\$36.00	N/A

SUCTION APPARATUS SURGICAL PROGRAMMABLE
WEB LINKS

[Click Below for Specification Sheet](#)

<http://www.impactinstrumentation.com/images/326.pdf>

[Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military \(.mil\) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.](#)

http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm

SUCTION APPARATUS SURGICAL PROGRAMMABLE

ITEM TABLES

Parts Kit Suction Apparatus Contents

COMPONENT	NSN	PN	QTY	UI
Bracket Universal Collection Jar Assembly	6515 015098638	334-0030-00	2	EA
Cable Suction Apparatus DC Power	6515 015096877	708-0326-01	1	EA
Canister Assembly, Collection 1000cc Reusable	6515 015039456	703-0326-07	2	EA
Charger Suction Apparatus	6515 015043306	703-0326-06	1	EA
Filter Disposable Suction Apparatus	6515 011942187	465-0005-00	2	EA
Fuse Cartridge 250V 2A Midget	5920 015085022	081-0020-00	2	EA
Straps Self Fastening Velcro	6515 015097331	334-0020-00	2	EA
Tubing Suction Surgical 12 Inch	6515 015117023	540-0068-00	1	EA
Tubing Suction Surgical 18 Inch	6515 015117034	540-0055-00	2	EA
Tubing Suction Surgical 24 Inch	6515 015117017	540-0051-00	2	EA
Tubing Suction Surgical 72 Inch	6515 015117035	820-0018-00	1	EA

THERMOMETER KIT CLINICAL

[TOC](#)

MANUFACTURER: WELCH ALLYN

Manufacturer Model# 01692-MC

Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361

Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:

<http://www.welchallyn.com/products/en-us/x-11-ac-100-000000001198.htm>

AAC 'L' ITEM NSN 6515-01-523-9935

UAs: 174A, 256C, 257B, 261B, 267C, 268B, 269B, 506A, 625A, 905C, N316, N320, N413, N477, N513, N713, P308, P309, P310, P311

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$557.87


System Description: The digital thermometer is battery operated and comes with three extra AA batteries. It comes in a case with inserts and includes an oral probe, a rectal probe, probe case, and four boxes of 25 probe covers. The thermometer can be mounted to the wall.

Features:

- Ergonomic design - comfortable to hold, easy to use, and very durable
- Interchangeable, removable probe wells reduce the risk of cross-contamination
- Large LCD display with location identification capability
- Includes a 60-second pulse timer for counting pulses and respirations
- Mechanical or electronic security options to help prevent theft
- Takes approximately 5,000 readings on 3 "AA" batteries



THERMOMETER, DIGITAL
PART # 01692-200
NSN 6515015257595



**PROBE & WELL KIT,
 RECTAL, 4" PART# 02892-0000
 ORAL, 4" PART#02893-0000**

**DISPOSABLE PLASTIC
 PROBE COVER
 PART# 20500-250**

**THERMOMETER,
 DIGITAL
 PART# 01692-2000**

**BATTERIES, ALKALINE (AA)
 PART# W-B-101 CL12**


THERMOMETER KIT, CLINICAL WITH CASE
PART # 01692-MC
NSN 6515015239935



**WITH PROBE ATTACHED
PART # 01692-MC
NSN 6515015239935**



**PROBE AND WELL KIT, ORAL 4 INCH
PART # 02893-000
NSN 6515015331281**



PROBE AND WELL KIT, RECTAL 4 INCH
PART # 02892-000
NSN 6515015324146

**THERMOMETER KIT CLINICAL
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	11
	Width (Inches)	7
	Length (Inches)	5
	Cube (Cubic Feet)	0.2228
	Weight	1.9 lbs
Ship Dimensions	Height (Inches)	11
	Width (Inches)	7
	Length (Inches)	5
	Cube (Cubic Feet)	0.2228
	Weight	3.0 lbs
Storage Temp		-4 to 122 °F
Operating Temp		50 to 104 °F
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	1.5 VDC AA Batteries - 3	
Notes	Patient Temperature Range: 80 to 110 °F ± 0.2 °F	

**THERMOMETER KIT CLINICAL
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015239935		Thermometer Kit Clinical	01692-MC		1	EA	\$557.87	\$557.87	N/A
6135009857845	See Notes 1 & 2 Below	Batteries, Alkaline (AA)			6	EA	Incl w/NSN 9935	Incl w/NSN 9935	36
6515013738659	See Note 1 Below	Cover, Electronic Thermometer Probe, Plastic, Disposable			4	25/PG	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015257595		Digital Thermometer w/Oral Probe & Well Kit	01692-200		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015324146		Probe & Well Kit, Rectal w/4-Foot Cord	02892-000		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015331281		Probe & Well Kit, Oral w/4-Foot Cord	02893-000		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6685015726374		Soft Case	701861		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
NSN Not Required		Literature, Operator			1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A

**THERMOMETER KIT CLINICAL
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Batteries, Alkaline (AA)	W-B-101 CL12		1	24/PG	\$41.60	\$41.60	36
6515012031332		Cover, Electronic Thermometer Probe Plastic Disposable	05031-101		1	1000/P G	\$23.00	\$23.00	N/A
6515013738659		Cover Electronic Thermometer Probe Plastic Disposable 100S	416-100		1	100/PG	\$6.82	\$6.82	N/A
6515015257595		Digital Thermometer w/Oral Probe & Well Kit	01692-200		1	EA	\$466.67	\$466.67	N/A
6515015324116		Holder Probe and Well Thermometer	21330- 0000		1	EA	\$10.83	\$10.83	N/A
6515015324146		Probe & Well Kit, Rectal w/4-Foot Cord	02892-000		1	EA	\$88.31	\$88.31	N/A
6515015331281		Probe & Well Kit, Oral w/4-Foot Cord	02893-000		1	EA	\$102.26	\$102.26	N/A
6685015726374		Soft Case	701861		1	EA	\$50.00	\$50.00	N/A

**THERMOMETER KIT CLINICAL
ADDITIONAL NOTE:**

Note 1: Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

Note 2: Three batteries come with the unit; three extra ones are inside the soft case.

**THERMOMETER KIT CLINICAL
WEB LINKS**

Click Below for User's Manual

<http://www.welchallyn.com/documents/Thermometry/Electronic%20Thermometry/SureTemp%20690/71213_0000_stplus_usermanual_2009_02_04.pdf>

