

**MEDICAL EQUIPMENT
SET SPECIAL FORCES
TACTICAL-2008**



**Support and Consumables
Handbook**

6545-01-562-6036

UA 268B

LIN M29999

Semper Responsus

REVISED

January 2013

U.S. Army Medical Materiel Agency

The information contained in this manual was prepared by the

U.S. Army Medical Materiel Agency
Office of PM, Medical Devices
Acquisition Information Division
693 Neiman Street
Fort Detrick, MD 21702-5001

This manual is a living document and may contain inaccuracies due to changes in mission requirements or equipment updates. To report corrections or additions please contact:

Customer Relationship Management
301-619-1288/4301, DSN 343-1288/4301, or at:

USAMMACRM@amedd.army.mil

**For additional equipment item information, visit the
USAMMA Medical Equipment Literature section on the web at
<<http://www.usamma.amedd.army.mil/med equip lit cdroms.cfm>>**

**Review the Master Table of Contents for all of the
published USAMMA Medical Equipment CDs at
<<http://www.usamma.amedd.army.mil/assets/docs/Master%20Table%20of%20Contents.pdf>>**

**You can also order a copy of each published CD by completing and submitting the form at
<<http://www.usamma.amedd.army.mil/CDROM Requests form.cfm>>**

NOTE: CLICK ON TITLE
FOR DIRECT LINK

TABLE OF CONTENTS

SECTION	DEVICE	NSN	PAGE
1	<u>BACKPACK MEDICAL TRAUMA</u>	(L) 6515-01-526-3653	1
2	<u>BLOOD-FLUID WARMER</u>	(L) 6515-01-500-3521	5
3	<u>CASE MEDICAL MODULAR PREVENTIVE MEDICINE</u>	(L) 6545-01-535-6839	15
4	<u>CASE MEDICAL MODULAR PRIMARY CARE</u>	(L) 6545-01-527-1078	19
5	<u>CASE MEDICAL MODULAR TRAUMA ORGANIZER</u>	(L) 6545-01-527-1076	23
6	<u>CASE MEDICAL MODULAR WOUND MANAGEMENT</u>	(L) 6545-01-535-6523	27
7	<u>HANDPIECE SUCTION & IRRIGATION SURGICAL</u>	(L) 6515-01-504-3861	31
8	<u>HARNESS CHEST MEDICAL ASSAULT SYSTEM</u>	(L) 6545-01-528-9044	37
9	<u>INHALATION SYSTEM OXYLATOR EMXBT</u>	(D) 6515-01-518-3892	45
10	<u>KIT COMBAT CASEVAC MOBILITY COMPLETE</u>	(L) 6545-01-537-7904	51
11	<u>LARYNGOSCOPE SET</u>	(L) 6515-01-526-4240	61
12	<u>LITTER DECONTAMINATION BLACK</u>	(L) 6530-01-504-9051	69
13	<u>LITTER TAGLINE MMS KIT</u>	(L) 6545-01-381-0654	75
14	<u>OTOSCOPE & OPHTHALMOSCOPE SET</u>	(H) 6515-01-333-3165	81
15	<u>OXIMETER PULSE FINGER WITH CASE</u>	(L) 6515-01-535-2728	87
16	<u>PACK ADVANCED AIRWAY MANAGEMENT</u>	(L) 6530-01-537-8511	93
17	<u>PANEL MODULAR MEDICAL PREVENTIVE MED</u>	(L) 6530-01-535-6502	99
18	<u>PANEL MODULAR MEDICAL PRIMARY CARE</u>	(L) 6530-01-518-0118	105
19	<u>PANEL MODULAR MEDICAL TRAUMA</u>	(L) 6530-01-515-7651	111
20	<u>PANEL MODULAR MEDICAL WOUND MANAGEMENT</u>	(L) 6530-01-535-6510	117
21	<u>POUCH MEDICAL AID SOF W DETACH THI PANEL</u>	(L) 6515-01-528-1702	123
22	<u>RESCUE AND TRANSPORT SYSTEM</u>	(L) 6530-01-575-4004	129
23	<u>SPINAL KIT IMMOBILIZATION FIELD TACTICAL</u>	(L) 6515-01-516-2527	135
24	<u>SPLINT TRACTION - EXTRICATION ADULT</u>	(L) 6515-01-250-8936	141
25	<u>STERILIZER SURGICAL INSTRUMENT DRESSING</u>	(L) 6530-00-926-2022	147
26	<u>SUCTION APPARATUS OROPHARYNGEAL TRACHEAL</u>	(L) 6515-01-614-6561	151
27	<u>THERMOMETER KIT CLINICAL</u>	(L) 6515-01-523-9935	157
28	<u>VENTILATOR VOLUME PORTABLE</u>	(L) 6515-01-571-1689	165

Please provide all comments at the website link listed below.

https://ice.disa.mil/index.cfm?fa=card&site_id=750&service_provider_id=102377

Select: EQUIPMENT PUBLICATIONS BUTTON AT TOP OF FORM

BACKPACK MEDICAL TRAUMA

[TOC](#)

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# MPMD

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

AAC 'L' ITEM NSN 6515-01-526-3653

UAs: 268B, 506A

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$489.60

System Description: Special Operations Technologies super-comfortable Mission Pack with an expandable, lower pouch that zippers up and is concealed when not in use. This oversized three-day pack is perfect for holding the medic's gear in modules that drop into the main compartment; field gear can go in the expandable lower pouch and external compartments. When not performing medic duties, the soldier can remove the modules and use the pack as a field pack.

- Features:**
- 1000 Denier DuPont Cordura Plus fabric
 - Double layered 138 weight bonded nylon parachute harness thread
 - American name brand plastic and metal fasteners (Duraflex, ITW Nexus, ACW)
 - Closed cell foam
 - Edges bound by double stitched nylon Type 3 seam tape
 - Strength rated nylon webbing and tapes
 - Stress points anchored by double stitching, bar tacks, and box x's
 - Velcro™ and Rip and Grip™ mil spec hook and loop fastener

NOTE: PACKED BY USER



**BACKPACK MEDICAL-TRAUMA, LARGE
PART # MPMD
NSN 6515015263653**



**BACKPACK MEDICAL-TRAUMA, LARGE - OPEN
PART # MPMD
NSN 6515015263653**

**BACKPACK MEDICAL TRAUMA
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	18
	Width (Inches)	12
	Length (Inches)	12
	Cube (Cubic Feet)	1.5
	Weight	10 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**BACKPACK MEDICAL TRAUMA
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015263653		Backpack Medical Trauma	MPMD		1	EA	\$489.60	\$489.60	N/A

**BACKPACK MEDICAL TRAUMA
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

BLOOD-FLUID WARMER

[TOC](#)

MANUFACTURER: ESTILL MEDICAL TECHN, INC.

Manufacturer Model# TA-200

Manufacturer's PHONE: (214) 561-6001 FAX: (214) 561-1960

Manufacturer's Website: <http://www.thermalangel.com>

Item Web Link:

<http://www.thermalangel.com>

AAC 'L' ITEM NSN 6515-01-500-3521

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$147.57

System Description: The Thermal Angel is an in-line, battery-powered, disposable, lightweight, and completely portable blood and IV fluid warming device, capable of intravenous application and irrigation warming. The Thermal Angel can be used to help prevent fluid-induced hypothermia. The Thermal Angel TA-200 will strive to achieve 38 °C (100.4 °F) ±3 °C (5.4 °F) at a flow rate of 2 to 150 mL/min given a fluid input temperature of 20 °C (68 °F) with a fully charged TA-BCE Battery.

- Features:**
- Lightweight (9 oz), in-line, portable, battery-powered blood and IV fluid warmer
 - No cartridges or cleaning
 - Quick setup within 30 seconds
 - Warms in approximately 45 seconds
 - Placed at or near the infusion site for minimal heat loss through tubing
 - Failsafe to prevent overheating
 - Ability to remain with patient from first contact through hospital stay
 - Can be used in the field, ambulances, helicopters, ER, OR, military, and other areas
 - The unit uses standard luer fittings and will accept all standard IV line sets
 - Single patient use
 - Heaters adjust automatically in response to changes in flow rate
 - Disposable

NOTE: This is just the warming unit only.



**9 INCH EXTENSION SET
PART # TA-9EXT
NSN 6515015038228**



**BATTERY
PART # TA-BCE
NSN 6515015002858**



BATTERY CHARGER
PART # TA-CAC
NSN 6515015003022



BATTERY BAG
PART # TA-CC
NSN 6515015003045



**POWER CABLE
PART # TA-CDC
NSN 6515015003027**



A COMPATIBLE SET UP - IV BAG, PUMP, WARMER

**BLOOD-FLUID WARMER
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	9
	Width (Inches)	2.8
	Length (Inches)	0.95
	Cube (Cubic Feet)	0.0139
	Weight	9.2 oz
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		32 to 104 °F
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	10.5 VDC Min / 13.8 VDC Max	
Notes		

**BLOOD-FLUID WARMER
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Estill Medical Techn, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015003521		Blood-Fluid Warmer	TA-200		1	EA	\$147.57	\$147.57	N/A

**BLOOD-FLUID WARMER
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Estill Medical Techn, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015002858		Battery Pack Rechargeable	TA-BCE		1	EA	\$64.38	\$64.38	N/A
6515015003022		Battery Charger	TA-CAC		1	EA	\$85.51	\$85.51	N/A
6515015003027		Power Cord	TA-CDC		1	EA	\$17.50	\$17.50	N/A
6515015003045		Battery Bag	TA-CC		1	EA	\$61.62	\$61.62	N/A
6515015038228		9" IV Extension	TA-9EXT		1	EA	\$7.71	\$7.71	N/A

**BLOOD-FLUID WARMER
ADDITIONAL NOTE:**

Preliminary Evaluation of Compatibility Between Infusion Dynamics Power Infuser® and Estill Medical's Thermal Angel® Blood and IV Fluid Warmer (TA-200). Testing performed by Infusion Dynamics, Inc. - August 9, 2002

The Power Infuser was found to be COMPATIBLE with Estill Medical's Thermal Angel provided the following configuration was used:

[IV bag] - [Power Infuser] - [Thermal Angel] - [Patient]

The Power Infuser was NOT COMPATIBLE with the Thermal Angel Warmer in this configuration:

[IV bag] - [Thermal Angel] - [Power Infuser] - [Patient]

When the Power Infuser is running at 6L/hr and is downstream of the warmer, the occlusion alarm will not activate when the patient tubing is occluded. (Operation at the 1L/hr., 2 L/hr., and 4L/hr. settings is acceptable). This occurs due to a more compliant system resulting from the elevated temperature in the fluid path.

BLOOD-FLUID WARMER
ITEM TABLES

TA-200 External Physical Specifications

SPECIFICATION	VALUE
Length	9.0 inches (22.86 cm)
Width	2.8 inches (7.11 cm)
Depth	0.95 inches (2.41 cm)
Weight	9.2 ounces (260.82 g)

TA-200 Absolute Minimum and Maximum Specifications

SPECIFICATION	MINIMUM	MAXIMUM
Output Temperature	NA	47°C (116.6°F) failsafe fuse
Input Temperature	4°C (39.2°F)	38°C (100.4°F)
Input Flow Rate	0 ml/min	200 ml/min
Input Voltage	10.5 Volts DC	13.8 Volts DC
Storage Temperature	0°C (32°F)	40°C (104°F)

TA-200 Performance Specifications

SPECIFICATION	VALUE
Output Temperature	38°C (100.4°F)
Accuracy	±3°C (5.4°F)
Input Temperature	20°C (68°F)
Input Flow Rate	2 to 150 ml/min
Input Voltage	12 Volts DC from a fully charged power source
Warm-up Time	Approximately 45 seconds

TA-200 Fluid Path Specifications

DIMENSION	VALUE
Volume	0.540 cu. in. (8.85 ml)
Material	Passivated 316L stainless steel tube
Tube Length	50.25 in. (127.5 cm)
Tube Wall Thickness	0.035 in. (.098 cm)
Tube I.D.	0.117 in. (.30 cm)

TA-200 Heater Specifications

SPECIFICATION	VALUE
Type	Electrical resistance, band heater
Material	1 oz. copper
Substrate	3 mil polyester film
Approximate Area	17 sq. in.
Nominal Power	216 watts @ 12 Volts DC

TA-200 Controller Specifications

SPECIFICATION	VALUE
Operational Voltage	5 Volts DC
Processor	8-bit microcontroller
Clock Rate	8 MHz
ADC Configuration	8-bits
Sensor	NTC Thermistor mounted in fluid stream
Control Algorithm	Closed-loop PID (Proportional Integral Differential)
Sample Rate	4.8 Ks/sec

TA-200 Quick Steps

STEP	ACTION
1	Remove the female luer cap from the inlet end of the Thermal Angel®.
2	Connect IV tubing to the female luer. Tighten until resistance is met. Do not over tighten.
3	Remove the male luer cap from the outlet end of the Thermal Angel®.
4	Connect 9 Inch IV Extension Set to the male luer. Tighten until resistance is met. Do not over tighten.
5	Connect assembled IV line to fluid source and prime the line.
6	Connect the male end of the Power Cable to the inlet end cap of the Thermal Angel®. Connect the female end of the Power Cable to the Battery.
7	The green LED on the Thermal Angel® inlet end cap should display continuous illumination without blinking.
8	Connect 9 Inch IV Extension Set to IV catheter.
9	Engage roller clamp on IV tubing to adjust flow.

CASE MEDICAL MODULAR PREVENTIVE MEDICINE

TOC

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# MMCOS-PM-MK-1

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

AAC 'L' ITEM NSN 6545-01-535-6839

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$697.29

System Description: A modular organizer created to drop into the Pelican Cases™ model 1650 & 1660 as well as Hardigg™ cases (NOT INCLUDED). System is based on a lid panel covered in PALS webbing that accepts 8 zippered modular pouches, 6 small modular pouches and 2 large modular pouches; the same pouches that attach to the RAMMP system panel, NSN 6530-01-515-7651. The reinforced panel fits universally in the Pelican™ 1650 & 1660 and the Hardigg™ case lid using stainless steel screw & Velcro® hook & loop. Four re-supply bags, zippered & handled storage bags (MMCOSB) drop side by side into the bottom of the cases. Pouches & bags are marked with interchangeable, high-visibility labels that allow easy supply category recognition. PELICAN & HARDIGG CASES NOT INCLUDED.

**CASE MEDICAL MODULAR PREVENTIVE MEDICINE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	10
	Width (Inches)	20
	Length (Inches)	40
	Cube (Cubic Feet)	4.6296
	Weight	8 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**CASE MEDICAL MODULAR PREVENTIVE MEDICINE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6545015356839		Case Medical Modular Preventive Medicine	MMCOS- PM-MK-1		1	EA	\$697.29	\$697.29	

**CASE MEDICAL MODULAR PREVENTIVE MEDICINE
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

CASE MEDICAL MODULAR PRIMARY CARE

TOC

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# MMCOS-PC-MK-1

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

Item Web Link:

http://specopstech.com/osc/product_info.php?products_id=1582&page=>

AAC 'L' ITEM NSN 6545-01-527-1078

UAs: 268B, 506A

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$697.29

System Description: A modular organizer created to drop into the Pelican Cases™ model 1650 & 1660 as well as Hardigg™ cases (NOT INCLUDED). System is based on a lid panel covered in PALS webbing that accepts 8 zippered modular pouches, 6 small modular pouches and 2 large modular pouches, the same pouches that attach to the RAMMP system panel, NSN 6530-01-515-7651. The reinforced panel fits universally in the Pelican™ 1650 & 1660 and the Hardigg™ case lid using stainless steel screw & Velcro® hook & loop. Four re-supply bags, zippered & handled storage bags (MMCOSB) drop side by side into the bottom of the cases. Pouches & bags are marked with interchangeable, high-visibility labels that allow for easy supply category recognition. PELICAN & HARDIGG CASES NOT INCLUDED.

**CASE MEDICAL MODULAR PRIMARY CARE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	10
	Width (Inches)	20
	Length (Inches)	40
	Cube (Cubic Feet)	4.6296
	Weight	8 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**CASE MEDICAL MODULAR PRIMARY CARE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6545015271078		Case Medical Modular Primary Care	MMCOS- PC-MK-1		1	EA	\$697.29	\$697.29	N/A

**CASE MEDICAL MODULAR PRIMARY CARE
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

CASE MEDICAL MODULAR TRAUMA ORGANIZER

TOC

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# MMCOS-T-MK-1

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

Item Web Link:

http://specopstech.com/osc/product_info.php?products_id=1582&page=>

AAC 'L' ITEM NSN 6545-01-527-1076

UAs: 268B, 506A

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$697.29

System Description: A modular organizer created to drop into the Pelican Cases™ model 1650 & 1660 as well as Hardigg™ cases (NOT INCLUDED). System is based on a lid panel covered in PALS webbing that accepts 8 zippered modular pouches, 6 small modular pouches and 2 large modular pouches, the same pouches that attach to the RAMMP system panel, NSN 6530-01-515-7651. The reinforced panel fits universally in the Pelican™ 1650 & 1660 and the Hardigg™ case lid using stainless steel screw & Velcro® hook & loop. Four re-supply bags, zippered & handled storage bags (MMCOSB) drop side by side into the bottom of the cases. Pouches & bags are marked with interchangeable, high-visibility labels that allow for easy supply category recognition. PELICAN & HARDIGG CASES NOT INCLUDED.

**CASE MEDICAL MODULAR TRAUMA ORGANIZER
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	10
	Width (Inches)	20
	Length (Inches)	40
	Cube (Cubic Feet)	4.6296
	Weight	8 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**CASE MEDICAL MODULAR TRAUMA ORGANIZER
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6545015271076		Case Medical Modular Trauma Organizer	MMCOS- T-MK-1		1	EA	\$697.29	\$697.29	N/A

**CASE MEDICAL MODULAR TRAUMA ORGANIZER
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

CASE MEDICAL MODULAR WOUND MANAGEMENT

TOC

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# MMCOS-PC-MK-1

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

AAC 'L' ITEM NSN 6545-01-535-6523

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$697.29

System Description: A modular organizer created to drop into the Pelican Cases™ model 1650 & 1660 as well as Hardigg™ cases (NOT INCLUDED). System is based on a lid panel covered in PALS webbing that accepts 8 zippered modular pouches, 6 small modular pouches and 2 large modular pouches, the same pouches that attach to the RAMMP system panel, NSN 6530-01-515-7651. The reinforced panel fits universally in the Pelican™ 1650 & 1660 and the Hardigg™ case lid using stainless steel screw & Velcro® hook & loop. Four re-supply bags, zippered & handled storage bags (MMCOSB) drop side by side into the bottom of the cases. Pouches & bags are marked with interchangeable, high-visibility labels that allow for easy supply category recognition. PELICAN & HARDIGG CASES NOT INCLUDED.

**CASE MEDICAL MODULAR WOUND MANAGEMENT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	10
	Width (Inches)	20
	Length (Inches)	40
	Cube (Cubic Feet)	4.6296
	Weight	8 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**CASE MEDICAL MODULAR WOUND MANAGEMENT
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6545015356523		Case Medical Modular Wound Management	MMCOS- WM-MK-1		1	EA	\$697.29	\$697.29	

**CASE MEDICAL MODULAR WOUND MANAGEMENT
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

HANDPIECE SUCTION & IRRIGATION SURGICAL

[TOC](#)

DISTRIBUTOR: BUFFALO SUPPLY

MANUFACTURER: STRYKER

Manufacturer Model# 210-118-000

Distributor's PHONE: (303) 666-6333 FAX: (303) 666-8518

Manufacturer's PHONE: (201) 831-5726 FAX: (201) 831-5726

Distributor's Website: <http://www.BuffaloSupply.com>

Manufacturer's Website: <http://www.trauma.stryker.com>

AAC 'L' ITEM NSN 6515-01-504-3861

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$280.00

System Description: Interpulse handpiece with suction and fan spray tip, battery-powered, disposable, pulsed irrigation for orthopedics, trauma and wound care. Accessories included: Soft tissue tip, Fan spray tip and Coaxial fan spray tip. Used to prepare the wound for healing more quickly.

Features:

- Minimal set up – spike and shoot
- Concurrent suction with soft cone splash shield for optimal fluid containment without damaging soft tissue
- Ergonomic shape to reduce muscle fatigue
- Specific design to enhance suction capabilities
- Portable
- Completely disposable

Tip Locking Mechanism
Effectively engages tip to hand piece for optimal performance.

Full Speed Lock Mechanism
The Interpulse can lock in at full speed.

Effective Wound Debridement

June 2

Chronic venous insufficiency before hydroablation treatment with InterPulse.

June 7

Wound free of necrotic tissue after 5 treatments. Follow up treatments continue to healthy granulating wound.

HANDPIECE SUCTION & IRRIGATION SURGICAL INTERPULSE 6S
PART # 210-118-000
NSN 6515015043861



FAN SPRAY TIP
PART # 210-18
included



210-18-100
Coaxial Fan Spray
Tip with Pliable
Splash Shield

210-12
Soft Tissue Tip

COAXIAL FAN SPRAY TIP W SPLASH SHIELD & SOFT TISSUE TIP
PART # 210-18-100, 210-12
available but not included

**HANDPIECE SUCTION & IRRIGATION SURGICAL
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	8
	Width (Inches)	4
	Length (Inches)	2
	Cube (Cubic Feet)	0.037
	Weight	0.2 lbs
Ship Dimensions	Height (Inches)	10
	Width (Inches)	8
	Length (Inches)	8
	Cube (Cubic Feet)	0.3704
	Weight	15 lbs
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	8 AA Batteries	
Notes		

**HANDPIECE SUCTION & IRRIGATION SURGICAL
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Stryker	DIST PN Buffalo Supply	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015043861		Handpiece Suction & Irrigation Surgical		210-118- 000	1	6/PG	\$280.00	\$280.00	N/A
6135009857845		Battery Non-Rechargeable Alkaline 1.5v AA Cell	W-B-101 CL12		1	EA	Incl w/NSN 3861	Incl w/NSN 3861	36
6515015034283		Fan Spray Tip	210-18		1	12/PG	Incl w/NSN 3861	Incl w/NSN 3861	60
6515015034294		Coaxial Fan Spray Tip w/Suction	210-18-100		1	12/PG	Incl w/NSN 3861	Incl w/NSN 3861	60
6515015034299		Tip Handpiece Irrigation- Aspiration Sys Soft Tissue Interpulse12	210-12		1	12/PG	Incl w/NSN 3861	Incl w/NSN 3861	60
NSN Not Required		Insert Flyer, Operator	N/A		1	EA	Incl w/NSN 3861	Incl w/NSN 3861	N/A

**HANDPIECE SUCTION & IRRIGATION SURGICAL
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Stryker	DIST PN Buffalo Supply	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Battery Non-Rechargeable Alkaline 1.5v AA Cell	W-B-101 CL12		1	EA	\$41.60	\$41.60	36
6515015034283		Fan Spray Tip	210-18		1	12/PG	\$173.01	\$173.01	60
6515015034294		Coaxial Fan Spray Tip w/Suction	210-18-100		1	12/PG	\$204.18	\$204.18	60
6515015034299		Tip Handpiece Irrigation- Aspiration Sys Soft Tissue Interpulse12	210-12		1	12/PG	\$173.01	\$173.01	60
NSN Not Required		Insert Flyer, Operator	N/A		1	EA	\$0.00	\$0.00	N/A

**HANDPIECE SUCTION & IRRIGATION SURGICAL
ADDITIONAL NOTE:
BATTERIES ARE NOT PRE-INSTALLED IN HANDPIECE**

HARNESSE CHEST MEDICAL ASSAULT SYSTEM

TOC

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# MACHS-CB

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <<http://www.specopstech.com>>

AAC 'L' ITEM NSN 6545-01-528-9044

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$501.12

System Description: 18D/Medic/CLS medical equipment and ammunition carrier. Coyote brown, cordura nylon, six M4 magazines are held flat against the body with internal slots. Modular aid pouches affix to the front panel via PALS (Pouch Attachment Ladder System) / MOLLE (MODular Lightweight Load-carrying Equipment) attachment system. Center opening w/shoulder harness hydration carrier unit.

The front of the harness features a Center Split design for rapid access by medics without ditching all the gear that causes a secondary load for extraction. The split was designed with a Velcro overlap to keep the maximum number of PALS slots in play. Attachment is achieved by three snaps and two-inch Velcro anchored at the top by a one-inch side lock buckle and at the bottom by a low profile Velcro snap tab forming a secure closure.

Mounted on the rear of the shoulder harness is a large pouch that accepts all standard hydration units or can be used as a small backpack. Hydration module attaches to rear plate carrier or any PALS compatible harness. Will accept up to 100 oz. bladder (not included).

The SOF-IMAP-PI features a single layer construction with double internal pockets, elastic loops and Velcro™ tabs at the base of the pouch to secure a 3-inch roll of medical tape for easy dispensing. A large mesh pouch located on the internal front panel is designed to store one IV Bag (500 mL) and starter kit.

- Features:**
- One HCMK2-CB, Hellcat MK 2 Chest Rig that provides a velcro/snap split chest design to allow for rapid tear away without losing PALS slots
 - One BFWHSH, flat web H-shoulder harness to distribute load carry for less fatigue. PALS webbing on front and back
 - One BHSMP, hydration module that doubles as a small backpack (does not include bladder), attaches to any PALS compatible harness
 - Two SOF-IMAP-PI-CB (Special Operations Forces Individual Medical Aid Pouch w Insert Coyote Brown)
 - Two BZAPS, standard short general purpose utility pouches that can be easily mounted to any PALS surface
 - Six double M4 mag pouches for up to twelve, 30 round, M4 magazines (permanently attached to harness)
 - PALS webbing (20 rows across / 3 rows high) for additional accessory pouches



**HARNESS CHEST MEDICAL ASSAULT SYSTEM
PART # MACHS-CB
NSN 6545015289044**



**HARNESS CHEST MEDICAL ASSAULT SYSTEM
PART # MACHS-CB
NSN 6545015289044
open pouches**



HARNES CHEST MEDICAL ASSAULT SYSTEM
PART # MACHS-CB
NSN 6545015289044
view from back



HYDRATION SLEEVE MODULE & PACK
PART # BHSMP
NSN 6515015495023
water bladder not included / can be used as a small backpack



CHEST RIG
PART # HCMK2-CB
front view



CHEST RIG
PART # HCMK2
rear view



**HARNESS SHOULDER FLAT WEB H
PART # BFWHSH-CB**



**HARNESS SHOULDER FLAT WEB H
PART # BFWHSH**



KIT, FIRST AID, INDIVIDUAL & INSERT
PART # SOF-IMAP-PI
NSN 6545015494566
NSN includes both items



POUCH ACCESSORY ZIPPERED SHORT
PART # BZAPS

**HARNESS CHEST MEDICAL ASSAULT SYSTEM
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	7.5
	Width (Inches)	31
	Length (Inches)	1
	Cube (Cubic Feet)	0.1345
	Weight	5.1 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	BZAPS dimensions: 7"H x 5.5"W x 3"D	

**HARNESS CHEST MEDICAL ASSAULT SYSTEM
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6545015289044		Harness Chest Medical Assault System	MACHS-CB		1	EA	\$501.12	\$501.12	N/A
	Awaiting NSN	Chest Rig	HCMK2-CB		1	EA	Incl w/NSN 9044	Incl w/NSN 9044	N/A
	Awaiting NSN	Harness Shoulder Flat Web H	BFWHSH-CB		1	EA	Incl w/NSN 9044	Incl w/NSN 9044	N/A
	Awaiting NSN	Pouch Accessory zippered short	BZAPS		2	EA	Incl w/NSN 9044	Incl w/NSN 9044	N/A
6515015495023	Bladder Not Included	Blocs Hydration Sleeve Module & Pack	BHSMP		1	EA	Incl w/NSN 9044	Incl w/NSN 9044	N/A
6545015494566		Kit, First Aid, individual & insert	SOF-IMAP-PI		2	EA	Incl w/NSN 9044	Incl w/NSN 9044	N/A

**HARNESS CHEST MEDICAL ASSAULT SYSTEM
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	Chest Rig	HCMK2-CB		1	EA	\$144.45	\$144.45	N/A
	Awaiting NSN	Harness Shoulder Flat Web H	BFWHSH-CB		1	EA	\$48.15	\$48.15	N/A
	Awaiting NSN	Pouch Accessory zippered short	BZAPS		1	EA	\$30.25	\$30.25	N/A
6515015495023	Bladder Not Included	Blocs Hydration Sleeve Module & Pack	BHSMP		1	EA	\$62.50	\$62.50	N/A
6545015494566		Kit, First Aid, individual & insert	SOF-IMAP-PI		1	EA	\$69.99	\$69.99	N/A

INHALATION SYSTEM OXYLATOR EMXBT

[TOC](#)

MANUFACTURER: LIFESAVING SYSTEMS

Manufacturer Model# CPR-EMXBT

Manufacturer's PHONE: (770) 552-8696 FAX: (770) 552-8644

Manufacturer's Website: <http://www.lifesavingsystemsinc.com>

Item Web Link:

<http://www.lifesavingsystemsinc.com/military.htm>

AAC 'D' ITEM NSN 6515-01-518-3892

UAs: 268B, 506A

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$875.00

System Description: The Oxylator EMX is a positive pressure resuscitation and inhalation system that uses a patented, patient responsive technology. It requires no power source other than a 50 psi (pounds per square inch) supply of compressed oxygen or air. It will operate with either the mask or ET (extension) tubes. The Oxylator EMX is not demand valves or vents, but is a new technology, pressure-limited/flow-triggered ventilation device designed to replace the BVM (bag valve mask) during CPR, resuscitation, and transport. It is very small, light-weight, rugged, easy to use, and easy to decontaminate. The Oxylator EMX is ideal for confined space or toxic environment rescue. It offers hands-free patient ventilation that also operates in-sync with chest compressions during CPR. Additionally, the Oxylator EMX can be supplied with butyl rubber components for use in HAZMAT (hazardous materials) and MCI (mass casualty incident) environments.

Features:

- Alerts to airway obstruction – “stuttering” sound
- Positive pressure ventilation – CPR / HAZMAT
- Closed ventilation – HAZMAT / MCI environments
- Option of butyl rubber components – HAZMAT / MCI
- Alerts to mask or ET-tube leak – no cycling occurs
- Easily used by heavily gloved hand – HAZMAT / MCI
- Adaptable to SCBA (self contained breathing apparatus) tank with SCBA regulator – MCI / USAR (urban search and rescue)
- Reduces gastric insufflations – flow < 36 liters/min. / < 30 liters/min.
- Reduces caregiver’s fatigue – hands free ventilation
- Built-in inhalator delivers enriched oxygen / air mix
- BPM (beats per minute) rate changes = lung compliance changes
- Keeps the airway open – maintains 2 to 4 cm H₂O PEEP (positive end-expiratory pressure)
- Patient does not “buck” ventilation as with vents
- Adapts to I:E (Inspiratory to Expiratory) Ratios – patient sets natural BPM
- Certified for fixed and rotary wing aircraft



**INHALATION SYSTEM OXYLATOR EMXBT, 2 - ONE WITH MASK AND ONE WITH TUBE
PART # CPR-EMXBT
NSN 6515015183892**



**HOSE
PART # CPR-3F
NSN 6515014821580**



**EXTENSION
PART # CPR-29
NSN 6515015373162**



**FILTERS, SINGLE USE, DISPOSABLE
PART # CPR-7A
NSN 6515014773259**

**INHALATION SYSTEM OXYLATOR EMXBT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	2.75
	Width (Inches)	9.75
	Length (Inches)	4.25
	Cube (Cubic Feet)	0.0659
	Weight	0.55 lb
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		-40 to 158 °F
Operating Temp		-22 to 140 °F
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	<p>Required Source Pressure: 45 - 80 psig (pounds per square inch, gauge), 3.0 - 5.5 bar Required Flow (Source): min. 40 Lpm (liters per minute) Dead Space: 22 mL (milliliters) Inspiratory Flow Rate: 30 Lpm Minute Volume Delivered: 10 to 12 Lpm Minimum Time of Oxygen Supply: cylinder volume divided by 121 / min Inhalation / Exhalation Ratio: 1:1 to 1:2 PEEP: 2 to 4 cm H2O Ventilatory Frequency: auto-adjusting to lung capacity Range of Pressure Relief: 20 – 45 cm H2O, 15 – 34 mmHg (millimeters of mercury) Expiratory Resistance: approximately 5 cm H2O Suitable Body Mass Range: 22 lbs + Inhalator, Oxygen / Air Mixture: 100% O2 at 14 to 15 liters flow Oxygen Concentration: 100% during auto resuscitation mode Viral / Bacterial Filter: single use, disposable Mask / Airway Connections: 15 mm internal / 22 mm external Obstructed Airway Warning: rapid cycling, audible and visual</p>	

**INHALATION SYSTEM OXYLATOR EMXBT
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Lifesaving Systems	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015183892		Inhalation System Oxylator EMXBT	CPR- EMXBT		1	EA	\$875.00	\$875.00	N/A
6515014773259		Filter Particle Viral	CPR-7A		1	5/BG	Incl w/NSN 3892	Incl w/NSN 3892	N/A
6515014821580		Hose	CPR-3F		1	EA	Incl w/NSN 3892	Incl w/NSN 3892	N/A
6515015373166		Extension w/Filter	CPR-29A		1	EA	Incl w/NSN 3892	Incl w/NSN 3892	N/A
NSN Not Required		Literature, Operation			1	EA	Incl w/NSN 3892	Incl w/NSN 3892	N/A
NSN Not Required		Test Sheet			1	EA	Incl w/NSN 3892	Incl w/NSN 3892	N/A

**INHALATION SYSTEM OXYLATOR EMXBT
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Lifesaving Systems	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014773259		Filter Particle Viral	CPR-7A		1	50/BG	\$35.00	\$35.00	N/A
6515014821580		Hose	CPR-3F		1	EA	\$35.00	\$35.00	N/A
6515015373162		Extension w/Filter 25s	CPR-29		1	25/PG	\$105.00	\$105.00	N/A
6515015373166		Extension w/Filter	CPR-29A		1	EA	\$4.50	\$4.50	N/A
NSN Not Required		Literature, Operation			1	EA	\$0.00	\$0.00	N/A

KIT COMBAT CASEVAC MOBILITY COMPLETE

[TOC](#)

MANUFACTURER: SKEDCO INC.

Manufacturer Model# SK-1200

Manufacturer's PHONE: (503) 639-2119 FAX: (503) 639-4538

Manufacturer's Website: <http://www.skedco.com>

Item Web Link:

<http://www.skedco.com/Military/casevac-tccc/sk-1200>

AAC 'L' ITEM NSN 6545-01-537-7904

UAs: 268B , 506A

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$1,391.65

System Description: The Kit, Combat CasEvac (casualty evacuation) SOF (Special Operations Forces) Mobility provides the SOF operator with the necessary equipment for safely securing a casualty to a litter and packaging the casualty for transport by either manual or litter carry, vehicle or on aircraft platforms. The kit also provides the basic casualty care supplies and equipment for marking landing zones during day or night operations. The kit facilitates the transitions from ground vehicle to CasEvac aircraft without additional securing equipment. It is modular in design and adaptable. The kit is designed to be attached in various ways with a built-in web strap system or with a carabiner and V-ring sewn into the top of the kit. This can be used as a mobility support item or can be man packed on mission patrols. When attaching the kit to a platform, enclose the carrier shoulder straps into the sleeve; this will allow for rapid carrier removal. In the man pack configuration, wrap the shoulder straps around the sleeve when transporting the complete kit.

Features: The kit consists of three basic components:

- Sleeve – attached to the mobility platform and wraps around the Carrier
- Carrier – separates from the sleeve and is carried by means of shoulder straps built into the carrier
- Shroud – covers the kit providing protection from the environment, security, and doubles as a bag for the transport of the casualty's equipment.

NOTE: Links to Product Brochure, Instructions, and Packing List available at Item Weblink (listed at top of page)



KIT, COMBAT CASEVAC
PART # SK-1200
NSN 6545015377904



KIT COMBAT CASEVAC
PART # SK-1200
NSN 6545015377904



KIT COMBAT CASEVAC
PART # SK-1200
NSN 6545015377904



KIT COMBAT CASEVAC CARRIER
PART # SK-1202
NSN 6530015365756



KIT COMBAT CASEVAC - EXTERIOR MOUNTED
PART # SK-1200
NSN 6545015377904



KIT COMBAT CASEVAC - HORIZONTAL MOUNTED
PART # SK-1200
NSN 6545015377904



KIT COMBAT CASEVAC - INTERIOR CARGO MOUNTED
PART # SK-1200
NSN 6545015377904



KIT COMBAT CASEVAC - WEB STRAP RAIL MOUNTING
PART # SK-1200
NSN 6545015377904

**KIT COMBAT CASEVAC MOBILITY COMPLETE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	27
	Width (Inches)	17
	Length (Inches)	10
	Cube (Cubic Feet)	2.6562
	Weight	30 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	32 lbs
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**KIT COMBAT CASEVAC MOBILITY COMPLETE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6545015377904		Kit Combat CasEvac Mobility Complete	SK-1200		1	KT	\$1,391.65	\$1,391.65	N/A
	Awaiting NSN	Shroud, Combat CasEvac, Mobility	SK-1205		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
5110015203582		Knife, Extreme Medicine/Rescue	PRT-IV		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6260010744229		Chemical Light, green, 12 hr	9-08076		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6260011785559		Chemical Light, red 12 hr	9-27054		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6260011785560		Chemical Light, Blue, 8 hour	9-27077		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6260013961704		Chemical Light, IR, 8 hour	9-17040		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6510001117829		Pack Surgical Lubricant	NDC00168 -2005-45		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6510011126414		Gauze, Petroleum	20062		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6510014999285		Quick-Clot ACS	5		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6510015026938		Hemcon Bandage	101		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6510015157528		6" Emergency Bandage w/Mobile Pad	FCP-05		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6510015278329		Z-Pack Gauze	150033		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6515009357138		Bandage Shears	BC881		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6515011535373		Catheter-ndl Unit IV 14gax3.25"	382268		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6515015016090		28 fr Nasopharyngeal Airway	328051031 8		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6515015217508		Tactical Defender Nitrile Gloves in Heavy Mil Zip Lock Bag	296003		6	PR	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6515015278068		Tactikka Medical Led Head Lamp w/Green / White Flip-Down Lens	SK- E49NVG		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6515015307015		Sof-T Tourniquet	SOFTT		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6530012624510		Carabiner, SMC Lite Steel Locking D, blk	SK-206		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6530015303860		Strap, Litter Tie-Down, Sked-Evac w/Stuff Sack	SK-955		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6530015364130		Sleeve, Utility litter	SK-1201		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6530015364145		Strap, Litter, Sked-Evac w/Stuff Sack	SK-957		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6530015365756		Carrier, Break-Away Litter	SK-1202		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6530015372363		System, Casualty Extraction, Manual, Sked- Evac	SK-970		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A

ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015372384		Strap Rescue Pick-Off Adjustable End Item TCCC SF 2005	SK-950-BL		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
6530015378521		Strap, Attachment, Casualty Marking	SK-975		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
8345001746865		Panel Marker, Aerial Liaison	OP- 282001-		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
NSN Not Required		Combat CasEvac Kit, Mobility Operational Use Guidelines			1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
NSN Not Required		Combat Wound Pill Pack			2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
NSN Not Required		Kit, Combat CasEvac, Sof Mobility, Complete Sub- Component Packing List (8.5" x 11" Tyvek Fabric)			1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
NSN Not Required		Optional Adjustable Snap- Release Buckle			1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
NSN Not Required		Sked-CasEvac YAK Extraction System (YES) Operational Use Guidelines			1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
NSN Not Required		Skedco Extreme Medicine First Responder-Combat CasEvac Immediate Action Cards	XMS-20- CC		1	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A
NSN Not Required		Strap Attachment, CasEvac Kit w/Stuff Sack	SK-1204		2	EA	Incl w/NSN 7904	Incl w/NSN 7904	N/A

KIT COMBAT CASEVAC MOBILITY COMPLETE ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	Shroud, Combat CasEvac, Mobility	SK-1205		1	EA	\$52.00	\$52.00	N/A
5110015203582		Knife, Extreme Medicine/Rescue	PRT-IV		1	EA	\$115.60	\$115.60	N/A
6260010744229		Chemical Light, green, 12 hr	9-08076		1	10/BX	\$25.61	\$25.61	N/A
6260011785559		Chemical Light, red 12 hr	9-27054		1	10/BX	\$25.61	\$25.61	N/A
6260011785560		Chemical Light, Blue, 8 hour	9-27077		1	10/BX	\$25.61	\$25.61	N/A
6260013961704		Chemical Light, IR, 8 hour	9-17040		1	10/BX	\$19.33	\$19.33	N/A
6510001117829		Pack Surgical Lubricant	NDC00168 -2005-45		1	144/PG	\$16.04	\$16.04	N/A
6510011126414		Gauze, Petroleum	20062		1	12/PG	\$12.09	\$12.09	N/A
6510014999285		Quick-Clot ACS	5		1	EA	\$19.11	\$19.11	N/A
6510015026938		Hemcon Bandage	101		1	EA	\$128.06	\$128.06	N/A
6510015157528		6" Emergency Bandage w/Mobile Pad	FCP-05		1	KT	\$8.96	\$8.96	N/A
6510015278329		Z-Pack Gauze	150033		1	EA	\$1.15	\$1.15	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515009357138		Bandage Shears	BC881		1	EA	\$32.06	\$32.06	N/A
6515011535373		Catheter-ndl Unit IV 14gax3.25"	382268		1	50/PG	\$155.01	\$155.01	N/A
6515015016090		28 fr Nasopharyngeal Airway	328051031 8		1	EA	\$1.95	\$1.95	N/A
6515015217508		Tactical Defender Nitrile Gloves in Heavy Mil Zip Lock Bag	296003		1	50/PG	\$9.24	\$9.24	N/A
6515015278068		Tactikka Medical Led Head Lamp w/Green / White Flip-Down Lens	SK- E49NVG		1	EA	\$63.21	\$63.21	N/A
6515015307015		Sof-T Tourniquet	SOFTT		1	EA	\$30.00	\$30.00	N/A
6530012624510		Carabiner, SMC Lite Steel Locking D, blk	SK-206		1	EA	\$35.72	\$35.72	N/A
6530015303860		Strap, Litter Tie-Down, Sked-Evac w/Stuff Sack	SK-955		1	EA	\$28.00	\$28.00	N/A
6530015364130		Sleeve, Utility litter	SK-1201		1	EA	\$311.11	\$311.11	N/A
6530015364145		Strap, Litter, Sked-Evac w/Stuff Sack	SK-957		1	EA	\$14.13	\$14.13	N/A
6530015365756		Carrier, Break-Away Litter	SK-1202		1	EA	\$267.70	\$267.70	N/A
6530015372363		System, Casualty Extraction, Manual, Sked- Evac	SK-970		1	EA	\$170.00	\$170.00	N/A
6530015372384		Strap Rescue Pick-Off Adjustable End Item TCCC SF 2005	SK-950-BL		1	EA	\$48.00	\$48.00	N/A
6530015378521		Strap, Attachment, Casualty Marking	SK-975		1	EA	\$20.00	\$20.00	N/A
8345001746865		Panel Marker, Aerial Liaison	OP- 282001-		1	EA	\$6.95	\$6.95	N/A
NSN Not Required		Combat CasEvac Kit, Mobility Operational Use Guidelines			1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Combat Wound Pill Pack			1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Kit, Combat CasEvac, Sof Mobility, Complete Sub- Component Packing List (8.5" x 11" Tyvek Fabric)			1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Optional Adjustable Snap- Release Buckle			1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Sked-CasEvac YAK Extraction System (YES) Operational Use Guidelines			1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Skedco Extreme Medicine First Responder-Combat CasEvac Immediate Action Cards	XMS-20- CC		1	EA	\$16.00	\$16.00	N/A
NSN Not Required		Strap Attachment, CasEvac Kit w/Stuff Sack	SK-1204		1	EA	\$18.40	\$18.40	N/A

KIT COMBAT CASEVAC MOBILITY COMPLETE
WEB LINKS

[Click Below for Instruction Manual](#)

[http://www.skedco.com/Public/Documents/SK-1200-OPUSEGUIDE\(FEB10\)_142026877.pdf](http://www.skedco.com/Public/Documents/SK-1200-OPUSEGUIDE(FEB10)_142026877.pdf)

Click Below for Packling List

http://www.skedco.com/Public/Documents/KIT%20SOF%20CASEVAC%20MOBILITY%20SOCOM%20PACKING%20LIST%20_AUG09__885615834.pdf

Click Below for Product Brochure

[http://www.skedco.com/Public/Documents/CasEvac%20Kit%20Mobility%20\(AUG09\)_972299809.pdf](http://www.skedco.com/Public/Documents/CasEvac%20Kit%20Mobility%20(AUG09)_972299809.pdf)

LARYNGOSCOPE SET

TOC

MANUFACTURER: WELCH ALLYN

Manufacturer Model# MIL-5062

Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361

Manufacturer's Website: <http://www.welchallyn.com>

AAC 'L' ITEM NSN 6515-01-526-4240

UAs: 267C, 268B, 269B, 623A, P301, P307, P308

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$1,926.06

System Description: Laryngoscope Set Fiber Optic Battery Operated with Case.

- Features:**
- Reduced handle and blade weight for improved balance and maneuverability facilitates even the most difficult intubations.
 - Repairable, allowing replacement of deteriorating light pathways for a fraction of the cost of a replacement blade.
 - Improved design with reduced proximal blade height assists in intubating patients with limited oral access.
 - Single-piece stainless steel blades ensure blade integrity (no soldered joints).



LARYNGOSCOPE SET COMPREHENSIVE
PART # MIL-5062
NSN 6515015264240

WelchAllyn® 4341 State Street Road
 P.O. Box 220
 Skaneateles Falls, NY 13153-0220 USA
 Part No. 690048-1 Rev D Tel: +1 315 685 4560
 Fax: +1 315 685 2951
 www.welchallyn.com

1

Fiber Optic Laryngoscope Blades and Handles

Fiber Optic Laryngoscope Blades

Care and Maintenance

Welch Allyn laryngoscope blades are crafted from enduring stainless steel. To insure maximum life and performance the following instructions should be strictly adhered to.

Miller, MacIntosh, and E-MacIntosh styles of fiber optic blades all have removable light pipes. This unique feature eliminates the expense of replacing the entire blade due to the fiber bundle deterioration that results from repeated exposure to disinfection and sterilization agents. Now the bundle can simply be replaced at a fraction of the cost of a new blade.

Cleaning Procedure

Immediately after use, blades should be rinsed in clean tap water to remove any residue. The fiber optic light pipe should be removed from the blade following the procedure outlined in the Fiber Optic Light Pipe Replacement section. Both the light pipe and blade should then be gently scrubbed in soapy water, with a soft brush, to provide a thorough physical cleaning.

All Welch Allyn blades are compatible with enzymatic cleaners. Refer to manufacturer's instructions for recommended exposure times and solution strengths.

After cleaning, thoroughly rinse the light pipe and blade, dry, and reassemble (see Fiber Optic Light Pipe Replacement section) prior to disinfection or sterilization.

Note If germicidal solutions are required for cleaning, please contact Welch Allyn for compatibility.



WARNING Ultrasonic cleaning is not recommended.

LITERATURE OPERATION
PART # 690048-1
NSN NSN Not Required



PELICAN CASE, CASE IS ONLY AVAILABLE FOR INITIAL PURCHASE




**SPARE LAMPS # 06000-U NSN 6515-01-519-4257
LAMP # 608125-501 NSN 6240-01-526-9631
MILLER SIZE 0 # 68060 NSN 6515-01-527-2281
MILLER SIZE 1 # 68061 NSN 6515-01-442-3002**



STUBBY HANDLE # 60815 NSN 6515-01-527-2289
“AA” HANDLE # 60814 NSN 6515-01-445-1081
“C” SIZE HANDLE # 60813 NSN 6515-01-445-1082



ENGLISH MACINTOSH SIZE 1 # 69211 NSN 6515-01-467-3729
ENGLISH MACINTOSH SIZE 2 # 69212 NSN 6515-01-467-4411
ENGLISH MACINTOSH SIZE 3 # 69213 NSN 6515-01-467-3430
ENGLISH MACINTOSH SIZE 4 # 69214 NSN 6515-01-467-3431



MILLER BLADE SIZE 2 # 68062 NSN 6515-01-527-2283
MILLER BLADE SIZE 3 # 68063 NSN 6515-01-519-4239
MILLER BLADE SIZE 4 # 68062 NSN 6515-01-527-2286

**LARYNGOSCOPE SET
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	19.5
	Width (Inches)	14
	Length (Inches)	4.75
	Cube (Cubic Feet)	0.7504
	Weight	9.545 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	60813 requires 2 standard C size batteries; 60814 and 60815 require 2 standard AA size batteries	
Notes		

**LARYNGOSCOPE SET
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015264240		Laryngoscope Set	MIL-5062		1	EA	\$1,926.06	\$1,926.06	N/A
6240015269631		Cartridges, Lamp	608125- 501		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6240015269660		Pen Lite	76600		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515014423002		Miller Blade Size 1	68061		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515014451082		Handle Laryngoscope Size C Fiber Optic	60813		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515014673429		English Macintosh Size 1	69211		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515014673430		English Macintosh Size 3	69213		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515014673431		English Macintosh Size 4	69214		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515014674411		English Macintosh Size 2	69212		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515015194239		Miller Blade Size 3	68063		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515015194257		Light Bulb Laryngoscope	06000-U		4	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515015194259		Handle Laryngoscope Size AA Fiber Optic	60814		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515015272281		Miller Blade Size 0	68060		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515015272283		Miller Blade Size 2	68062		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515015272286		Miller Blade Size 4	68064		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
6515015272289		Stubby Handle	60815		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
Not Required	Not Available After Initial Purchase	Pelican Case			1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A
NSN Not Required		Literature Operator	690048-1		1	EA	Incl w/NSN 4240	Incl w/NSN 4240	N/A

**LARYNGOSCOPE SET
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6240015269631		Cartridges, Lamp	608125- 501		1	EA	\$50.00	\$50.00	N/A
6240015269660		Pen Lite	76600		1	EA	\$48.00	\$48.00	N/A
6515014423002		Miller Blade Size 1	68061		1	EA	\$109.51	\$109.51	N/A
6515014451082		Handle Laryngoscope Size C Fiber Optic	60813		1	EA	\$79.39	\$79.39	N/A
6515014673429		English Macintosh Size 1	69211		1	EA	\$109.51	\$109.51	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014673430		English Macintosh Size 3	69213		1	EA	\$92.22	\$92.22	N/A
6515014673431		English Macintosh Size 4	69214		1	EA	\$109.51	\$109.51	N/A
6515014674411		English Macintosh Size 2	69212		1	EA	\$109.51	\$109.51	N/A
6515015194239		Miller Blade Size 3	68063		1	EA	\$182.59	\$182.59	N/A
6515015194257		Light Bulb Laryngoscope	06000-U		4	EA	\$30.37	\$121.48	N/A
6515015194259		Handle Laryngoscope Size AA Fiber Optic	60814		1	EA	\$132.97	\$132.97	N/A
6515015272281		Miller Blade Size 0	68060		1	EA	\$109.51	\$109.51	N/A
6515015272283		Miller Blade Size 2	68062		1	EA	\$109.51	\$109.51	N/A
6515015272286		Miller Blade Size 4	68064		1	EA	\$109.51	\$109.51	N/A
6515015272289		Stubby Handle	60815		1	EA	\$101.58	\$101.58	N/A

LITTER DECONTAMINATION BLACK

[TOC](#)

MANUFACTURER: NORTH AMERICAN RESCUE PROD

Manufacturer Model# TALON II 90C

Manufacturer's PHONE: (864) 675-9800 FAX: (864) 675-9880

Manufacturer's Website: <http://www.narescue.com>

Item Web Link:

[http://www.narescue.com/Talon II Model 90C Collapsible Handle Litter-CNB06BC8635AF5.html?BC=3B396EEA44E3](http://www.narescue.com/Talon_II_Model_90C_Collapsible_Handle_Litter-CNB06BC8635AF5.html?BC=3B396EEA44E3)

AAC 'L' ITEM NSN 6530-01-504-9051

UAs: 268B, 506A

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$682.44

System Description: The Talon II® 90C is the most versatile and compact evacuation and treatment litter available today. Developed to meet the U.S. Army's requirement to provide urgent casualty evacuation from the battlefield. The design allows patient transport in restricted compartments such as the up-armored M1114 Humvee and other non-conventional commercial vehicles. By simply extending the ergonomically designed handles it transitions to a standard NATO compatible evacuation platform.

- Features:**
- Ergonomically designed handles
 - 6 IV attachment points
 - 2 patient securing straps
 - Slip-resistant and rip stop fabric
 - Chemical resistant



LITTER DECONTAMINATION BLACK
PART # Talon II 90C
NSN 6530015049051



LITTER BUCKLE REPLACEMENT
PART # ZZ-0032
NSN 6530014357337



STRAP RETENTION LITTER SUPPORT BAR
PART # 60-0026
awaiting NSN

**LITTER DECONTAMINATION BLACK
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	20.5
	Width (Inches)	8.5
	Length (Inches)	9.5
	Cube (Cubic Feet)	0.958
	Weight	16.375 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	<p>Dimensions Extended: Length 90 in Width 22.5 in Depth 6 in</p> <p>Dimensions with Handles Collapsed: Length 78 in Width 22.5 in Depth 6 in</p> <p>Payload 1200 lbs Ground Clearance 1.5 in</p>	

**LITTER DECONTAMINATION BLACK
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN North American Rescue Prod	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015049051		Litter Decontamination Black	Talon II 90C		1	EA	\$682.44	\$682.44	N/A
	Awaiting NSN	Strap Retention Litter Support Bar	60-0026		2	EA	Incl w/NSN 9051	Incl w/NSN 9051	N/A

**LITTER DECONTAMINATION BLACK
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN North American Rescue Prod	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	Strap Retention Litter Support Bar	60-0026		2	EA	\$14.00	\$28.00	N/A
6530014357337		Litter Buckle Replacement 2s	ZZ-0032		1	PR	\$4.43	\$4.43	N/A

**LITTER DECONTAMINATION BLACK
WEB LINKS**

[Click Below for Litter Safety and Maintenance Instructions](#)

<http://www.narescue.com/media/NAR/instructions/INST-NAR-Litter-Hangtag.pdf>

[Click Below for User Instructions](#)

<http://www.narescue.com/media/NAR/instructions/INST-Talon-90c.pdf>

[Click Below for Product Information Sheet](#)

<http://www.narescue.com/media/NAR/product-info-sheets/PIS-Talon-90C.pdf>

LITTER TAGLINE MMS KIT

[TOC](#)

MANUFACTURER: SKEDCO INC.

Manufacturer Model# SK-1010

Manufacturer's PHONE: (503) 639-2119 FAX: (503) 639-4538

Manufacturer's Website: <http://www.skedco.com>

Item Web Link:

<http://www.skedco.com/Military/medevac/sk-1010>

AAC 'L' ITEM NSN 6545-01-381-0654

UAs: 257B, 268B, 506A

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$187.85

System Description: The purpose of a tag line is to prevent dangerous litter spin that occurs when hoisting a litter by helicopter. This kit is designed to prevent spin while preventing other problems normally associated with tag lines, such as tangled rope, deployment difficulties, and storage problems.

Features: The Skedco Helitag Kit contains 250 feet of 7 mm water rescue rope. It has a polypropylene core with a nylon sheath which allows it to float in the water and have good abrasion resistance. Both ends have a figure 8 knot on the end of the rope that is backed up with a double overhand knot for safety.


SKEDCO HELITAG HELICOPTER TAG LINE KIT (NSN 6454-01-381-0654)



HELITAG HELICOPTER LITTER TAGLINE MMS KIT
PART # SK-1010
NSN 6545013810654


Recommended Personnel Placement for Helicopter Hoisting of a Stretcher

Preferred Placement




Ideal placement. Use of two tag lines is the safest way to prevent any litter from spinning. Two tag lines should always be used in training and non hostile situations for best litter control. Maximum visibility for pilot and crew.

Good Placement



Good placement to prevent stretcher spin with minimum tension applied to tag line. Maximum visibility for pilot and ground crew.

Improper Placement



While better than no tag line at all, this placement of personnel and equipment tilts the stretcher, increasing the likelihood of spin, and requires greater tension on the tag line to prevent the spin, creating an increased possibility of weak link separation.

WARNING! A NEW WEAK LINK MUST BE USED EACH TIME A HUMAN LOAD IS HOISTED!

RECOMMENDED PERSONNEL PLACEMENT DIAGRAM

**LITTER TAGLINE MMS KIT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	1.45
	Weight	5 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**LITTER TAGLINE MMS KIT
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6545013810654		Litter Tagline MMS Kit	SK-1010		1	EA	\$187.85	\$187.85	N/A
6530014457291		Link Litter Tagline Medical Evacuation	SK-1011		1	10/PG	Incl w/NSN 0654	Incl w/NSN 0654	N/A
6545015191108		'V' Strap	SK-1015		1	EA	Incl w/NSN 0654	Incl w/NSN 0654	N/A
6545015191158		PETZL M17 AM'D Locking D Carabiner, Black	SK-1013		1	EA	Incl w/NSN 0654	Incl w/NSN 0654	N/A
6545015195175		250' x 7mm PMI Water Rescue Rope	SK-1012		1	EA	Incl w/NSN 0654	Incl w/NSN 0654	N/A
6545015195181		Helitag Throw Bag	SK-1016		1	EA	Incl w/NSN 0654	Incl w/NSN 0654	N/A
6545015195190		Screw Link	SK-1014		1	EA	Incl w/NSN 0654	Incl w/NSN 0654	N/A

**LITTER TAGLINE MMS KIT
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530014457291		Link Litter Tagline Medical Evacuation	SK-1011		1	10/PG	\$21.96	\$21.96	N/A
6545015191108		'V' Strap	SK-1015		1	EA	\$12.00	\$12.00	N/A
6545015191158		PETZL M17 AM'D Locking D Carabiner, Black	SK-1013		1	EA	\$13.20	\$13.20	N/A
6545015195175		250' x 7mm PMI Water Rescue Rope	SK-1012		1	EA	\$84.00	\$84.00	N/A
6545015195181		Helitag Throw Bag	SK-1016		1	EA	\$35.00	\$35.00	N/A
6545015195190		Screw Link	SK-1014		1	EA	\$5.04	\$5.04	N/A

**LITTER TAGLINE MMS KIT
WEB LINKS**

[Click Below for 30-second Product Video Demo](#)

http://www.skedco.com/public/video/helicopter_rescue.wmv

OTOSCOPE & OPHTHALMOSCOPE SET

[TOC](#)

MANUFACTURER: WELCH ALLYN

Manufacturer Model# 92821

Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361

Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:

<http://www.welchallyn.com/apps/products/product.jsp?id=19-pe-114-1294170570249>

AAC 'H' ITEM NSN 6515-01-333-3165

UAs: 256C, 261B, 267C, 268B, 269B, 506A, 623A, 7054, N315, N316, N320, N413, N477, N513, N713, P301, P308, P309, P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$271.70

System Description: This item is a hand-held, battery powered, lighted instrument for examining the external canal and tympanic membrane of the ear and also for viewing the interior of the eye or examining the retina.

Features:

- 2.5V PocketScope Ophthalmoscope uses halogen bulbs for true tissue color and consistent, long lasting illumination. It has six aperture selections for general and specialist use, and 48 lenses for better resolution
- 2.5V Otoscope also has a built-in throat illuminator – two-in-one instrument features halogen illumination and fiberoptics for a cool light with no reflections or obstructions, plus a rectangular viewing lens for instrumentation under magnification
- 2.5V PocketScope handle has a smooth rheostat to control light intensity and features a handy pocket clip



OTOSCOPE & OPHTHALMOSCOPE SET
PART # 92821
NSN 6515013333165

**OTOSCOPE & OPHTHALMOSCOPE SET
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	2
	Width (Inches)	6
	Length (Inches)	10
	Cube (Cubic Feet)	0.0694
	Weight	1.05 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	0.0992
	Weight	2.11 lbs
Storage Temp		-4 to 120 °F
Operating Temp		50 to 104 °F
Storage Humidity		95% max humidity
Operating Humidity		
Amps		
Watts		
Power Requirements	Two 1.5 VDC AA Batteries	
Notes		

**OTOSCOPE & OPHTHALMOSCOPE SET
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515013333165		Otoscope & Ophthalmoscope Set	92821		1	SE	\$271.70	\$271.70	N/A
6515015205725	See Additional Note Below	Head Otoscope Diagnostic Halogen Hpx 2.5V 9.8 Diopter 4In Focal Length	21111F	21111	1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205763	See Additional Note Below	Head Ophthalmoscope Pocket 2.5V Halogen Bulb Red Free Filter Micro/Sm	13010	13000	1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205778	See Additional Note Below	Otoscope-Ophthalmoscope Handle 2.5V for 6515013333165	72843	72830	2	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6545015190982		Case Soft Zipper F/Pocketscope	05928-U		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
NSN Not Required		Literature Operation	PM130023 -4		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
NSN Not Required		Specula, Assorted	21103-U		1	SE	Incl w/NSN 3165	Incl w/NSN 3165	N/A

**OTOSCOPE & OPHTHALMOSCOPE SET
ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015250236		Speculum Otoscope Sz 4.25mm Disposable Use	31237- 010A		1	850/PG	\$22.65	\$22.65	N/A
6515015250240		Speculum Otoscope Disposable Sz 2.75mm	31237- 020A		1	850/PG	\$22.65	\$22.65	N/A

**OTOSCOPE & OPHTHALMOSCOPE SET
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Battery NonRechargeable Alkaline AA 1.5V 36 Months Shelf Life 24s	20-0571- 1988 NEDA 15A		1	24/PG	\$41.60	\$41.60	36
6515013294847		Speculum Otoscope Slit Type 4mm Disposable	52434		1	1000/P G	\$19.25	\$19.25	N/A
6515015205725		Head Otoscope Diagnostic Halogen Hpx 2.5V 9.8 Diopter 4In Focal Length	21111		1	EA	\$59.97	\$59.97	N/A
6515015205740		Bulb Replacement Exam Instrument F/Halogen Otoscope 2.5V	03400-U		1	EA	\$12.60	\$12.60	N/A
6515015205754		Bulb Replacement Exam Instrument F/Ophthalmoscope	03900-U		1	EA	\$13.21	\$13.21	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015205763		Head Ophthalmoscope Pocket 2.5V Halogen Bulb Red Free Filter Micro/Sm	13000		1	EA	\$130.00	\$130.00	N/A
6515015205778		Otoscope-Ophthalmoscope Handle 2.5V for 6515013333165	72830		1	EA	\$53.24	\$53.24	N/A
6515015250236		Speculum Otoscope Sz 4.25mm Disposable Use	31237- 010A		1	850/PG	\$22.65	\$22.65	N/A
6515015250240		Speculum Otoscope Disposable Sz 2.75mm	31237- 020A		1	850/PG	\$22.65	\$22.65	N/A
6545015190982		Case Soft Zipper F/Pocketscope	05928-U		1	EA	\$12.00	\$12.00	N/A

OTOSCOPE & OPHTHALMOSCOPE SET

ADDITIONAL NOTE:

The Welch-Allyn part number on the start-up list is deliberately different from Resupply part number, although they are the same item, per manufacturer.

OXIMETER PULSE FINGER WITH CASE

[TOC](#)

MANUFACTURER: FEDMEDICAL INC.

Manufacturer Model# 9550 MIL

Manufacturer's PHONE: (843) 554-7004 FAX: (843) 832-4343

Manufacturer's Website: <http://www.fedmedical.com>

Item Web Link:

<http://www.fedmedical.com/Nonin-Oximeters.html>

AAC 'L' ITEM NSN 6515-01-535-2728

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$375.00

System Description: User-friendly, portable, finger pulse oximeter with hardened spring system and powered by two (AAA) batteries. Unit completely shuts down leaving no IR (infrared) signature. Lightweight rugged case (JM II) is included.

- Features:**
- Small and lightweight -- weighs less than 2 ounces
 - Simple operation for fast, easy spot-checks
 - Superior accuracy and durability
 - Energy efficient - turn off mechanism allows 2 (AAA) batteries to provide approximately 2500 spot-checks or 21 hours of continuous use
 - Cost effective design does not require a sensor
 - Easy battery access
 - Enclosed spring
 - Large LED (light-emitting diode) display -- smaller, wider viewing angle
 - Pulse quality indicator -- provides quick and accurate assessment



OXIMETER PULSE FINGER
PART # 9550
NSN 6515015352728



CASE FOR OXIMETER PULS FINGER
PART # JM II



**OXIMETER IN CASE
PART # 9550-MIL
NSN 6515015352728**

**OXIMETER PULSE FINGER WITH CASE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	2.2
	Width (Inches)	1.3
	Length (Inches)	1.3
	Cube (Cubic Feet)	0.0022
	Weight	1.9 oz with batteries
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		-22 to 122 °F
Operating Temp		32 to 122 °F
Storage Humidity		10 to 95%
Operating Humidity		10 to 90%
Amps		
Watts		
Power Requirements	Two 1.5 V AAA Batteries, last approximately 21 hours with continuous operation	
Notes	<p>Hyperbaric Pressure: Up to 4 atmospheres Blood Oxygen Saturation (%SpO2 ± 1SD) Accuracy: 70 – 100% ± 2 digits Pulse Rate Accuracy: 20 – 250 bpm ± 3% Red Measurement Wavelengths: 660 nanometers Infrared Measurement Wavelengths: 910 nanometers Numeric Displays: Two 3-digit LED's Pulse Strength Displays: Tricolor LED segments Pulse Rate Range: 18 to 321 pulses per min Oxygen Saturation Range (%SpO2): 0 to 100%</p>	

**OXIMETER PULSE FINGER WITH CASE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN FedMedica 1 Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015352728		Oximeter Pulse Finger with Case	9550 MIL		1	EA	\$375.00	\$375.00	N/A
	See Additional Note Below	Lanyard	9550L-B		1	EA	Incl w/NSN 2728	Incl w/NSN 2728	N/A
6135008264798	See Additional Note Below	Battery, Alkaline (AAA)	128001957 0		2	EA	Incl w/NSN 2728	Incl w/NSN 2728	36
7610015437003		Instruction CD	9550 INS		2	EA	Incl w/NSN 2728	Incl w/NSN 2728	N/A
NSN Not Required		Case	JM II		1	EA	Incl w/NSN 2728	Incl w/NSN 2728	N/A

**OXIMETER PULSE FINGER WITH CASE
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN FedMedica 1 Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	See Additional Note Below	Lanyard	9550L-B		1	30/BX	\$108.30	\$108.30	N/A
6135008264798	See Additional Note Below	Battery, Alkaline (AAA)	128001957 0		1	12/PG	\$1.65	\$1.65	36
7610015437003		Instruction CD	9550 INS		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Case	JM II		1	EA	\$25.00	\$25.00	N/A

**OXIMETER PULSE FINGER WITH CASE
ADDITIONAL NOTE:**

Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

PACK ADVANCED AIRWAY MANAGEMENT

[TOC](#)

MANUFACTURER: SKEDCO INC.

Manufacturer Model# SK-1301-BL

Manufacturer's PHONE: (503) 639-2119 FAX: (503) 639-4538

Manufacturer's Website: <http://www.skedco.com>

Item Web Link:

<http://www.skedco.com/Military/casevac-tccc/sk-1301>

AAC 'L' ITEM NSN 6530-01-537-8511

UAs: 268B , 506A

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$646.00

System Description: Fire/Flame retardant oxygen bag. Throughout development, emphasis was placed on fit, form, and function along with casualty and operator safety resulting in a bag ready to meet the rigors of static or mobil operation.

- Features:**
- Compatible with all standard pole litters
 - Open pack fits between casualty's legs and secures to litter
 - Outer most storm layer of 1000 denier CORDURA nylon for durability
 - CARBON X inner liner
 - A layer of VILENE insulation
 - Two layers of 3000 denier KEVLAR
 - Compatible with standard or jumbo D aluminum or steel oxygen cylinders
 - 3000-lb tensile strength aluminum side-release buckles
 - All materials critical to integrity of bag are sewn with KEVLAR thread
 - Retention sleeve has flat pocket to store oxygen administration guidelines
 - Valve / regulator protective flap provides internal storage for two -foot securing straps
 - Two detachable MOLLE (Modular Lightweight Load-carrying Equipment) / PALS (Pouch Attachment Ladder System) utility pouches (included) provide storage for:
 - Oxylator, pocket mask
 - Non-rebreathing mask
 - Extension tubing
 - Oral and nasal pharyngeal airways



PACK ADVANCED AIRWAY MANAGEMENT - BACK
PART # SK-1301-BL
NSN 6530015378511



PACK ADVANCED AIRWAY MANAGEMENT - FRONT
PART # SK-1301-BL
NSN 6530015378511



PACK ADVANCED AIRWAY MANAGEMENT - OPEN
PART # SK-1301-BL
NSN 6530015378511

**PACK ADVANCED AIRWAY MANAGEMENT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	22
	Width (Inches)	5
	Length (Inches)	9
	Cube (Cubic Feet)	0.5729
	Weight	8 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**PACK ADVANCED AIRWAY MANAGEMENT
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015378511		Pack Advanced Airway Management	SK-1301- BL		1	EA	\$646.00	\$646.00	N/A
		General Purpose Utility Pouches			2	EA	Incl w/NSN 8511	Incl w/NSN 8511	N/A
		Pretzl AM Locking D Carabiner	M-17		1	EA	Incl w/NSN 8511	Incl w/NSN 8511	N/A
6530015364145		Strap	SK-957		2	EA	Incl w/NSN 8511	Incl w/NSN 8511	N/A

**PACK ADVANCED AIRWAY MANAGEMENT
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
		General Purpose Utility Pouches			2	EA	\$0.00	\$0.00	N/A
		Pretzl AM Locking D Carabiner	M-17		1	EA	\$13.20	\$13.20	N/A
6530015364145		Strap	SK-957		2	EA	\$30.50	\$61.00	N/A

**PACK ADVANCED AIRWAY MANAGEMENT
WEB LINKS**

[Click Below for Operator Manual](#)

http://www.skedco.com/Public/Documents/sked-evac_oxygen_bag_ops_guide.pdf

PANEL MODULAR MEDICAL PREVENTIVE MED

[TOC](#)

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# RAMMP-PM

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

Item Web Link:

http://specopstech.com/osc/product_info.php?products_id=1809&page=>

AAC 'L' ITEM NSN 6530-01-535-6502

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$280.00

System Description: The RAMMP-PM (Rapid Access Modular Medical Panel, Preventive Medicine) is designed to integrate with all military aircraft, ground vehicles, and fixed or temporary facilities. The Panel provides organized storage with immediate access to medical equipment and supplies. The RAMMP-PM panel is PALS covered so medical operators can add or reconfigure pouches to suit mission needs. Pouches are configured on a hanging panel which conceals a bellows pocket and internal slots for long items and cervical collars. Systems focus on tactical deployment flexibility and adaptability to any circumstances where medical aid will be administered. The Panel itself and each modular pocket are marked with removable, low light visible labels. Custom Nametapes available at additional cost. Panel can be rapidly employed to perform "tail gate" medicine wherever trauma care is required on the battlefield. Designed to USASOC (United States Army Special Operations Command) specifications.

- Features:**
- MOLLE (MOdular Lightweight Load-carrying Equipment) compatible
 - Constructed of 1000 Denier DuPont Cordura Plus fabric, double layered
 - 138 weight bonded nylon parachute harness thread
 - Strength rated nylon webbing and tapes
 - Stress points anchored by double stitching, bar tacks, and box x's
 - Velcro™ and Rip and Grip™ mil spec hook and loop fastener
 - Flat panel covered with PALS (Pouch Attachment Ladder System) webbing
 - Eight hidden PALS / MOLLE modular pockets
 - Four full-width interior storage
 - One half-panel bellows
 - Six small
 - Two medium
 - One long
 - One flat
 - Modular pouches are secured by #10 zippers
 - Two carrying handles
 - Concealed shoulder straps



PANEL MODULAR MEDICAL PREVENTIVE MEDICINE (OPEN)
PART # RAMMP-PM
NSN 6530015356502



PANEL MODULAR MEDICAL PREVENTIVE MEDICINE
PART # RAMMP-PM
NSN 6530015356502



PANEL MODULAR MEDICAL PREVENTIVE MEDICINE (FOLDED)
PART # RAMMP-PM
NSN 6530015356502

**PANEL MODULAR MEDICAL PREVENTIVE MED
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	43.5
	Width (Inches)	16.5
	Length (Inches)	3
	Cube (Cubic Feet)	1.2461
	Weight	2.25 Lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**PANEL MODULAR MEDICAL PREVENTIVE MED
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015356502		Panel Modular Medical Preventive Med	RAMMP- PM		1	EA	\$280.00	\$280.00	N/A

**PANEL MODULAR MEDICAL PREVENTIVE MED
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

PANEL MODULAR MEDICAL PRIMARY CARE

[TOC](#)

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# RAMMP-PC

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

Item Web Link:

http://specopstech.com/newwebsite/comerce%20cart/osc/product_info.php?cPath=0_232&products_id=1809&osCsid=7ff83bb829fa933b62396f6f642b3d44

AAC 'L' ITEM NSN 6530-01-518-0118

UAs: 261B , 268B , 269B , 512A , 625A , 921B , N513 , N713 , P309 , P310 , P311

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$280.00

System Description: The RAMMP-PC (Rapid Access Modular Medical Panel, Primary Care) is designed to integrate with all military aircraft, ground vehicles, and fixed or temporary facilities. The Panel provides organized storage with immediate access to medical equipment and supplies. The RAMMP-PC panel is Pediatric Advanced Life Support (PALS) covered so medical operators can add or reconfigure pouches to suit mission needs. Pouches are configured on a hanging panel which conceals a bellows pocket and internal slots for long items and cervical collars. Systems focus on tactical deployment flexibility and adaptability to any circumstances where medical aid will be administered. The Panel itself and each modular pocket are marked with removable, low light visible labels. Custom Nametapes available at additional cost. Panel can be rapidly employed to perform "tail gate" medicine wherever trauma care is required on the battlefield. Designed to USASOC (United States Army Special Operations Command) specifications.

- Features:**
- MOLLE (MOdular Lightweight Load-carrying Equipment) compatible
 - Constructed of 1000 Denier DuPont Cordura Plus fabric, double layered
 - 138 weight bonded nylon parachute harness thread
 - Strength rated nylon webbing and tapes
 - Stress points anchored by double stitching, bar tacks, and box x's
 - Velcro™ and Rip and Grip™ mil spec hook and loop fastener
 - Flat panel covered with PALS (Pouch Attachment Ladder System) webbing
 - Eight hidden PALS / MOLLE modular pockets
 - Four full-width interior storage
 - One half-panel bellows
 - Six small
 - Two medium
 - One long
 - One flat
 - Modular pouches are secured by #10 zippers
 - Two carrying handles
 - Concealed shoulder straps



**PANEL MODULAR MEDICAL PRIMARY CARE (OPEN)
PART # RAMMP-PC
NSN 6530015180118**



**PANEL MODULAR MEDICAL PRIMARY CARE
PART # RAMMP-PC
NSN 6530015180118**



**PANEL MODULAR MEDICAL PRIMARY CARE (FOLDED)
PART # RAMMP-PC
NSN 6530015180118**

**PANEL MODULAR MEDICAL PRIMARY CARE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	43.5
	Width (Inches)	16.5
	Length (Inches)	3
	Cube (Cubic Feet)	1.2461
	Weight	2.25 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**PANEL MODULAR MEDICAL PRIMARY CARE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015180118		Panel Modular Medical Primary Care	RAMMP- PC		1	EA	\$280.00	\$280.00	N/A

**PANEL MODULAR MEDICAL PRIMARY CARE
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

PANEL MODULAR MEDICAL TRAUMA

[TOC](#)

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# RAMMP-T

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

Item Web Link:

http://specopstech.com/osc/product_info.php?cPath=197_232&products_id=1809&page=medical

AAC 'L' ITEM NSN 6530-01-515-7651

UAs: 256C, 257B, 261B, 268B, 269B, 506A, P308

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$752.15

System Description: Fully customizable panel for trauma care providers working in the field or from a fixed platform. These systems offer the utmost in flexibility and bridge the gap between aid bags and larger storage containers with a streamlined, highly organized modular system. System focuses on tactical deployment flexibility and adaptability to any circumstances where medical aid will be administered. Panels can be hung both vertically & horizontally in temporary and permanent facilities as well as fitting fixed wing, rotary wing and ground mobility vehicles. Systems can be carried backpack or suitcase style. All pouches are removable and interchangeable accommodating mission specific customization. Pouches are labeled and have see-through vinyl for easy content recognition.

Folded 20" x 19"

Expanded 20" x 45"

Features: This impressive modular medical bag features 10 internal modular zippered pockets (9 with snap backs and 1 Velcro™ back) that have Velcro™ labels covering Assessment, Airway, Breathing, Chest Tube, Circulation A, Circulation B, Medication, Burn Care, Splinting and IV Therapy. The bag also has 5 outer pockets (4 with Velcro™ closure and 1 zipper). The bag can be secured in the folded position with two side and end buckles. Plus each end has 4 heavy duty grommets. There are carrying handles on each end and in the middle for carrying when folded. The pack also features shoulder and backpack straps.



PANEL MODULAR MEDICAL TRAUMA RAPID ACCESS - OPEN
PART # RAMMP-T
NSN 6530015157651



PANEL MODULAR MEDICAL TRAUMA RAPID ACCESS - IN USE
PART # RAMMP-T
NSN 6530015157651



PANEL MODULAR MEDICAL TRAUMA RAPID ACCESS - FOLDED
PART # RAMMP-T
NSN 6530015157651

**PANEL MODULAR MEDICAL TRAUMA
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	43.5
	Width (Inches)	16.5
	Length (Inches)	3
	Cube (Cubic Feet)	1.2461
	Weight	2.25 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**PANEL MODULAR MEDICAL TRAUMA
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015157651		Panel Modular Medical Trauma	RAMMP-T		1	EA	\$752.15	\$752.15	N/A

**PANEL MODULAR MEDICAL TRAUMA
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

PANEL MODULAR MEDICAL WOUND MANAGEMENT

[TOC](#)

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# RAMMP-WM

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

Item Web Link:

http://specopstech.com/osc/product_info.php?products_id=1809&page=>

AAC 'L' ITEM NSN 6530-01-535-6510

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$280.00

System Description: The RAMMP-WM (Rapid Access Modular Medical Panel, Wound Management) is designed to integrate with all military aircraft, ground vehicles, and fixed or temporary facilities. The Panel provides organized storage with immediate access to medical equipment and supplies. The RAMMP-WM panel is PALS covered so medical operators can add or reconfigure pouches to suit mission needs. Pouches are configured on a hanging panel which conceals a bellows pocket and internal slots for long items and cervical collars. Systems focus on tactical deployment flexibility and adaptability to any circumstances where medical aid will be administered. The Panel itself and each modular pocket are marked with removable, low light visible labels. Custom Nametapes available at additional cost. Panel can be rapidly employed to perform "tail gate" medicine wherever trauma care is required on the battlefield. Designed to USASOC (United States Army Special Operations Command) specifications.

- Features:**
- MOLLE (MOdular Lightweight Load-carrying Equipment) compatible
 - Constructed of 1000 Denier DuPont Cordura Plus fabric, double layered
 - 138 weight bonded nylon parachute harness thread
 - Strength rated nylon webbing and tapes
 - Stress points anchored by double stitching, bar tacks, and box x's
 - Velcro™ and Rip and Grip™ mil spec hook and loop fastener
 - Flat panel covered with PALS (Pouch Attachment Ladder System) webbing
 - Eight hidden PALS / MOLLE modular pockets
 - Four full-width interior storage
 - One half-panel bellows
 - Six small
 - Two medium
 - One long
 - One flat
 - Modular pouches are secured by #10 zippers
 - Two carrying handles
 - Concealed shoulder straps



PANEL MODULAR MEDICAL WOUND MANAGEMENT - OPEN
PART # RAMMP-WM
NSN 6530015356510



PANEL MODULAR MEDICAL WOUND MANAGEMENT
PART # RAMMP-WM
NSN 6530015356510



PANEL MODULAR MEDICAL WOUND MANAGEMENT - FOLDED
PART # RAMMP-WM
NSN 6530015356510

**PANEL MODULAR MEDICAL WOUND MANAGEMENT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	43.5
	Width (Inches)	16.5
	Length (Inches)	3
	Cube (Cubic Feet)	1.2461
	Weight	2.25 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**PANEL MODULAR MEDICAL WOUND MANAGEMENT
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015356510		Panel Modular Medical Wound Management	RAMMP- WM		1	EA	\$280.00	\$280.00	N/A

**PANEL MODULAR MEDICAL WOUND MANAGEMENT
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

POUCH MEDICAL AID SOF W DETACH THI PANEL

[TOC](#)

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC

Manufacturer Model# SOF-IMAP-CB

Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880

Manufacturer's Website: <http://www.specopstech.com>

Item Web Link:

http://specopstech.com/osc/product_info.php?products_id=1822&osCsid=ce153fc41e1c54358fa28560d87914e9

AAC 'L' ITEM NSN 6515-01-528-1702

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$155.81

System Description: Pouch + Insert + Thigh Rig in Coyote Brown

- Features:**
- SOF, Individual Medical Aid Pouch (SOF-IMAP-P) NSN 6515-01-559-9916
The IMAP features a single layer construction with double internal pockets, elastic loops and Velcro™ tabs at the base of the pouch to secure a 3” roll of medical tape for easy dispensing. Also, a large mesh pouch located on the internal front panel designed to store one IV Bag, 500 ml and starter kit. The external front panel boasts a strategically mounted, rapid-access pocket with Velcro™ pull-tab for immediate access to the C-A-Tourniquet when “seconds count.” The front of the pouch is faced with PALS webbing. All SOF Individual Aid Pouches are force multipliers for the medical operator, placing critical medical supplies at the point of wounding, not in the medic’s aid bag. "IFAK" is embroidered on the front flap for easy identification of vital medical items.
 - BLoCS Claw Padded Thigh Rig (BCPTR) NSN 6515-01-559-9994
Drop leg platform allows for a variety of pouch attachments. Internal slot allows for the addition of soft armor. Adjustable belt hanger and leg strap keep the thigh rig in place during a variety of movements. Designed for operators who need their gear on person and quickly accessible.
 - Insert (SOF-IMAPI) NSN 6515-01-559-9978
Thin, Velcro™-backed organizer insert. Custom designed internal organizer system safely secures while providing rapid access to a basic load of medical items (sold separately). Designed to be used with the SOF-IMAP series, the Mission Go Bag (MGB), Slimline Medical Backpack (SLIVER), or any other Velcro™-topped surface.



**POUCH MEDICAL AID SOF W DETACH THI PANEL
PART # SOF-IMAP-CB
NSN 6515015281702**

NSN is CB (Coyote Brown); pictured in ACU (Army Combat Uniform)



**POUCH MEDICAL AID SOF W DETACH THI PANEL
PART # SOF-IMAP-CB
NSN 6515015281702**

NSN is CB (Coyote Brown); pictured in ACU (Army Combat Uniform)



**POUCH MEDICAL AID W OUT INSERT OR THIGH RIG CB
PART # SOF-IMAP-P
NSN 6515015599916**

NSN is CB (Coyote Brown); pictured in ACU (Army Combat Uniform)



**INSERT FIELD PACK
PART # SOF-IMAPI
NSN 6515015599978**



**THIGH RIG POUCH COYOTE BROWN
PART # BCPTR-CB
NSN 651501559994**



**POUCH MEDICAL AID AND INSERT
PART # SOF-IMAP-PI-CB
NSN 6515015599947**

sold together under one NSN; pictured in ACU (Army Combat Uniform), NSN is CB (Coyote Brown)

**POUCH MEDICAL AID SOF W DETACH THI PANEL
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	4.5
	Width (Inches)	9
	Length (Inches)	9
	Cube (Cubic Feet)	0.2109
	Weight	6 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**POUCH MEDICAL AID SOF W DETACH THI PANEL
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015281702	coyote brown	Pouch Medical Aid SOF w Detach Thi Panel	SOFIMAP- CB		1	EA	\$155.81	\$155.81	N/A
6515015599916	coyote brown	Pouch Medical Aid w out insert CB	SOF- IMAP-P		1	EA	Incl w/NSN 1702	Incl w/NSN 1702	N/A
6515015599978	specify color when ordering	Insert Field Pack	SOF- IMAPI		1	EA	Incl w/NSN 1702	Incl w/NSN 1702	N/A
6515015599994	coyote brown	Thigh Rig Pouch CB	BCPTR- CB		1	EA	Incl w/NSN 1702	Incl w/NSN 1702	N/A

**POUCH MEDICAL AID SOF W DETACH THI PANEL
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Special Operations Technologi es, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015599916	coyote brown	Pouch Medical Aid w out insert CB	SOF- IMAP-P		1	EA	\$51.18	\$51.18	N/A
6515015599947	coyote brown	Pouch Medical Aid w insert CB	SOF- IMAP-PI- CB		1	EA	\$64.55	\$64.55	N/A
6515015599978	specify color when ordering	Insert Field Pack	SOF- IMAPI		1	EA	\$14.49	\$14.49	N/A
6515015599994	coyote brown	Thigh Rig Pouch CB	BCPTR- CB		1	EA	\$41.50	\$41.50	N/A
6515015708595	foilage green	Pouch Medical Aid w insert	SOF- IMAP-PI- RG		1	EA	\$64.55	\$64.55	N/A
6515015708609	foilage green	Pouch Medical Aid w out insert RG	SOF- IMAP-P- RG		1	EA	\$51.18	\$51.18	N/A
6515015708620	foilage green	Thigh Rig Pouch RG	BCPTR- RG		1	EA	\$41.50	\$41.50	N/A
6515015708637	foilage green	Insert Field Pack RG	SOF- IMAPI-RG		1	EA	\$13.37	\$13.37	N/A
6545015279837	army combat uniform	Pouch Medical Aid w thigh panel ACU	SOF-IMAP		1	EA	\$138.15	\$138.15	N/A
6545015494566	army combat uniform	Kit First Aid individual ACU	SOF- IMAP- ACU		1	EA	\$115.28	\$115.28	N/A

RESCUE AND TRANSPORT SYSTEM

[TOC](#)

MANUFACTURER: SKEDCO INC.

Manufacturer Model# SK-200C-GR

Manufacturer's PHONE: (503) 639-2119 FAX: (503) 639-4538

Manufacturer's Website: <http://www.skedco.com>

Item Web Link:

<http://skedco.com/Military/sked-rescue-stretchers/sk-200C-gr>

AAC 'L' ITEM NSN 6530-01-575-4004

UAs: 268B, 506A

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$570.49

System Description: The original and still the best solution for confined space, high angle or technical rescue, and traditional land-based applications, the Sked stretcher is a revolutionary design which provides outstanding patient protection and security.

The Sked comes equipped for horizontal hoisting by helicopter or vertical hoisting in caves or industrial confined spaces. When the patient is packaged the stretcher becomes rigid. The durable plastic provides protection for the patient while allowing extrication through the most demanding confined spaces. The stretcher is rolled for storage in a tough cordura backpack which is included with the system.


Available in International Orange, Green (GR) for military, SWAT and other tactical situations. Made in USA.

- Features:**
- SKED Stretcher
 - Cordura Back Pack/Towing Harness
 - Horizontal Lift Slings
 - Vertical Lift Sling (PMI E-Z Bend 3/8" rope)
 - Large steel locking carabiner
 - Tow Strap
 - Set of 4 removable webbing handles
 - Cobra Buckles



**RESCUE AND TRANSPORT SYSTEM
PART # SK-200C-GR
NSN 6530015754004**

Item supplied will be O.D. Green



**SKED STRETCHER WITH COBRA BUCKLES
PART # SK-200C-GR
NSN 6530015754004**

On the SK-200C-GR the buckles will be sewn not looped



**COBRA BUCKLE
PART # SK-208C**

Buckle available in conversion kit SK-208C only



**RESCUE AND TRANSPORT SYSTEM
PART # SK-200C-GR
NSN 6530015754004**

Upgraded with Cobra Buckles

**RESCUE AND TRANSPORT SYSTEM
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	1
	Width (Inches)	9
	Length (Inches)	36
	Cube (Cubic Feet)	0.1875
	Weight	19 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		-120 to 450 °F
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	Rolled in cordura pack -- 9 inch diameter x 36 inch length Laid out flat -- 3 feet x 8 feet Made of low density E-Z glide polyethylene plastic Nylon webbing Solid brass grommets Steel buckles Webbing tensile strength 10,000 lb Rope tensile strength 5,800 lb	

**RESCUE AND TRANSPORT SYSTEM
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015754004		Rescue and Transport System	SK-200C-GR		1	EA	\$570.49	\$570.49	N/A
6530012598296		Litter Rescue & Transport	SK-201		1	EA	Incl w/NSN 4004	Incl w/NSN 4004	N/A
6530012601214		Handle Webbing Rescue Removable	SK-205		1	4/PG	Incl w/NSN 4004	Incl w/NSN 4004	N/A
6530012602700		Sling Lift Rescue Horizontal	SK-203		1	2/PG	Incl w/NSN 4004	Incl w/NSN 4004	N/A
6530012606703		Backpack Case Carrying Cordura	SK-202		1	EA	Incl w/NSN 4004	Incl w/NSN 4004	N/A
6530012624510		SMC Steel-Locking D Carabiners	SK-206		1	EA	Incl w/NSN 4004	Incl w/NSN 4004	N/A
6530012624511		Strap Tow Rescue System	SK-204		1	EA	Incl w/NSN 4004	Incl w/NSN 4004	N/A

**RESCUE AND TRANSPORT SYSTEM
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Skedco Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530012598296		Litter Rescue & Transport	SK-201		1	EA	\$269.01	\$269.01	N/A
6530012601214		Handle Webbing Rescue Removable	SK-205		1	4/PG	\$7.95	\$7.95	N/A
6530012601226		Pad Chest Rescue	SK-602-GR		1	EA	\$46.50	\$46.50	N/A
6530012602700		Sling Lift Rescue Horizontal	SK-203		1	2/PG	\$26.25	\$26.25	N/A
6530012606703		Backpack Case Carrying Cordura	SK-202		1	EA	\$47.46	\$47.46	N/A
6530012610448		Handle Rescue & Transport System	SK-604		1	2/PG	\$5.00	\$5.00	N/A
6530012624510		SMC Steel-Locking D Carabiners	SK-206		1	EA	\$35.72	\$35.72	N/A
6530012624511		Strap Tow Rescue System	SK-204		1	EA	\$17.86	\$17.86	N/A
6530014457291		Link Litter Tagline Medical Evacuation	SK-1011		1	10/PG	\$21.96	\$21.96	N/A

RESCUE AND TRANSPORT SYSTEM
WEB LINKS

[Click Below for Fact Sheet](#)

http://skedco.com/Public/Documents/SKED%20Fact%20Sheet%20with%20Cobra%20Buckles_213053305.pdf

Click Below for Instruction Manual

<http://skedco.com/Public/Documents/sked_instruction.pdf>

SPINAL KIT IMMOBILIZATION FIELD TACTICAL

[TOC](#)

MANUFACTURER: BOUND TREE MEDICAL

Manufacturer Model# 260414

Manufacturer's PHONE: (800) 533-0523 FAX: (800) 257-5713

Manufacturer's Website: <http://www.boundtree.com>

Item Web Link:

<https://www.boundtree.com/tactical-field-spinal-immobilization-kit--olive-drab-product-14495-164.aspx>

AAC 'L' ITEM NSN 6515-01-516-2527

UAs: 268B, 506A

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$483.26

System Description: The Field Spinal Kit contains all products needed to handle a spinal injury in the field

- 2-piece full-length folding backboard
- OD collar / head wedge combo pack
- Three 5-foot two-piece loop end straps w/ auto buckle
- Two 9-ft one-piece straps w/ auto buckle
- Contents of kit are enclosed in a Cordura pack

Features: Folding 2 piece full length backboard

- Separates into 2 pieces for pediatrics & adult extrication applications
- Surpasses all others in strength & dependability
- Guaranteed against defects for the LIFE OF THE UNIT
- No mold plugs, seams or voids for blood, body fluids or soil to hide in
- Oversized hand holes measure 2 by 6 inches for gloved hands
- Measures 72" L x 16" W x 1.75" H (folded, 36" L x 16" W x 3.5" H)

OD collar


- One-piece design -- adjusts to any adult size neck w/ 16 different settings
- Incorporates latches that allow the rescuer to size the collar exactly
- Two safety buttons hold collar in place for maximum reliability

Head wedge

- Immobilize the patient's head instantly when placed on a backboard
- Applied easily & quickly in four simple steps
- Enables a perfect fit in one go
- Made of durable plastic

Cordura pack


- Concealable back pack straps
- Two additional carry handles



SPINAL KIT, BACKBOARD
PART # 265941
NSN 6515015162502



SPINAL KIT, CORDURA PACK CARRY CASE
PART # 632545
NSN 6515015510975



SPINAL KIT, HEAD WEDGE
PART # 264038
NSN 6515015161587



SPINAL KIT, OD COLLAR
PART # 260282
NSN 6515015161585

**SPINAL KIT IMMOBILIZATION FIELD TACTICAL
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	37
	Width (Inches)	17
	Length (Inches)	5.5
	Cube (Cubic Feet)	2.002
	Weight	27.1 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes		

**SPINAL KIT IMMOBILIZATION FIELD TACTICAL
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Bound Tree Medical	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015162527		Spinal Kit Immobilization Field Tactical	260414		1	EA	\$483.26	\$483.26	N/A
6515015161585		Collar, Extrication	260282		1	EA	Incl w/NSN 2527	Incl w/NSN 2527	N/A
6515015161587		Head Wedge	264038		1	EA	Incl w/NSN 2527	Incl w/NSN 2527	N/A
6515015161592		Strap, 5' Two Piece Loop End w/Auto Buckle	530520		3	EA	Incl w/NSN 2527	Incl w/NSN 2527	N/A
6515015161595		Strap, 9' One Piece w/Auto Buckle	530910		2	EA	Incl w/NSN 2527	Incl w/NSN 2527	N/A
6515015162505		Backboard	265941		1	EA	Incl w/NSN 2527	Incl w/NSN 2527	N/A
6515015163115		Head Wedge Combo Pack Backboard Olive Drab Ambu Perfit Ace/Ambu	264039		1	EA	Incl w/NSN 2527	Incl w/NSN 2527	36
6515015510975		Carry Case	632545		1	EA	Incl w/NSN 2527	Incl w/NSN 2527	N/A
6530015366278		Strap Backboard 1.75"W X 108"L	SK-960		1	EA	Incl w/NSN 2527	Incl w/NSN 2527	N/A
6530015366294		Strap Backboard 1.75"W X 60"L	SK-961		1	EA	Incl w/NSN 2527	Incl w/NSN 2527	N/A

**SPINAL KIT IMMOBILIZATION FIELD TACTICAL
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Bound Tree Medical	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015161585		Collar, Extrication	260282		1	EA	\$8.22	\$8.22	N/A
6515015161587		Head Wedge	264038		1	EA	\$5.51	\$5.51	N/A
6515015161592		Strap, 5' Two Piece Loop End w/Auto Buckle	530520		1	EA	\$13.95	\$13.95	N/A
6515015161595		Strap, 9' One Piece w/Auto Buckle	530910		1	EA	\$13.95	\$13.95	N/A
6515015162505		Backboard	265941		1	EA	\$342.94	\$342.94	N/A
6515015163115		Head Wedge Combo Pack Backboard Olive Drab Ambu Perfit Ace/Ambu	264039		1	EA	\$21.41	\$21.41	36
6515015510975		Carry Case	632545		1	EA	\$125.05	\$125.05	N/A
6530015366278		Strap Backboard 1.75"W X 108"L	SK-960		1	EA	\$37.00	\$37.00	N/A
6530015366294		Strap Backboard 1.75"W X 60"L	SK-961		1	EA	\$37.00	\$37.00	N/A

SPLINT TRACTION - EXTRICATION ADULT

[TOC](#)

MANUFACTURER: REEL RESEARCH & DVPMT

Manufacturer Model# 8801

Manufacturer's PHONE: (831) 336-3960 FAX: (931) 336-3532

Manufacturer's Website: <http://www.splints.com>

Item Web Link:

<http://splints.webs.com/reeladult.htm>

AAC 'L' ITEM NSN 6515-01-250-8936

UAs: 256C, 257B, 267C, 268B, 269B, 506A, 9118, P308

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$715.92

System Description: This version of the Reel Splint Immobilizer™ has a unique twist. Two snap ring twist "Quick Disconnect" sleeves are positioned at the bottom or distal end of the splint. These sleeves allow the Reel's exclusive traction ratchet to be inserted into the distal portion of the splint. With the immobilizer component in the straight and neutral position, the ratchet can then be connected; thus creating the world's most highly effective long bone traction splint. In this traction configuration, there are two vitally important developments incorporated into the splint's design.

- **ANATOMICAL PIVOTING ISCHIAL PAD:** This assures proper alignment at and with the patient's "ischial pathway angle." Pivoting left or right, the ischial pad can be situated with proper and complete consideration of delicate proximal injury sites. The majority of femur fractures occur in this upper third portion of the thigh making this a major concern.

- **POSITIVE MIDLINE POF:** Allows the knee to be slightly flexed and supported at an angle that emulates the patient's natural anatomical position of function (or POF). This is highly beneficial in achieving proper natural limb alignment during traction while positively effecting neuro vascular integrity.

Features:

- Extrication handles - ideal for patient and extremity management
- Wound visualization & treatment - strap design allows complete & total access
- Limb repositioning - adapts readily for patient comfort or neuron-vascular restoration
- Folding design for storage
- Autoclavable
- Elevation stand is pin free - makes stand deployment, storage retractions & replacement simple
- Single Hand Ratcheting Control - one medic can control both mechanical traction application & patient manual traction at the same time
- Safety Traction Lock - when engaged, this lock feature disables the traction ratcheting knob, preventing any accidental loss of traction
- Reel's one-size-fits-all Ankle Hitch saves time, money & training while providing a significantly improved neutral foot position result
- The smaller profile "wrap around" design leaves pulse points accessible




SPLINT TRACTION - EXTRICATION WITH LEG
PART # 8801
NSN 6515012508936



SPLINT TRACTION - EXTRICATION RATCHET ATTACHMENT
PART # RSA-018

REPLACEMENT PARTS


Reel Splint Immobilizer 9801
Reel Splint Tactical System 8801



SPLINT TRACTION - EXTRICATION PARTS
PART # 8801
NSN 6515012508936

REPLACEMENT PARTS

Reel Splint Immobilizer 9801
Reel Splint Tactical System 8801



SPLINT SUPPORT, LEG LOWER LIMB WITHOUT TRACTION REEL STYLE ADULT SIZE
PART # 9801
NSN 6515015141347

**SPLINT TRACTION - EXTRICATION ADULT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	41
	Width (Inches)	11
	Length (Inches)	5
	Cube (Cubic Feet)	1.305
	Weight	11 lbs
Ship Dimensions	Height (Inches)	28
	Width (Inches)	10.5
	Length (Inches)	5.5
	Cube (Cubic Feet)	0.9358
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	Storage Height: 17 inches Storage Width: 10 inches Storage Depth: 11 inches	

**SPLINT TRACTION - EXTRICATION ADULT
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Reel Research & Dvpmt	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515012508936		Splint Traction - Extrication Adult	8801		1	EA	\$715.92	\$715.92	N/A
NSN Not Required		Literature, Operator	8801 IM		2	EA	Incl w/NSN 8936	Incl w/NSN 8936	N/A

**SPLINT TRACTION - EXTRICATION ADULT
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Reel Research & Dvpmt	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6910014435573		Training CD	AP-24		1	EA	\$4.99	\$4.99	N/A

STERILIZER SURGICAL INSTRUMENT DRESSING

[TOC](#)

MANUFACTURER: WISCON ALUMINUM FOUNDRY

Manufacturer Model# 1925X

Manufacturer's PHONE: (920) 682-8286 FAX: (920) 682-7285

Manufacturer's Website: <http://www.wafco.com>

Item Web Link:

<http://www.allamerican-chefsdesign.com/Product-Detail.asp?hProduct=42>

AAC 'L' ITEM NSN 6530-00-926-2022

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$807.43

System Description: Non-electric 25 quart portable sterilizer. Professional quality, extra heavy duty cast aluminum cover and bottom construction. Used world-wide to sterilize a wide range of materials. Suitable for dental, medical, veterinary facilities, laboratories and health applications.

- Features:**
- Hand cast aluminum resists aging and corrosion
 - Stay-cool bakelite top handles and wing nuts
 - Removable aluminum inner container with rack
 - Portable, economical, reliable operation
 - Pressure gauge conforms to the pressure gauge standard ANSIB40-1-1980
 - Flexible metal exhaust tube
 - Clamping locks prevent removal of the cover while pressure is present
 - Exclusive metal-to-metal seal; no gaskets to crack, burn, replace or clean
 - Large sterilizing capacity
 - Complete, effective sterilization at the lowest possible cost
 - Can be used over any effective heat source



**STERILIZER SURGICAL INSTRUMENT DRESSING
PART # 1925X
NSN 6530009262022**

**STERILIZER SURGICAL INSTRUMENT DRESSING
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	16.75
	Width (Inches)	15
	Length (Inches)	16.75
	Cube (Cubic Feet)	2.4354
	Weight	18.25 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	24 lbs
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	Height of bottom only: 12.25 inches Cube: 2.4 cu ft	

**STERILIZER SURGICAL INSTRUMENT DRESSING
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Wiscon Aluminum Foundry	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530009262022		Sterilizer Surgical Instrument Dressing	1925X		1	EA	\$807.43	\$807.43	N/A
NSN Not Required	Download Below	Literature, Operator			1	EA	Incl w/NSN 2022	Incl w/NSN 2022	N/A

**STERILIZER SURGICAL INSTRUMENT DRESSING
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Wiscon Aluminum Foundry	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
		Bottom replacement, complete w parts	1925XBW		1	EA	\$246.30	\$246.30	N/A
		Conainer, aluminum	2162 (640070) 93		1	EA	\$68.00	\$68.00	N/A
		Cover, complete w parts	1925XCW		1	EA	\$241.20	\$241.20	N/A

**STERILIZER SURGICAL INSTRUMENT DRESSING
WEB LINKS**

[Click Below for Operating Instructions](#)

<http://www.allamerican-chefsdesign.com/admin/FileUploads/Product_42.pdf>

SUCTION APPARATUS OROPHARYNGEAL TRACHEAL

[TOC](#)

DISTRIBUTOR: ARMSTRONG MEDICAL INDUSTRIES, INC.

MANUFACTURER: SSCOR INC

Manufacturer Model# AE-6950G

Distributor's PHONE: (847) 913-0101 FAX: (847) 913-0138

Manufacturer's PHONE: (818) 504-4054 FAX:

Distributor's Website: <http://www.armstrongmedical.com>

Manufacturer's Website: www.sscor.com

Item Web Link:

<http://www.sscor.com/specifications1.htm>

AAC 'L' ITEM NSN 6515-01-614-6561

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$531.00

System Description: At less than three pounds, this quickdraw is compact and light enough to fit in many airway bags, and can be readily transported to the patient's side. There is no need to manually pump the quickdraw, making it easier to control the catheter tip and clear the airway. The canister is equipped with a short and wide fluid path, enabling the Quickdraw to evacuate thick, chunky fluids quickly. Includes drainable canister.

The Quickdraw Deployment Kits were developed to provide a quick and easy solution to your hand-held needs. Each kit is packaged in a sturdy, compact case that is easily stored in a larger gear bag.

Features: Deployment Kit, includes:

- Carrying Case, two compartments for Quickdraw and disposables
- Canister 300 cc capacity
- 36" Tubing with Hi-D Suction Tip



**SUCTION APPARATUS SURGICAL KIT
PART # AE-6950G
NSN 6515016146561**



SUCTION APPARATUS OROPHRYNGEAL TRACHEAL

**SUCTION APPARATUS OROPHARYNGEAL TRACHEAL
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	4.5
	Width (Inches)	4.25
	Length (Inches)	16
	Cube (Cubic Feet)	0.1771
	Weight	2.6 lbs
Ship Dimensions	Height (Inches)	5
	Width (Inches)	6
	Length (Inches)	13
	Cube (Cubic Feet)	0.2257
	Weight	4.5 lbs
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	12 VDC Alkaline Battery Pack	
Notes	Run time: 30 minutes ± 10% LEDs indicate: Low Battery	

**SUCTION APPARATUS OROPHRYNGEAL TRACHEAL
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN SSCOR Inc	DIST PN Armstrong Medical Industries, Inc.	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515016146561		Suction Apparatus Orophryngeal Tracheal	AE-6950G		1	EA	\$531.00	\$531.00	N/A
	Awaiting NSN	Additional Filters & Extra Plug	2482-30		2	EA	Incl w/NSN 6561	Incl w/NSN 6561	N/A
	Awaiting NSN	Alkaline Battery Pack	80613-100		1	EA	Incl w/NSN 6561	Incl w/NSN 6561	N/A
	Awaiting NSN	Battery Holder	80615-100		1	EA	Incl w/NSN 6561	Incl w/NSN 6561	N/A
	Awaiting NSN	Quickdraw Two Compartment Olive Drab Bag	100760D		1	EA	Incl w/NSN 6561	Incl w/NSN 6561	N/A
		Quickdrawer Canisters with Meter Patient Tubing & Oropharyngeal evacuation tool	2484D		1	EA	Incl w/NSN 6561	Incl w/NSN 6561	N/A
	Awaiting NSN	Red Quickdraw Suction Unit	24030D		1	EA	Incl w/NSN 6561	Incl w/NSN 6561	N/A

**SUCTION APPARATUS OROPHRYNGEAL TRACHEAL
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN SSCOR Inc	DIST PN Armstrong Medical Industries, Inc.	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	1 Meter x 9/32" Tubing case of 30	43203C		1	30/PG	\$42.75	\$42.75	N/A
	Awaiting NSN	Additional Filters & Extra Plug	2482-30		1	EA	\$11.40	\$11.40	N/A
	Awaiting NSN	Alkaline Battery Pack	80613-100		1	EA	\$23.75	\$23.75	N/A
	Awaiting NSN	Battery Holder	80615-100		1	EA	\$33.25	\$33.25	N/A
	Awaiting NSN	Drainable Canister (case of 20)	2482-20		1	20/PG	\$475.00	\$475.00	N/A
	Awaiting NSN	Drainable Canister with Barbed Tip – Case of 20	2488D-20		1	20/PG	\$475.00	\$475.00	0
	Awaiting NSN	Drainable Canister with Barbed Tip with 1M Patient Tubing S3	2484D-15		1	15/PG	\$456.00	\$456.00	N/A
	Awaiting NSN	Quickdraw Two Compartment Olive Drab Bag	100760D		1	EA	\$60.00	\$60.00	N/A
	Awaiting NSN	Red Quickdraw Suction Unit	24030D		1	EA	\$471.90	\$471.90	N/A
		SSCOR S3 Oropharyngeal Evacuation Tool case of 30	44305C		1	30/PG	\$156.75	\$156.75	N/A

**SUCTION APPARATUS OROPHRYNGEAL TRACHEAL
WEB LINKS**

[Click Below for Operating Instructions and Maintenance Manual](http://www.sscor.com/pdf/2400%20Series%20Quickdraw%20English.pdf)

<http://www.sscor.com/pdf/2400%20Series%20Quickdraw%20English.pdf>

THERMOMETER KIT CLINICAL

[TOC](#)

MANUFACTURER: WELCH ALLYN

Manufacturer Model# 01692-MC

Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361

Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:

<http://www.welchallyn.com/products/en-us/x-11-ac-100-000000001198.htm>

AAC 'L' ITEM NSN 6515-01-523-9935

UAs: 174A, 256C, 257B, 261B, 267C, 268B, 269B, 506A, 625A, 905C, N316, N320, N413, N477, N513, N713, P308, P309, P310, P311

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$557.87

System Description: The digital thermometer is battery operated and comes with three extra AA batteries. It comes in a case with inserts and includes an oral probe, a rectal probe, probe case, and four boxes of 25 probe covers. The thermometer can be mounted to the wall.

- Features:**
- Ergonomic design - comfortable to hold, easy to use, and very durable
 - Interchangeable, removable probe wells reduce the risk of cross-contamination
 - Large LCD display with location identification capability
 - Includes a 60-second pulse timer for counting pulses and respirations
 - Mechanical or electronic security options to help prevent theft
 - Takes approximately 5,000 readings on 3 "AA" batteries



THERMOMETER, DIGITAL
PART # 01692-200
NSN 6515015257595



PROBE & WELL KIT,
RECTAL, 4" PART# 02892-0000
ORAL, 4" PART#02893-0000

DISPOSABLE PLASTIC
PROBE COVER
PART# 20500-250

THERMOMETER,
DIGITAL
PART# 01692-2000

BATTERIES, ALKALINE (AA)
PART# W-B-101 CL12

THERMOMETER KIT, CLINICAL WITH CASE
PART # 01692-MC
NSN 6515015239935



**WITH PROBE ATTACHED
PART # 01692-MC
NSN 6515015239935**



**PROBE AND WELL KIT, ORAL 4 INCH
PART # 02893-000
NSN 6515015331281**



PROBE AND WELL KIT, RECTAL 4 INCH
PART # 02892-000
NSN 6515015324146

**THERMOMETER KIT CLINICAL
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	11
	Width (Inches)	7
	Length (Inches)	5
	Cube (Cubic Feet)	0.2228
	Weight	1.9 lbs
Ship Dimensions	Height (Inches)	11
	Width (Inches)	7
	Length (Inches)	5
	Cube (Cubic Feet)	0.2228
	Weight	3.0 lbs
Storage Temp		-4 to 122 °F
Operating Temp		50 to 104 °F
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	1.5 VDC AA Batteries - 3	
Notes	Patient Temperature Range: 80 to 110 °F ± 0.2 °F	

**THERMOMETER KIT CLINICAL
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015239935		Thermometer Kit Clinical	01692-MC		1	EA	\$557.87	\$557.87	N/A
6135009857845	See Notes 1 & 2 Below	Batteries, Alkaline (AA)			6	EA	Incl w/NSN 9935	Incl w/NSN 9935	36
6515013738659	See Note 1 Below	Cover, Electronic Thermometer Probe, Plastic, Disposable			4	25/PG	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015257595		Digital Thermometer w/Oral Probe & Well Kit	01692-200		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015324146		Probe & Well Kit, Rectal w/4-Foot Cord	02892-000		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015331281		Probe & Well Kit, Oral w/4-Foot Cord	02893-000		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6685015726374		Soft Case	701861		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
NSN Not Required		Literature, Operator			1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A

**THERMOMETER KIT CLINICAL
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Batteries, Alkaline (AA)	W-B-101 CL12		1	24/PG	\$41.60	\$41.60	36
6515012031332		Cover, Electronic Thermometer Probe Plastic Disposable	05031-101		1	1000/P G	\$23.00	\$23.00	N/A
6515013738659		Cover Electronic Thermometer Probe Plastic Disposable 100S	416-100		1	100/PG	\$6.82	\$6.82	N/A
6515015257595		Digital Thermometer w/Oral Probe & Well Kit	01692-200		1	EA	\$466.67	\$466.67	N/A
6515015324116		Holder Probe and Well Thermometer	21330- 0000		1	EA	\$10.83	\$10.83	N/A
6515015324146		Probe & Well Kit, Rectal w/4-Foot Cord	02892-000		1	EA	\$88.31	\$88.31	N/A
6515015331281		Probe & Well Kit, Oral w/4-Foot Cord	02893-000		1	EA	\$102.26	\$102.26	N/A
6685015726374		Soft Case	701861		1	EA	\$50.00	\$50.00	N/A

**THERMOMETER KIT CLINICAL
ADDITIONAL NOTE:**

Note 1: Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

Note 2: Three batteries come with the unit; three extra ones are inside the soft case.

**THERMOMETER KIT CLINICAL
WEB LINKS**

Click Below for User's Manual

<http://www.welchallyn.com/documents/Thermometry/Electronic%20Thermometry/SureTemp%20690/71213_0000_stplus_usermanual_2009_02_04.pdf>

VENTILATOR VOLUME PORTABLE

TOC

DISTRIBUTOR: COMBAT MEDICAL SYSTEMS

MANUFACTURER: AUTOMEDX

Distributor Model# 25-110

Manufacturer Model# SIMPLIFIED AUTOMATED VENTILATOR (SAVE)

Distributor's PHONE: (910) 426-0003 FAX: (910) 426-0009

Manufacturer's PHONE: (301) 916-9508 FAX: (301) 916-7155

Distributor's Website: <http://www.combatmedicalsystems.com/>

Manufacturer's Website: <http://www.AutoMedX.biz>

Item Web Link:

<http://www.automedx.biz/products.php>

AAC 'L' ITEM NSN 6515-01-571-1689

UAs: 268B

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$2,330.00

System Description: This ventilator unit is a set-flow, time-cycled, pressure-limited (38 cmH₂O) device and is designed to be quickly deployed in a pre-hospital environment. It is lightweight, rugged, hands-free, and contains a number of alarms and safety features. This device addresses the dangers associated with bagging patients and frees up a responder to address other injuries and/or to perform compressions. The ventilator is completely self-contained, and does not require a compressed gas source. It can be used with a mask or a secure airway. Low pressure supplemental oxygen can be used if desired. The SAVE will deliver ambient air for up to 5.5 hours on a single battery charge and may be recharged from a standard AC outlet. The SAVE can run and recharge simultaneously. The SAVE should be recharged after each use and a completely depleted battery will take 6 hours to fully recharge. The SAVE delivers an AHA compliant tidal volume (600 mL) at a fixed respiratory rate (10 bpm) which removes any guesswork and reduces operator error. It is ideally suited for situations where the use of pressurized gas is inadvisable or unavailable, or where size, weight, ease of use, and portability are considerations.

- Features:**
- Easy to Use
 - Single knob operation
 - Low training requirements
 - Hands free
 - Versatile
 - Allows spontaneous breathing
 - Accepts up to 6 Lpm of supplemental O₂ (FiO₂ as high as 62%)
 - Powered by rechargeable lead-acid battery or electrical outlet
 - Safe
 - Single tidal volume and respiratory rate reduces chance of operator error
 - Tidal Volume = 600 mL
 - Breaths / minute = 10
 - EtCO₂ detector
 - No compressed gas required
 - Intelligent Design
 - Detects blockage and disconnects
 - Fail-safe mechanisms and suppressible alarms
 - Up to 5.5 hours per charge



VENTILATOR VOLUME PORTABLE W PROVISIONING
PART # 7000K
NSN 6515015711689




VENTILATOR VOLUME PORTABLE
PART # M5000



**CIRCUIT, VENTILATOR
PART # M40003
NSN 6515015800768**



SHOWING HOSE CONNECTION



**VENTILATOR VOLUME PORTABLE W HOSE AND MASK
PART # 70000
NSN 6515015607288**



IN OPERATION



VENTILATOR VOLUME PORTABLE IN OPEN CASE
PART # 70000K
NSN 6515015711689



VOLUME VENTILATOR PORTABLE ONE HALF OF CASE CLOSE UP
PART # 70000K
NSN 6515015711689



VOLUME VENTILATOR PORTABLE SECOND HALF OF CASE CLOSE UP
PART # 70000K
NSN 6515015711689



CASE VENTILLATOR SOFT BLACK
PART # F20022
NSN 6515015887384



CASE VENTILLATOR SOFT BLACK
PART # F20022
NSN 6515015887384

**VENTILATOR VOLUME PORTABLE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	2.5
	Width (Inches)	6.25
	Length (Inches)	6.5
	Cube (Cubic Feet)	0.0588
	Weight	3.1 lbs
Ship Dimensions	Height (Inches)	6
	Width (Inches)	9.2
	Length (Inches)	14
	Cube (Cubic Feet)	0.4472
	Weight	6.5 lbs
Storage Temp		14 to 140 °F
Operating Temp		32 to 122 °F
Storage Humidity		
Operating Humidity		15 to 95%
Amps		
Watts		
Power Requirements	100/240 VAC, 50/60Hz Rechargeable lead-acid battery	
Notes		

**VENTILATOR VOLUME PORTABLE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN AutoMedX	DIST PN Combat Medical Systems	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015711689		Ventilator Volume Portable	7000K		1	EA	\$2,330.00	\$2,330.00	N/A
	Awaiting NSN	SAVe Unit w/o Kitting	M50000		1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015800768		Circuit, Ventilator	M40003	25-150	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015802923		Strap, Head ResQStrap	E10492	25-170	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015803498		Mask, Patient	E10490	25-165	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015803522		Power Cord/Charger	E10478	25-145	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015803532		Tubing, O2 Smooth Bore 7ft	E10365	021115	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
65150158080972		Filter, Debris	M40037	25-155	1	5/PG	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015885834		Holder, Tube Adult Endotracheal	E10498	25-185	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015887384		Case Ventilator Soft Black	F20022	25-195	1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
6515015887389		Detector Carbon Dioxide (EtCO2)	E10477	25-180	2	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A
NSN Not Required		Literature, Operator	M40032		1	EA	Incl w/NSN 1689	Incl w/NSN 1689	N/A

**VENTILATOR VOLUME PORTABLE
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN AutoMedX	DIST PN Combat Medical Systems	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015800768		Circuit, Ventilator	M40003	25-150	1	EA	\$39.86	\$39.86	N/A
6515015802923		Strap, Head ResQStrap	E10492	25-170	1	EA	\$6.25	\$6.25	N/A
6515015803498		Mask, Patient	E10490	25-165	1	EA	\$8.57	\$8.57	N/A
6515015803522		Power Cord/Charger	E10478	25-145	1	EA	\$84.34	\$84.34	N/A
6515015803532		Tubing, O2 Smooth Bore 7ft	E10365	021115	1	EA	\$0.44	\$0.44	N/A
65150158080972		Filter, Debris	M40037	25-155	1	5/PG	\$15.34	\$15.34	N/A
6515015885834		Holder, Tube Adult Endotracheal	E10498	25-185	1	EA	\$4.37	\$4.37	N/A
6515015887384		Case Ventilator Soft Black	F20022	25-195	1	EA	\$65.77	\$65.77	N/A
6515015887389		Detector Carbon Dioxide (EtCO2)	E10477	25-180	1	EA	\$11.11	\$11.11	N/A
NSN Not Required		Literature, Operator	M40032		1	EA	\$0.00	\$0.00	N/A

**VENTILATOR VOLUME PORTABLE
WEB LINKS**

[**Click Below for FAQs**](#)

<http://www.automedx.biz/faq.php>

