



**AIR AMBULANCE  
EQUIPMENT ITEMS  
SUPPORT AND  
CONSUMABLES  
HANDBOOK**

**6545-01-534-6139**

**UA 5257**

**LIN M29213**

**ARCHIVED**

**November 2007**

**U.S. Army Medical Materiel Agency**



The information contained in this manual was prepared  
by the U.S. Army Medical Materiel Agency,  
Materiel Acquisition Directorate,  
Acute Care Division,  
Fort Detrick, MD

**This manual is still in draft form and may contain inaccuracies. To report inaccuracies or additions, please contact 301-619-4301/4316, DSN 343-4301/4316, or at [USAMMACRM@amedd.army.mil](mailto:USAMMACRM@amedd.army.mil) Responses may also be mailed to:**

**Commander  
U.S. Army Medical Materiel Agency  
MCMR-MM0-AC  
1423 Sultan Drive, Suite 100  
Fort Detrick, MD 21702-5001**



## TABLE OF CONTENTS

NOTE: CLICK ON TITLE  
FOR DIRECT LINK

| <u>SECTION</u><br><u>NO.</u> | <u>DEVICE</u> NSN   | <u>PAGE</u>          | <u>NO.</u> |
|------------------------------|---|----------------------|------------|
| 1                            | <a href="#"><u>Blanket Hypothermia Chill Buster</u></a>         | (J) 6515-01-500-6087 | 1          |
| 2                            | <a href="#"><u>Blood-Fluid Warmer, Thermal Angel</u></a>        | (L) 6515-01-500-3521 | 5          |
| 3                            | <a href="#"><u>Defibrillator, Monitor Recorder, Zoll</u></a>    | (J) 6515-01-515-4197 | 13         |
| 4                            | <a href="#"><u>Extraction Device Splint Assembly</u></a>        | (H) 6530-01-265-3583 | 21         |
| 5                            | <a href="#"><u>Floatation Assembly</u></a>                      | (H) 6530-01-260-1227 | 23         |
| 6                            | <a href="#"><u>LaryngoscopeSet With 3 Blades &amp; Case</u></a> | (L) 6515-01-534-2369 | 27         |
| 7                            | <a href="#"><u>Litter Tag Line Kit</u></a>                      | (L) 6545-01-381-0654 | 31         |
| 8                            | <a href="#"><u>Oximeter Finger Pulse</u></a>                    | (J) 6515-01-466-0971 | 35         |
| 9                            | <a href="#"><u>Pump Intravenous Infusion 3 Channel</u></a>      | (J) 6515-01-486-4310 | 37         |
| 10                           | <a href="#"><u>Rescue &amp; Transport System</u></a>            | (H) 6530-01-260-1222 | 41         |
| 11                           | <a href="#"><u>Suction Apparatus Surgical Programmable</u></a>  | (J) 6515-01-435-0050 | 43         |
| 12                           | <a href="#"><u>Ventilator, Volume Portable</u></a>              | (J) 6530-01-464-0267 | 47         |
| 13                           | <a href="#"><u>Vital Signs Monitor</u></a>                      | (J) 6515-01-432-2707 | 51         |



**BLANKET HYPOTHERMIA, CHILLBUSTER**

**TOC**

**DISTRIBUTOR: MARKETING ASSESSMENT INC.  
MANUFACTURER: THERMAL GEAR  
MODEL # SERIES 8000**

**Distributor's PHONE: (703) 392-9344 FAX (703) 392-3803**

**Website: <http://www.chillbuster.com>**

**ACC "L" ITEM NSN 6515-01-500-6087**

**UA's: 3267, N308, N309, F308, F309, 5256, 5267, 5264, 5267**


**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403**

**UNIT PRICE: \$1,650.00**

The ChillBuster Blanket system is specifically designed to treat hypothermia encountered in the field, and in the pre-hospital, hospital or surgical environments.

**Features:**

1. User set temperature range of 65° to 105°F for controlled warming.
2. 1.75-3.5 hours of operation, allowing for extended patient transport.
3. Blanket wire heats to 105°F within 60 seconds for rapid thermal response.
4. AC/DC converter permits the alternative of line power operation to enhance operating flexibility.
5. Optional cigarette lighter adapter allows unlimited blanket operation during transport.
6. Optional Blanket covers: sterile, single-use and non-sterile general use





## CHILLBUSTER PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

|                              |  |   |   |
|------------------------------|--|---|---|
| <b>Dimensions Height</b>     | <b>t</b>   | <b>10.5"</b>                                    |   |
| <b>Width</b>                 |  | <b>1"</b>                                       |   |
| <b>Depth</b>                 |  | <b>18"</b>                                      |   |
| <b>Weight</b>                |  | <b>10 lbs</b>                                   |   |
| <b>Operating Temperature</b> | <b>+14 to 113°F</b>                                    |   |   |
| <b>Storage Temperature</b>   | <b>-40 to +122°F</b>                                   |   |   |
| <b>Humidity</b>              | <b>15 to 90 % non-condensing</b>                       |   |   |
| <b>Power Requirements</b>    | <b>100/250VAC @47-63 HZ, Single Phase 60 watts max</b> | <b>External Power 12 VDC @ 5 amps, neg grnd</b> | <b>Internal Power source rechargeable battery 12VDC 1.75 to 3.5 hours</b> |

## CONSUMABLES ACCESSORIES (START-UP)

| NSN            | NOTES          | Nomenclature                 | PN              | QT<br>Y | UI | Unit Price | Total<br>Price | MFG              | Refri<br>g<br>Y/N | CONU<br>S Ship<br>Time,<br>weeks |
|----------------|----------------|------------------------------|-----------------|---------|----|------------|----------------|------------------|-------------------|----------------------------------|
| 6515 015224385 | Included W/NSN | Blanket – 30 in. x 60 in.    | 200-9103-01-00E | 1       | EA | \$300.00   | \$300.00       | ThermoGear, Inc. | N                 | 2                                |
| 6515 015221240 | Included W/NSN | AC/DC Switching Power Supply | 200-9110-02-00E | 1       | EA | \$225.00   | \$225.00       | ThermoGear, Inc. | N                 | 2                                |
| 6515 015221377 | Included W/NSN | Carrying Bag                 | 200-9111-01-00E | 1       | EA | \$135.00   | \$135.00       | ThermoGear, Inc. | N                 | 2                                |
| 6515 015221231 | Included W/NSN | Cigarette Adapter            | 200-9116-00-00E | 1       | EA | \$60.00    | \$60.00        | ThermoGear, Inc. | N                 | 2                                |
| See Resupply   | Included W/NSN | Blanket Covers,              |                 | 10      | EA |            |                | ThermoGear, Inc. | N                 | 2                                |
| Included w/NSN | Included W/NSN | 2 Operators Manuals/CDs      |                 | 2       | EA | N\C        | N\C            | ThermoGear, Inc. | N                 | 2                                |
| Included w/NSN | Included W/NSN | 1 Maintainer Manual/CD       |                 | 1       | EA | N\C        | N\C            | ThermoGear, Inc. | N                 | 2                                |

## CONSUMABLES ACCESSORIES (RESUPPLY)

| NSN           | Nomenclature  | PN              | QT<br>Y | UI | Unit Price | Total<br>Price | MFG              | Refri<br>g<br>Y/N | CONU<br>S Ship<br>Time,<br>weeks |
|---------------|---|-----------------|---------|----|------------|----------------|------------------|-------------------|----------------------------------|
| 6532014980837 | Blanket Covers, 25/case 30 in. x 60 in. (must specify size when ordering) | 200-9112-13-00E | 1       | EA | \$125.00   | \$125.00       | ThermoGear, Inc. | N                 | 2                                |



## BLOOD FLUID WARMER THERMAL ANGEL


TOC

**Thermal Angel**  
**Estill Medical Technologies, Inc**  
**Model TA-SK1M**  
**Manufacturer's PHONE: (214) 561-6001 Fax: (214) 561-1930**  
**Website: <http://www.thermalangel.com>**

**ACC "L"ITEM NSN 6515-01-500-3521**

**UA's: 2267, 3267, 5256, 5267, 5264, 5257**

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403**  
**UNIT PRICE: \$451.50 PER KIT OF 5 Disposable Thermal Angel's**



**System Description:** The Thermal Angel is an in line, battery-powered disposable, lightweight and completely portable blood and IV fluid warming device, capable of intravenous application and irrigation warming. The Thermal Angel can be used to help prevent fluid-induced hypothermia. The Thermal Angel TA-200 will strive to achieve  $38^{\circ}\text{C}$  ( $100.4^{\circ}\text{F}$ )  $\pm 3^{\circ}\text{C}$  at a flow rate of 2 to 150 ml/min given a fluid input temperature of  $20^{\circ}\text{C}$  ( $68^{\circ}\text{F}$ ) with a fully charged TA-BCE Battery.



**THERMAL ANGEL UNIT  
TA-200  
ACC "L" NSN 6515-01-500-3521**

- Features:**
- Lightweight (9 oz), in-line, disposable, portable battery-powered blood and IV fluid warmer
  - No cartridges or cleaning
  - Inserted below standard IV tubing, coming from the bag and before the extension set leading to the infusion site
  - Will strive to achieve 38°C (100.4°F)  $\pm$ 3°C at a flow rate of 2 to 150 ml/min given a fluid input temperature of 20°C (68°F) with a fully charged TA-BCE Battery
  - Quick setup within 30 seconds
  - Warms in approximately 45 seconds
  - Placed at or near the infusion site for minimal heat loss through tubing
  - Failsafe to prevent overheating
  - Ability to remain with patient from first contact through hospital stay
  - Can be used in the field, ambulances, helicopters, ER, OR, military and other care areas
  - The unit uses standard luer fittings and will accept all standard IV line sets
  - Single patient use
  - Heaters adjust automatically in response to changes in flow rate
  - Disposable

**Thermal Angel<sup>®</sup> TA-200 Performance Specifications:**

|                     |   |
|---------------------|---|
| Output Temperature: | 38°C (100.4°F)                                |
| Accuracy:           | $\pm$ 3°C (5.4°F)                             |
| Input Temperature:  | 20°C (68°F)                                   |
| Input Flow Rate:    | 2 to 150 ml/min                               |
| Input Voltage:      | 12 Volts DC from a fully charged power source |
| Warm-up Time:       | Approximately 45 seconds                      |

**Thermal Angel<sup>®</sup> TA-200 Performance Specifications:**

Output Temperature: 38°C (100.4°F)  
Accuracy: ±3°C (5.4°F)  
Input Temperature: 20°C (68°F)  
Input Flow Rate: 2 to 150 ml/min  
Input Voltage: 12 Volts DC from a fully charged power source  
Warm-up Time: Approximately 45 seconds

**Thermal Angel<sup>®</sup> TA-200 Absolute Minimum and Maximum Specifications:**

| <b>Minimum</b>                  | <b>Maximum</b>               |
|---------------------------------|------------------------------|
| Output Temperature: NA          | 47°C (116.6°F) failsafe fuse |
| Input Temperature: 4°C (39.2°F) | 38°C (100.4°F)               |
| Input Flow Rate: 0 ml/min       | 200 ml/min                   |
| Input Voltage: 10.5 Volts DC    | 13.8 Volts DC                |
| Storage Temperature: 0°C (32°F) | 40°C (104°F)                 |

**Thermal Angel<sup>®</sup> TA-200 External Physical Specifications:**

Length: 9.0 in. (22.86 cm)  
Width: 2.8 in. (7.11 cm)  
Depth: 0.95 in. (2.41 cm)  
Weight: 9.2 oz. (260.82 g)

**Thermal Angel<sup>®</sup> TA-200 Fluid Path Specifications:**

Material: Passivated 316L stainless steel tube  
Tube Length: 50.25 in. (127.5 cm)  
Tube Wall Thickness: 0.035 in. (.098 cm)  
Tube I.D.: 0.117 in. (.30 cm)  
Volume: 0.540 cu. in. (8.85 ml)

**Thermal Angel<sup>®</sup> TA-200 Heater Specifications:**

Type: Electrical resistance, band heater  
Material: 1 oz. copper  
Substrate: 3 mil polyester film  
Approximate Area: 17 sq. in.  
Nominal Power: 216 watts @ 12 Volts DC

## Thermal Angel<sup>®</sup> TA-200 Controller Specifications:

|                      |  |
|----------------------|--|
| Operational Voltage: | 5 Volts DC   |
| Processor:           | 8-bit microcontroller                                |
| Clock Rate:          | 8 MHz  |
| ADC Configuration:   | 8-bits   |
| Sensor:              | NTC Thermistor mounted in fluid stream               |
| Control Algorithm:   | Closed-loop PID (Proportional Integral Differential) |
| Sample Rate:         | 4.8 Ks/sec   |

### TA-200 QUICK STEPS

**Step 1:** • Remove the female luer cap from the inlet end of the Thermal Angel<sup>®</sup>. • Connect IV tubing to the female luer. Tighten until resistance is met. Do not over tighten

**Step 2:** • Remove the male luer cap from the outlet end of the Thermal Angel<sup>®</sup>. • Connect 9 Inch IV Extension Set to the male luer. Tighten until resistance is met. Do not over tighten.

**Step 3:** • Connect assembled IV line to fluid source and prime the line.

**Step 4:** • Connect the male end of the Power Cable to the inlet end cap of the Thermal Angel<sup>®</sup>. • Connect the female end of the Power Cable to the Battery. • The green LED on the Thermal Angel<sup>®</sup> inlet end cap should display continuous illumination without blinking.

**Step 5:** • Connect 9 Inch IV Extension Set to IV catheter. • Engage roller clamp on IV tubing to adjust flow.



**9 INCH EXTENSION SET  
TA-9EXT  
6515-01-503-8228**



**BATTERY  
TA-BCE  
6515-01-500-2858**



**BATTERY CHARGER  
TA-CAC  
6515-01-500-3022**



**BATTERY BAG  
TA-CC  
6515-01-500-3045**



**POWER CABLE  
TA-CDC  
6515-01-500-3027**

## THERMAL ANGEL KIT TA-SK1M CONSUMABLES AND ACCESSORIES

| NSN           | NOTES          | Nomenclature    | PN      | QT<br>Y | UI   | Unit Price | Total<br>Price | MFG                    | Shelf Life,<br>months | Refrig<br>Y/N | CONUS<br>Ship<br>Time,<br>weeks |
|---------------|----------------|-----------------|---------|---------|------|------------|----------------|------------------------|-----------------------|---------------|---------------------------------|
| 6515015003521 | INCLUDED W/NSN | THERMAL ANGEL   | TA-200  | 1       | 5/EA | \$65.00    | \$325.00       | Estill Medical<br>Tech | N                     | N             | 2                               |
| 6515015002858 | INCLUDED W/NSN | Battery         | TA-BCE  | 1       | EA   | \$64.38    | \$64.38        | Estill Medical<br>Tech | N                     | N             | 2                               |
| 6515015003022 | INCLUDED W/NSN | Battery Charger | TA-CAC  | 1       | EA   | \$24.46    | \$24.46        | Estill Medical<br>Tech | N                     | N             | 2                               |
| 6515015003027 | INCLUDED W/NSN | Power Cable     | TA-CDC  | 1       | EA   | \$17.50    | \$17.50        | Estill Medical<br>Tech | N                     | N             | 2                               |
| 6515015003045 | INCLUDED W/NSN | Battery Bag     | TA-CC   | 1       | EA   | \$12.59    | \$12.59        | Estill Medical<br>Tech | N                     | N             | 2                               |
| 6515015038228 | INCLUDED W/NSN | 9" IV extension | TA-9EXT | 1       | 5/EA | \$2.00     | \$10.00        | Estill Medical<br>Tech | N                     | N             | 2                               |

Preliminary Evaluation of Compatibility Between  
**Infusion Dynamics Power Infuser®**  
and  
**Estill Medical's Thermal Angel® Blood and IV Fluid Warmer (TA-200)**  
Testing performed by Infusion Dynamics, Inc.  
August 9, 2002

The Power Infuser was found to be **COMPATIBLE** with Estill Medical's Thermal Angel provided the following configuration was used:

**[IV bag] - [Power Infuser] - [Thermal Angel] - [Patient]**

Standard IV tubing set was connected between the IV bag and the Power Infuser. An 18" pump-to-patient IV tubing set was used between the Power Infuser and Thermal Angel and between the Thermal Angel and the 18ga. patient needle.

Flow rates in this configuration matched the rates without the warmer in the line.

Temperature of outflow fluid was 38.3°C with the pump set to L/hr. According to the TA-200 instructions, fluid should be warmed to 38°C ± 3°C.

When the Power Infuser was set to 6L/hr. and placed in-line with the Thermal Angel warmer, the pump's OCC alarm triggered approximately 2.5 after the line at the patient end was occluded. Without the warmer in the line the OCC alarm triggers approximately 1.2 seconds after occlusion. This slightly longer time to occlusion is due to the compliance of the tubing when it is warmed.

Approximately 1-2 cc of fluid is released when the occlusion is cleared. The peak pressure during the occlusion reached 14-18 PSI (724 - 931mmHg), and settled down to approximately 9 PSI (465mmHg) after the alarm was triggered and the pump stopped. No leaks in the set or any decay in the pressure were observed in the period of several minutes that the occlusion was maintained after the pump OCC alarm triggered.

The Power Infuser was **NOT COMPATIBLE** with the Thermal Angel Warmer in this configuration:

**[IV bag] - [Thermal Angel] - [Power Infuser] - [Patient]**

When the Power Infuser is running at 6L/hr. and is downstream of the warmer, the occlusion alarm will not activate when the patient tubing is occluded. (Operation at the 1L/hr., 2 L/hr. and 4L/hr. settings is acceptable). This occurs due to a more compliant system resulting from the elevated temperature in the fluid path.

**A compatible set up: IV bag, pump, warmer, patient.**



## DEFIBRILLATOR, MONITOR RECORDER TOC

ZOLL MEDICAL CORPORATION

MODEL M SERIES CCT

Manufacturer's PHONE: (978) 421 9460, FAX (978) 421-0010

Website: <http://www.zoll.com>

AAC "W" ITEM NSN 6515-01-389-6740

AAC "J" ITEM NSN 6515-01-515-4197

UA's: 2261, 2267, 2257, 3257, 3267, 5257, 5267, 9300, 9304, 9301, 9302, 9303, N301, 9306, N313, N513, N713, N308, N309, F301, F308, F309, F383

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403  
UNIT PRICE: \$18,940.00

**Operator Familiarization: CD-ROM is available.**

**System Description:** The M Series CCT features a three-channel display for ECG and up to two invasive pressures with ranges covering arterial, pulmonary arterial, central venous or intracranial pressure as well as two temperature channels. Of course, it also provides you all the non-invasive parameter options of the M Series including SpO<sub>2</sub>, EtCO<sub>2</sub>, NIBP, and fully interpretive 12-lead ECG.

- ZOLL XL Battery for longer transport times
- Transport-ready design
- Easy-to-read display
- M Series technology and simplicity
- Full range of parameters for a full range of patients
- Flexible color display
- Quick, easy connections
- Ready to gather and share critical data



DEFIBRILLATOR, MONITOR RECORDER  
MODEL M SERIES CCT

## CHARACTERISTICS

|                                 |            |  |
|---------------------------------|------------|--|
| <b>Dimensions Hei</b>           | <b>ght</b> | <b>6.8"</b>  |
| <b>Width</b>                    |            | <b>10.3"</b>   |
| <b>Dept</b>                     | <b>h</b>   | <b>8.2"</b>  |
| <b>Weight.</b>                  |            | <b>13.5 lbs</b>  |
| <b>Storage Temperature</b>      |            | <b>-4° to 140° F, -20° to 60° C</b>  |
| <b>Operating Temperature</b>    |            | <b>32° to 122°F ,0° to 50° C</b>   |
| <b>Humidity (no condensing)</b> |            | <b>5-95%</b>   |
| <b>Power Requirements</b>       |            | <b>110/220 VAC 50/60 HZ, 220/240 50 HZ,220 VA<br/>Sealed lead acid battery pack; 5 cells 2V/CELL,<br/>(WIRED IN SERIES), DC INPUT 10-29 V. 130 W</b> |

## M-SERIES/CCT DEFIBRILLATOR ACCESSORIES & CONSUMABLES (START-UP)

| NSN           | NOTES          | Nomenclature  | QTY | UI          | PART #       | Unit Price | Total Price | MFG  | Shelf Life, months | Refrig Y/N | CONU S Ship Time, weeks |
|---------------|----------------|---|-----|-------------|--------------|------------|-------------|------|--------------------|------------|-------------------------|
| See Resupply  | Included W/NSN | XL Smart Ready Lead Acid Batteries                                | 3   | EA          | 8000-0500-01 | \$180.00   | \$540.00    | Zoll | indef              | N          | 2                       |
| 6515015185958 | Included W/NSN | Xtreme Pak II Carry Case  | 1   | EA          | 8000-0501-01 | \$595      | \$595.00    | ZOLL | indef              | N          | 2                       |
| 6515015185984 | Included W/NSN | Recorder paper, 1 roll  | 1   | EA          | 8000-0300    | \$3.00     | \$3.00      | ZOLL | indef              | N          | 2                       |
| 6515015185960 | Included W/NSN | Military AC power cord w/ Ferrite                                 | 1   | EA          | 8000-0304    | \$35.00    | \$35.00     | Zoll | indef              | N          | 2                       |
| 6515015185967 | Included W/NSN | Military EtCO <sub>2</sub> cable with mainstream capnostat sensor | 1   | EA          | 8000-0410    | \$1950.00  | \$1950.00   | Zoll | indef              | N          | 2                       |
| 6515015185970 | Included W/NSN | NIBP adult cuff and hose  | 1   | EA          | 8000-1654    | \$29.00    | \$29.00     | Zoll | indef              | N          | 2                       |
| 6515015185972 | Included W/NSN | Military SpO <sub>2</sub> cable                                   | 1   | EA          | 8000-0246-30 | \$162.00   | \$162.00    | Zoll | indef              | N          | 2                       |
| 6515015185973 | Included W/NSN | Military SpO <sub>2</sub> adult sensor                            | 1   | EA          | 8000-0245    | \$270.00   | \$270.00    | Zoll | indef              | N          | 2                       |
| 6515015185980 | Included W/NSN | Military Temperature Cable and Probe                              | 1   | EA          | 8000-0409    | \$450.00   | \$450.00    | Zoll | indef              | N          | 2                       |
| 6515015185982 | Included W/NSN | Military universal cable  | 1   | EA          | 8000-0308-30 | \$135.00   | \$135.00    | Zoll | indef              | N          | 2                       |
| 6515015185962 | Included W/NSN | Military 1 Step 12 – Lead ECG Cable                               | 1   | EA          | 8000-0527-30 | \$319.00   | \$319.00    | Zoll | indef              | N          | 2                       |
| 6515015046492 | Included W/NSN | M Series external paddle assembly                                 | 1   | EA          | 8000-1010-01 | \$396.00   | \$396.00    | Zoll | indef              | N          | 2                       |
| 6515015185995 | Included W/NSN | Environmental protective covers                                   | 1   | EA          | 8000-0400    | \$100.00   | \$100.00    | ZOLL | indef              | N          | 2                       |
| 6515015186027 | Included W/NSN | Dep Pak – Single Patient 4 YEAR SHELF LIFE                        | 1   | EA          | 8000-4018-30 | \$80.00    | \$80.00     | ZOLL | 48                 | N          | 2                       |
| 6515015186011 | Included W/NSN | Hardigg Case w/ label   | 1   | EA          | 8000-0850-30 | \$980.00   | \$980.00    | Zoll | indef              | N          | 2                       |
| 6515015186016 | Included W/NSN | 1X1 Battery Charger   | 1   | EA          | 8050-0022-30 | \$506.00   | \$506.00    | Zoll | inde               | N          | 2                       |
| 6515015186021 | Included W/NSN | Single Patient Use Airway Adapters (10)                           | 1   | (10s)<br>EA | 8000-0260-01 | \$65.00    | \$65.00     | ZOLL | indef              | N          | 2                       |
| 6515015186030 | Included W/NSN | PCMCIA Data Card, 16 MEG (2 per pack)                             | 1   | EA          | 8000-0167    | \$396.00   | \$396.00    | Zoll | inde               | N          | 2                       |
| 7610015437003 | Included W/NSN | Operator/ Service Manual  | 1   | EA          | 9650-0501-30 | \$56.00    | \$56.00     | Zoll | inde               | N          | 2                       |
| 6515015186012 | Included W/NSN | In–Service Video  | 1   | EA          | 9650-0073    | \$20.00    | \$20.00     | Zoll | inde               | N          | 2                       |

## M-SERIES/CCT DEFIBRILLATOR CONSUMABLES (RESUPPLY)

| NSN           | Nomenclature                             | QTY | UI      | PART #       | Unit Price | Total Price | MFG  | Shelf Life, months | Refrig Y/N | CONUS Ship Time, weeks |
|---------------|--|-----|---------|--------------|------------|-------------|------|--------------------|------------|------------------------|
| 6515015092908 | Dep Pak – FOUR Patient 4 YEAR SHELF LIFE | 1   | EA      | 8000-4017-30 | \$280.00   | \$280.00    | ZOLL | 48                 | N          | 2                      |
| 6515015186021 | Single Patient Use Airway Adapters (10)  | 1   | (10s)EA | 8000-0260-01 | \$65.00    | \$65.00     | ZOLL | indef              | N          | 2                      |
| 6515015185955 | XL Smart Ready Lead Acid Battery         | 1   | EA      | 8000-0500-01 | \$180.00   | \$180.00    | ZOLL | 48                 | N          | 2                      |
| 6515015185984 | Recorder paper, 1 roll                   | 1   | EA      | 8000-0300    | \$3.00     | \$3.00      | ZOLL | indef              | N          | 2                      |
| 6515015185995 | Environmental protective covers          | 1   | EA      | 8000-0400    | \$100.00   | \$100.00    | ZOLL | indef              | N          | 2                      |
| 6515015186030 | PCMCIA Data Card, 16 MEG (2 per pack)    | 1   | EA      | 8000-0167    | \$396.00   | \$396.00    | Zoll | inde               | N          | 2                      |




**DEP PAK FOUR, PATIENT  
8000-4017-30**



**1X1 BATTERY CHARGER  
8050-0022-30**



**XL SMART READY LEAD ACID  
BATTERIES,  
8000-0500-01**



**MILITARY UNIVERSAL CABLE,  
8000-0308-30**




**5 LEAD ECG CABLE  
8000-0527-30**




**M SERIES EXTERNAL PADDLE  
ASSEMBLY,  
8000-1010-01**




**CUFF NIBP ADULT AND HOSE  
8000-0654**



**ETCO2 CABLE WITH MAINSTREAM  
CAPNOSTAT SENSOR 8000-0410**



**MILITARY SpO2 ADULT SENSOR  
8000-0245**





**MILITARY SpO2 CABLE  
8000-0246-30**



**TEMPERATURE CABLE & PROBE  
8000-0409**



**Hardigg Case w/label 8000-0850-30 CASE ONLY  
ITEMS SHOWN IN THIS CASE INCLUDES THE STARTUP KIT**



**Military 1 Step 12-Lead ECG Cable  
8000-0527-30**



**EXTRACTION DEVICE SPLINT ASSEMBLY TOC  
TRANSPORT SYSTEM**

**SKEDCO INC. MODEL # SK-300**  
**Manufacturer's PHONE: (503)-639-2119, FAX (503)-639-4538**  
**Website: <http://www.skedco.com>**

**AAC "H" ITEM NSN 6530-01-265-3583**

**UA's: 2256, 2257, 3256, 5256, 5257**

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403**  
**UNIT PRICE: \$165.37**



**OSS 11 MAIN BODY**  
**COLLAR STRAP (SK-301)**  
**FOREHEAD RESTRAINT (SK-302)**  
**HEAD PADS (SK-304)**  
**DISPOS-A-PADS (SK-302A)**  
**SHOULDER BOARD (SK-303)**  
**CARRYING CASE (SK-305)**

## ACCESSORIES/CONSUMABLES START-UP/RESUPPLY

| NSN           | NOTES       | Nomenclature                        | QTY | UI | PART #   | Total Price | MFG         | Shelf Life, months | Refrig Y/N | CONUS Ship Time, weeks |
|---------------|-------------|-------------------------------------|-----|----|----------|-------------|-------------|--------------------|------------|------------------------|
| 6530012653383 | Incl W/ NSN | Collar Strap                        | 01  | EA | SK-301   | \$7.95      | SKEDCO INC. | Indef              | N          | 2                      |
| 6530012653382 | Incl W/ NSN | Forehead Restraint                  | 01  | EA | SK-302   | \$7.95      | SKEDCO INC. | Indef              | N          | 2                      |
| 6530015079533 | Incl W/ NSN | Skedco Dipos-a-Pads (package of 10) | 01  | PG | SK-302-A | \$10.88     | SKEDCO INC. | Indef              | N          | 2                      |
| 6530012653384 | Incl W/ NSN | Shoulder board O. D.                | 01  | EA | SK-303   | \$21.75     | SKEDCO INC. | Indef              | N          | 2                      |
| 6530012653385 | Incl W/ NSN | Head Pads (Set) O. D.               | 01  | EA | SK-304   | \$24.38     | SKEDCO INC. | Indef              | N          | 2                      |
| 6530012628712 | Incl W/ NSN | OSS Carrying Case- O. D.            | 01  | EA | SK-305   | \$19.13     | SKEDCO INC. | Indef              | N          | 2                      |

FLOATATION ASSEMBLY RESCUE AND TRANSPORT SYSTEM **TOC**

**SKEDCO INC. MODEL # SK-600B**

**Manufacturer's PHONE: (503)-639-2119, FAX (503)-639-4538**


**Website: <http://www.skedco.com>**

**AAC "H" NSN 6530-01-260-1227**

**UA's: 2257, 5257**

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403**

**UNIT PRICE: \$324.13**



## FLOATATION ASSEMBLY RESCUE AND TRANSPORT SYSTEM

This flotation system maintains the Sked in a nearly vertical position in the water. It is self righting and keeps the patient's head completely out of the water, even in rough seas. The side floats and chest pad provide buoyancy sufficient to support two rescuers in the water in addition to the patient, while the lead shot filled ballast keeps the foot end down and the head elevated out of the water. The system is available with CO<sub>2</sub> inflatable side float logs.

### The SK-600B Hybrid Inflatable Flotation System

Chest Pad (SK-602) Available in Black for military applications the chest pad attaches to the front of the packaged patient, not allowing the patient to float in a face down position. The chest pad is fully inflatable.

CO<sub>2</sub> Inflatable Float Logs (pair) (SK-605 & SK-606) Each of the float logs has an inflatable bladder covered with durable black nylon. The logs can be inflated instantly with the included CO<sub>2</sub> cartridges, or can be inflated by mouth.

Ballast Weight (SK-601) A durable bag filled with 15 pounds of lead shot which attaches to the bottom of the SKED with hook and loop fasteners. This causes the SKED to self right if it capsizes.

Retaining Strap (SK-209) This strap is used to attach the foam floats and the chest pad together.

## FLOATATION ASSEMBLY RESCUE AND TRANSPORT SYSTEM CONSUMABLE/ACCESSORIES PACKAGE START-UP

| NSN           | NOTES                                    | Nomenclature                                     | QTY | UI | PART #    | Unit Price | Total Price | MFG         | Shelf Life, months | Refrig Y/N | CONUS Ship Time, weeks |
|---------------|--|--|-----|----|-----------|------------|-------------|-------------|--------------------|------------|------------------------|
| 6530012601223 | INCL W/NSN                               | CO <sub>2</sub> FLOATATION LOG RESCUE LEFT SIDE  | 1   | EA | Sk-606    | \$96.00    | \$96.00     | SKEDCO INC. | indef              | N          | 2                      |
| 6530012601225 | INCL W/NSN                               | CO <sub>2</sub> FLOATATION LOG RESCUE RIGHT SIDE | 1   | EA | SK-605    | \$96.00    | \$96.00     | SKEDCO INC  | indef              | N          | 2                      |
| 6530012601226 | INCL W/NSN                               | PAD CHEST RESCUE                                 | 1   | EA | SK-602-GR | \$46.50    | \$46.50     | SKEDCO INC  | indef              | N          | 2                      |
| 6530012610448 | NOT SHOWN IN PICTURE ABOVE<br>INCL W/NSN | HANDLE RESCUE AND TRANSPORT SYSTEM (2 PER BAG)   | 16  | PG | SK-604    | \$5.00     | \$5.00      | SKEDCO INC  | indef              | N          | 2                      |
| 6530013089426 | INCL W/NSN                               | WEIGHT BALLAST LEAD SHOT 15LB                    | 1   | EA | SK-601    | \$60.00    | \$60.00     | SKEDCO INC  | indef              | N          | 2                      |
| 6630014992518 | INCL W/NSN                               | RETAINING STRAP                                  | 2   | EA | SK-209    | \$2.81     | \$2.81      | SKEDCO INC  | indef              | N          | 2                      |

**FLOATATION ASSEMBLY RESCUE AND TRANSPORT SYSTEM  
CONSUMABLE/ACCESSORIES PACKAGE RESUPPLY**

| NSN           | NOTES                                    | Nomenclature                                   | QTY | UI | PART #    | Unit Price | Total Price | MFG        | Shelf Life, months | Refrig Y/N | CONUS Ship Time, weeks |
|---------------|--|--|-----|----|-----------|------------|-------------|------------|--------------------|------------|------------------------|
| 6530012601223 | INCL W/NSN                               | CO2 FLOATATION LOG RESCUE LEFT SIDE            | 1   | EA | Sk-606    | \$96.00    | \$96.00     | SKEDCO INC | indef              | N          | 2                      |
| 6530012601225 | INCL W/NSN                               | CO2 FLOATATION LOG RESCUE RIGHT SIDE           | 1   | EA | SK-605    | \$96.00    | \$96.00     | SKEDCO INC | indef              | N          | 2                      |
| 6530012601226 | INCL W/NSN                               | PAD CHEST RESCUE                               | 1   | EA | SK-602-GR | \$46.50    | \$46.50     | SKEDCO INC | indef              | N          | 2                      |
| 6530012610448 | NOT SHOWN IN PICTURE ABOVE<br>INCL W/NSN | HANDLE RESCUE AND TRANSPORT SYSTEM (2 PER BAG) | 16  | PG | SK-604    | \$5.00     | \$5.00      | SKEDCO INC | indef              | N          | 2                      |
| 6530013089426 | INCL W/NSN                               | WEIGHT BALLAST LEAD SHOT 15LB                  | 1   | EA | SK-601    | \$60.00    | \$60.00     | SKEDCO INC | indef              | N          | 2                      |



**LARYNGOSCOPE SET FIBER OPTIC BATTERY OPERATED TOC  
WITH CASE**

**WELCH ALLYN INCORPORATED**

**Manufacturer's PHONE: (315) 685-4560 FAX (315) 683-3361**

**Website: <http://www.welchallyn.com>**

**AAC "L" ITEM NSN 6515-01-534-2369**

**UA's: 2257, N309, N310, 5264, 5257, 5261**

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403**

**UNIT PRICE: \$425.00**

**Special Features:**

Reduced handle and blade weight for improved balance and maneuverability facilitates even the most difficult intubations.

- Repairable, allowing replacement of deteriorating light pathways for a fraction of the cost of a replacement blade.
- Improved design with reduced proximal blade height assists in intubating patients with limited oral access.
- Single-piece stainless steel blades ensure blade integrity (no soldered joints).



**Laryngoscope Fiber Optic Kit  
with 3 blades  
NSN 6515-01-534-2369**



**Laryngoscope Fiber Optic Kit  
with Pelican Case  
NSN 6515-01-534-3305**



**Macintosh Reusable # 3, Fiber Optic Blade**  
**NSN 6515-01-467-3430**



**Handle Size C Fiber Optic Handle**  
**NSN 6515-01-445-1082**



**MAC 3 Fiber Optic Blade**  
**NSN 6515-01-445-1085**



**Miller # 3 Fiber Optic Blade**  
**NSN 6515-01-519-4239**

**CHARACTERISTICS**

|                           |                                  |              |
|---------------------------|----------------------------------|--------------|
| <b>Case Dimensions</b>    | <b>Height</b>                    | <b>19 ½"</b> |
| <b>Width</b>              |                                  | <b>14"</b>   |
| <b>Depth</b>              |                                  | <b>4 ¾"</b>  |
| <b>Weight 9.</b>          | <b>545 lbs</b>                   |              |
| <b>Cubic Feet</b>         | <b>.154</b>                      |              |
| <b>Power Requirements</b> | <b>Battery Operated D CELL C</b> |              |
|                           | <b>Cell "AA" cell required</b>   |              |

**LARYNGOSCOPE SET FIBER OPTIC BATTERY  
CONSUMABLES/ACCESSORIES START-UP**

| NSN              | Nomenclature                      | QT<br>Y | UI | PART #     | Total<br>Price | Total Price | MFG            | Shelf<br>Life,<br>months | Refrig<br>Y/N | CONUS<br>Ship Time,<br>weeks |
|------------------|-----------------------------------|---------|----|------------|----------------|-------------|----------------|--------------------------|---------------|------------------------------|
| 6515-01-534-2369 | FIBER OPTIC KIT<br>W/PELICAN CASE | 1       | EA |            | \$30.37        | \$30.37     | WELCH<br>ALLYN | N\A                      | N             | 2                            |
| 6515-01-445-1082 | "C" SIZE HANDLE                   | 1       | EA | 60813      | \$79.39        | \$79.39     | WELCH<br>ALLYN | N\A                      | N             | 2                            |
| 6515-01-467-3430 | ENGLISH MACINTOSH<br>SIZE 3       | 1       | EA | 69213      | \$92.22        | \$92.22     | WELCH<br>ALLYN | N\A                      | N             | 2                            |
| 6515-01-519-4239 | MILLER BLADE SIZE 3               | 1       | EA | 68063      | \$182.59       | \$182.59    | WELCH<br>ALLYN | N\A                      | N             | 2                            |
| 6515-01-445-1085 | MAC 3 FIBER OPTIC<br>BLADE        | 1       | EA | 69063      | \$110.00       | \$110.00    | WELCH<br>ALLYN | N\A                      | N             | 2                            |
| 6515-01-519-4257 | LIGHT BULB<br>LARYNGOSCOPE        | 4       | EA | 06000-U    | \$30.37        | \$121.48    | WELCH<br>ALLYN | N\A                      | N             | 2                            |
| 6240-01-526-9631 | CARTRIDGES, LAMP                  | 1       | EA | 608125-501 | \$50.00        | \$50.00     | WELCH<br>ALLYN | N\A                      | N             | 2                            |

**LARYNGOSCOPE SET FIBER OPTIC BATTERY  
CONSUMABLES/ACCESSORIES RESUPPLY**

| NSN              | Nomenclature               | QT<br>Y | UI | PART #     | Total<br>Price | Total Price | MFG            | Shelf<br>Life,<br>months | Refrig<br>Y/N | CONUS<br>Ship Time,<br>weeks |
|------------------|----------------------------|---------|----|------------|----------------|-------------|----------------|--------------------------|---------------|------------------------------|
| 6515-01-519-4257 | LIGHT BULB<br>LARYNGOSCOPE | 4       | EA | 06000-U    | \$30.37        | \$121.48    | WELCH<br>ALLYN | N\A                      | N             | 2                            |
| 6240-01-526-9631 | CARTRIDGES, LAMP           | 1       | EA | 608125-501 | \$50.00        | \$50.00     | WELCH<br>ALLYN | N\A                      | N             | 2                            |



## HELITAG HELICOPTER LITTER TAGLINE MMS KIT

[TOC](#)

SKEDCO INC. MODEL # SK-1010

Manufacturer's PHONE: (503)-639-2119, FAX (503)-639-4538

Website: <http://www.skedco.com>

AAC "L" ITEM NSN 6545-01-381-0654

UA's: 2257,4268, 5256, 5264, 5257

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403  
UNIT PRICE: \$187.85



The purpose of a tag line is to prevent dangerous litter spin that occurs when hoisting a litter by helicopter. This kit is designed to prevent spin while preventing other problems normally associated with tag lines, such as tangled rope, deployment difficulties, and storage problems.


The Skedco Helitag Kit contains 250 feet of 7 mm water rescue rope. It has a polypropylene core with a nylon sheath which allows it to float in the water and have good abrasion resistance. Both ends have a figure 8 knot on the end of the rope that is backed up with a double overhand knot for safety.

**Litter Tagline ACCESSORIES/CONSUMABLES  
START-UP AND RESUPPLY  
PACKAGE**


| NSN           | Included w NSN  | Nomenclature                             | PN      | QTY | UI    | Unit Price | Total Price | MFG        | Shelf Life, months | Refrig Y/N | CONUS Ship Time, weeks |
|---------------|-----------------|--|---------|-----|-------|------------|-------------|------------|--------------------|------------|------------------------|
| 6530014457291 | Included w/ NSN | LINK LITTER TAGLINE MEDICAL EVACUATION   | SK-1011 | 1   | 10/BG | \$21.96    | \$21.96     | SKEDCO INC |                    | N          |                        |
| 6545015195175 | Included w/ NSN | 250' x 7mm PMI Water Rescue Rope         | SK-1012 | 1   | EA    | \$84.00    | \$84.00     | SKEDCO INC |                    | N          |                        |
| 6545015191158 | Included w/ NSN | PETZL M17 AMD Locking D Carabiner, Black | SK-1013 | 1   | EA    | \$13.20    | \$13.20     | SKEDCO INC |                    | N          |                        |
| 6545015195190 | Included w/ NSN | Screw Link                               | SK-1014 | 1   | EA    | \$5.04     | \$5.04      | SKEDCOINC  |                    | N          |                        |
| 6545015191108 | Included w/ NSN | 'V' Strap                                | SK-1015 | 1   | EA    | \$12.00    | \$12.00     | SKEDCOINC  |                    | N          |                        |
| 6545015195181 | Included w/ NSN | Helitag throw bag                        | SK-1016 | 1   | EA    | \$35.00    | \$35.00     | SKEDCOINC  |                    | N          |                        |

# Recommended Personnel Placement for Helicopter Hoisting of a Stretcher


Preferred Placement



Good Placement



Improper Placement



Ideal placement. Use of two tag lines is the safest way to prevent any litter from spinning. Two tag lines should always be used in training and non hostile situations for best litter control. Maximum visibility for pilot and crew.

Good placement to prevent stretcher spin with minimum tension applied to tag line. Maximum visibility for pilot and ground crew.

While better than no tag line at all, this placement of personnel and equipment tilts the stretcher, increasing the likelihood of spin, and requires greater tension on the tag line to prevent the spin, creating an increased possibility of weak link separation.

**WARNING! A NEW WEAK LINK MUST BE USED EACH TIME A HUMAN LOAD IS HOISTED!**



## OXIMETER PULSE, FINGER **TOC**

**NONIN MEDICAL INC.**

**MODEL # 9500**

**Distributors' PHONE: (540) 662-8000 Fax (800) 590-0081**

**Website: <http://www.nonin.com>.**

**AAC "L" ITEM NSN 6515-01-466-0971**

**UA's: N310, F301, F308, F308, F310, 5256, 5264, 5257, 5261**

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403**

**UNIT PRICE: \$350.00**

**Features:** Now you can check your heart rate and blood-oxygen saturation levels simply and quickly with the Nonin Onyx 9500 Pulse Oximeter. Just place the Nonin 9500 pulse oximeter over your fingertip. It will automatically turn itself on and light up a display, providing you with instant, real-time info on your heart-rate and blood-oxygen saturation levels. When you take the Nonin 9500 Pulse Oximeter off of your finger, it automatically turns itself off after 7 seconds, saving the battery life.

The pulse oximeter has a bright LED digital display that is easy to read. The Nonin 9500 comes with a handy lanyard wrist cord, 2 AAA Batteries and Instruction / Service Manual. The manufacturer backs up the quality and durability of this convenient device with a full TWO-YEAR WARRANTY Oxygen Sat. Range: 0-100 %

- Pulse Rate Range: 18-300 BPM
- Up to 1600 Spot-Checks On One Set Of Batteries
- Proven Accuracy and Durability



## CHARACTERISTICS

|                              |                                |                                   |
|------------------------------|--------------------------------|-----------------------------------|
| <b>Dimensions Hei</b>        | <b>ght</b>                     | <b>1.3"</b>                       |
| <b>Wi</b>                    | <b>dth</b>                     | <b>1.3"</b>                       |
| <b>l</b>                     | <b>ength</b>                   | <b>2.2"</b>                       |
| <b>Weight, lbs.</b>          | <b>2 ozs</b>                   |                                   |
| <b>Operating Temperature</b> | <b>+32° to +122°F</b>          |                                   |
| <b>Operating Humidity</b>    | <b>10% to 90 %</b>             |                                   |
| <b>Storage Temperature</b>   | <b>-22° to +122°F</b>          |                                   |
| <b>Storage Humidity</b>      | <b>10% to 90%</b>              |                                   |
| <b>Power Requirements</b>    | <b>1.5 volt AAA Battery 18</b> | <b>hours continuous operation</b> |
| <b>Operating Altitude</b>    | <b>Up to 30,000 feet</b>       |                                   |

### PULSE OXIMETER ACCESSORIES/CONSUMABLES (START-UP)

| NSN           | Nomenclature                | PN        | QTY | UI    | Unit Price | Total Price | MFG               | Shelf Life, months | Refri g Y/N | CONU S Ship Time, weeks |
|---------------|-----------------------------|-----------|-----|-------|------------|-------------|-------------------|--------------------|-------------|-------------------------|
| 6515014981114 | 1.5 Volt AAA Size Batteries | 0040-0062 | 1   | 6S/PG | \$4.07     | \$4.07      | Infusion Dynamics | N                  | N           | 2                       |

### PULSE OXIMETER ACCESSORIES/CONSUMABLES (RESUPPLY)

| NSN           | Nomenclature                | PN        | QTY | UI    | Unit Price | Total Price | MFG               | Shelf Life, months | Refri g Y/N | CONU S Ship Time, weeks |
|---------------|-----------------------------|-----------|-----|-------|------------|-------------|-------------------|--------------------|-------------|-------------------------|
| 6515014981114 | 1.5 Volt AAA Size Batteries | 0040-0062 | 1   | 6S/PG | \$4.07     | \$4.07      | Infusion Dynamics | N                  | N           | 2                       |

## PUMP, INFUSION ALARIS **TOC**

### ALARIS MEDSYSTEM 111 MODEL 2865B

Manufacturer's PHONE: (858) 458-6003, Fax (858) 458-7507

Website: <http://www.alarismed.com>

ACC "W" NSN 6515-01-381-4456

ACC "J" NSN 6515-01-486-4310

UA's: 2256, 2257, 3257, 3267, 3912, 4905, 4912, 5267, 5257, 5261, 9300, 9301, 9302, 9303, 9304, 9306, N301, N308, N309, N310, F301, F308, F309, F310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403  
UNIT PRICE: \$5,704.51

**System Description:** Three independent infusion channels for the delivery of a wide range of fluids from various containers including syringes. Also provides a secondary delivery of intermittent medications, fluid challenges, or loading doses from each channel. Each line can deliver a separate drug, helping to eliminate incompatibility and drug sequencing concerns.

Advantages:

1. Rapid on-line titration w/o interrupting flow.
2. Configurable air-in-line thresholds, rate and volume ranges, occlusion alarm settings and KVO rates.
3. Titration of drugs in either dose or volumetric rate.
4. Streamlined PMCS and calibration processes.





**Administrative Set Piggy Back  
(72213N)  
NSN 6515014164032 (100 PG)**



**Administrative Set Main Stream Line  
(28034)  
NSN 6515014348712 (50 PG)**

#### IV PUMP PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

|                              |            |   |
|------------------------------|------------|---|
| <b>Dimensions Hei</b>        | <b>ght</b> | <b>7.9"</b>   |
| <b>Wi</b>                    | <b>dth</b> | <b>6.0"</b>   |
| <b>Dept</b>                  | <b>h</b>   | <b>2.1"</b>   |
| <b>Weight</b>                |            | <b>3.6 lbs</b>  |
| <b>Internal Battery</b>      |            | <b>Main Rechargeable Nicad Battery, Memory Backup<br/>Nonrechargeable Lithium</b> |
| <b>Battery Capacity</b>      |            | <b>Minimum 6 hours with all three channels at 125 ml/hr</b>                       |
| <b>Operating Temperature</b> |            | <b>50F to 104F</b>  |
| <b>Humidity</b>              |            | <b>90 %</b>   |
| <b>Power Requirements</b>    | <b>1</b>   | <b>10/120VAC/60HZ<br/>6 WATTS AC POWER</b>  |

### IV PUMP CONSUMABLES START-UP

| NSN           | NOTES | Nomenclature       | QTY | UI    | PART # | UNIT PRICE | Total Price | MFG              | Shelf Life, months | Refrig Y/N | CONUS Ship Time, weeks |
|---------------|-------|--------------------|-----|-------|--------|------------|-------------|------------------|--------------------|------------|------------------------|
| 6515014348712 |       | Administration set | 01  | 50PG  | 28034  | \$247.91   | \$247.91    | ALARIS MEDICAL.. | Indef              | N          | 2                      |
| 6515014164032 |       | Administration set | 01  | 100PG | 72213N | \$150.06   | \$150.06    | ALARIS MEDICAL   | Indef              | N          | 2                      |

### IV PUMP CONSUMABLES RESUPPLY

| NSN           | Nomenclature       | PN | QTY | UI    | PART # | UNIT PRICE | Total Price | MFG              | Shelf Life, months | Refrig Y/N | CONUS Ship Time, weeks |
|---------------|--------------------|----|-----|-------|--------|------------|-------------|------------------|--------------------|------------|------------------------|
| 6515014348712 | Administration set |    | 01  | 50PG  | 28034  | \$247.91   | \$247.91    | ALARIS MEDICAL.. | Indef              | N          | 2                      |
| 6515014164032 | Administration set |    | 01  | 100PG | 72213N | \$150.06   | \$150.06    | ALARIS MEDICAL   | Indef              | N          | 2                      |



**RESCUE AND TRANSPORT SYSTEM  
PATIENT BASIC HIGH DENSITY**

**TOC**

**SKEDCO INC MODEL # SK-200**

**Manufacturer's PHONE: (503) 639-2119, FAX (503) 639-4538**

**Website: <http://www.skedco.com>**

**AAC "L" ITEM 6530-01-260-1222**

**UA's: 5356, 5364, 5257**

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403**

**UNIT PRICE: \$427.05**



**Each Sked® Basic Rescue System comes complete with:**

- The Sked® Stretcher (SK-201)**
- Cordura backpack/Towing Harness (SK-202)**
- Horizontal Lift Slings (SK-203)**
- Vertical Lift Sling (SK-207)**
- Steel Locking 'D' Carabiner (SK-206)**
- Tow Strap (SK-204)**
- Removable Webbing Handles (SK-205)**

**ACCESSORY START-UP / RESUPPLY**

| NSN           | NOTES       | Nomenclature                            | QTY | UI   | PART # | Total Price | MFG         | Shelf Life, months | Refri g Y/N | CONUS Ship Time, weeks |
|---------------|-------------|---|-----|------|--------|-------------|-------------|--------------------|-------------|------------------------|
| 6530012598296 | Incl W/ NSN | Sked Stretcher – O D. Body Only         | 01  | EA   | SK-201 | \$250.25    | SKEDCO INC. | Indef              | N           | 2                      |
| 6530012606703 | Incl W/ NSN | Cordura Backpack                        | 01  | EA   | SK-202 | \$46.50     | SKEDCO INC. | Indef              | N           | 2                      |
| 6530012602700 | Incl W/ NSN | Horizontal Lift Slings(pair) O.D. Green | 01  | 2/PG | SK-203 | \$26.25     | SKEDCO INC. | Indef              | N           | 2                      |
| 6530012624511 | Incl W/ NSN | Tow Strap                               | 01  | EA   | SK-204 | \$13.88     | SKEDCO INC. | Indef              | N           | 2                      |
| 6530012601214 | Incl W/ NSN | Removable Webbing Handles O. D. Green   | 01  | 4/PG | SK-205 | \$7.95      | SKEDCO INC. | Indef              | N           | 2                      |
| 6530012654510 | Incl W/ NSN | Large Locking 'D' Carabiner- black      | 01  | EA   | SK-206 | \$20.68     | SKEDCO INC. | Indef              | N           | 2                      |
| 6530012602699 | Incl W/ NSN | Vertical Lift Sling (30' Rope) O.D.     | 01  | EA   | SK-207 | \$25.13     | SKEDCO INC. | Indef              | N           | 2                      |
| 6530014992518 | Incl W/ NSN | Retainer Strap                          | 01  | EA   | SK-209 | \$2.81      | SKEDCO INC. | Indef              | N           | 2                      |

SUCTION APPARATUS SURGICAL **TOC**

**IMPACT INSTRUMENTATION INC**

**MODEL # 326M**

**Manufacturer's PHONE: (973)-882-1212 FAX (973)-882-4993**

**Website: <http://www.impactii.com>**

**AAC "W" ITEM NSN 6515-01-460-9174**

**AAC "J" ITEM NSN 6515-01-435-0050**

**UA's: 3267, 4905, 5257, N305, N301, N313, N513, N713, N308, N309, N310, N316,  
F301, F305, F308, F309, F310, 5249, 5256, 5261 5264, 5257,**

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403**

**UNIT PRICE: \$1,600.00**

**System Description:** The Model 326 is a multifunction, continuous and programmable intermittent suction unit. Built around Impact's ultra-lite<sup>®</sup> vacuum pump. The Model 326 may be used for oropharyngeal, tracheal, wound drainage, and abdominal or thoracic decompression procedures - short or long-term use. Its supplied accessories permit continuous use from AC or DC power, and internal rechargeable batteries provide power for several hours of transport or emergency backup.



**IMPACT 326M**



## IMPACT 326M PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

|                              |  |  |
|------------------------------|--|--|
| <b>Dimensions Height</b>     | <b>t</b>   | <b>11.5"</b>   |
| <b>Width</b>                 | <b>dth</b>   | <b>9.5"</b>  |
| <b>Depth</b>                 | <b>h</b>   | <b>4.87"</b>   |
| <b>Weight</b>                | <b>Analyzer</b>                                    | <b>30 lbs, Unit 12 lbs</b>                                       |
| <b>Operating Temperature</b> |  | <b>-4° F to 120° F</b>   |
| <b>Humidity</b>              | <b>Tested to level required for Air Worthiness</b> | <b>94±4%RH, 85° F±3.6° F (29.5°C±2°C) f/ 4 hrs.</b>              |
| <b>Power Requirements</b>    |  | <b>115/230 V AC, 50-400 HZ, 100 Watts, 2.5 Amps Steady State</b> |

## IMPACT 326M CONSUMABLES

| NSN           | Nomenclature                             | PN           | QTY | UI    | Unit Price | Total Price | MFG                    | Shelf Life, months | Refrig Y/N | CONUS Ship Time, weeks |
|---------------|--|--------------|-----|-------|------------|-------------|------------------------|--------------------|------------|------------------------|
| 6515014975761 | TUBING, SUCTION                          | 358388266148 | 12  | EA    | \$4.47     | \$53.64     | OWENS AND MINOR        | N/A                | N          | 2                      |
| 6515011942187 | HYDROPHOBIC FILTER                       | 465-0005-00  | 6   | EA    | \$8.28     | \$49.68     | IMPACT INSTRUMENTS     | N/A                | N          | 2                      |
| 6515015039498 | 14FR. SUCTION CATHETER                   | 820-0004-00  | 6   | EA    | \$1.58     | \$9.48      | IMPACT INSTRUMENTS     | N/A                | N          | 2                      |
| 6515015039501 | 18FR. SUCTION CATHETER                   | 820-0005-00  | 6   | EA    | \$1.58     | \$9.48      | IMPACT INSTRUMENTS     | N/A                | N          | 2                      |
| 6515014493193 | 1200CC DISPOSABLE JAR                    | 410-0004-10  | 1   | 10 PK | \$36.90    | \$36.90     | IMPACT INSTRUMENTS     | N/A                | N          | 2                      |
| 6515014862077 | CANISTER ASSY SUCT SURG PLASTIC 2000CC   | 494410       | 2   | 48/EA | \$205.00   | \$410.00    | MEDLINE INDUSTRIES INC | N/A                | N          | 2                      |
| 6515014441638 | SUCTION AND IRRIGATION ASSEMBLY SURGICAL | 207-559      | 6   | PG    | \$335.00   | \$2,010.00  | STRYKER CORP           | N/A                | N          | 2                      |

## IMPACT 326M ACCESSORIES PACKAGE

| NSN           | Nomenclature                     | PN          | QTY | UI | Unit Price | Total Price | MFG                | Shelf Life, months | Refrig Y/N | CONUS Ship Time, weeks |
|---------------|----------------------------------|-------------|-----|----|------------|-------------|--------------------|--------------------|------------|------------------------|
| 6515015039456 | REUSABLE COLLECTION JAR ASSEMBLY | 703-0326-07 | 1   | EA | \$53.82    | \$53.82     | IMPACT INSTRUMENTS |                    | N          |                        |



## VENTILATOR VOLUME PORTABLE

TOC

### IMPACT INSTRUMENTATION INC MODEL # 754M

Manufacturer's PHONE: (973)-882-1212, FAX: (973)-882-4993

Website: <http://www.impactii.com>

AAC "W" ITEM NSN 6530-01-431-5146

AAC "J" ITEM NSN 6530-01-464-0267

UA's: 2257, 2267, 5267, 5267, N308, N309

USAMMA POC: Equipment Acquisition Division, 301-619-4060, DSN 343-4060

UNIT PRICE: \$10,732.56

Operator Familiarization: CD-ROM is available


### ADVANTAGES



1. Interactive Demo/Teaching Mode.
2. Operation Accomplished in as few as 3 steps.
3. Full altitude compensation.
4. Internal PEEP.
5. On-board emergency backup ventilator.
6. Automatic LCD backup lighting.

### 754M PORTABLE VENTILATOR SPECIFICATIONS

|                       |                               |  |  |
|-----------------------|-------------------------------|--|--|
| Dimensions Heigh      | t                             | 11.5"  |  |
| Wi                    | dth                           | 8.87"  |  |
| Dept                  | h                             | 4.5"   |  |
| Weight                |                               | 13 lbs                                       |  |
| Operating Temperature |                               | -13 F-120 F                                  |  |
| Power Requirements    | Battery, 6VDC,<br>5 Amp Hours | 115/230VAC= $\pm$ 10%,<br>50-400HZ 100 WATTS | 16-30Volts (DC-DC<br>Converter), neg<br>ground |



## IMPACT 754M ACCESSORY/CONSUMABLES / START-UP

| NSN              | Nomenclature                                     | QTY | UI | PART #      | UNIT PRICE          | Total Price         | MFG         | Shelf Life, months | Refrig Y/N | CONU S Ship Time, weeks |
|------------------|--|-----|----|-------------|---------------------|---------------------|-------------|--------------------|------------|-------------------------|
| 6530-01-464-0267 | Ventilator volume portable                       | 01  | EA | 754M        | \$10,732.56         | \$10,732.56         | Impact Inst | Indef              | N          | 2                       |
| See Resupply     | Ventilator circuit Disposable/single patient use | 01  | EA | 820-0067-00 | Included W/NSN 0267 | Included W/NSN 0267 | Impact Inst | Indef              | N          | 2                       |
| 4720013829231    | High pressure oxygen hose                        | 01  | EA | 825-0002-00 | Included W/NSN 0267 | Included W/NSN 0267 | Impact Inst | Indef              | N          | 2                       |
| 6530015193018    | High pressure air hose                           | 01  | EA | 825-0004-00 | Included W/NSN 0267 | Included W/NSN 0267 | Impact Inst | Indef              | N          | 2                       |
| 6130014688360    | Universal ac power supply                        | 01  | EA | 703-0754-09 | Included W/NSN 0267 | Included W/NSN 0267 | Impact Inst | Indef              | N          | 2                       |
| 6530015192814    | 12 vdc power cable                               | 01  | EA | 703-0754-03 | Included W/NSN 0267 | Included W/NSN 0267 | Impact Inst | Indef              | N          | 2                       |
| 6545015190169    | Case, padded                                     | 01  | EA | 402-0014-00 | Included W/NSN 0267 | Included W/NSN 0267 | Impact Inst | Indef              | N          | 2                       |
| 6515015097331    | Strap, velco 24 in. Long                         | 02  | EA | 334-0020-00 | Included W/NSN 0267 | Included W/NSN 0267 | Impact Inst | Indef              | N          | 2                       |
| 7610015189213    | Manual-operation/service                         | 01  | EA | 906-0754-02 | Included W/NSN 0267 | Included W/NSN 0267 | Impact Inst | Indef              | N          | 2                       |
| 7610015220841    | Instructional video                              | 01  | EA | 903-0754-02 | Included W/NSN 0267 | Included W/NSN 0267 | Impact inst | Indef              | N          | 2                       |
|                  | Instructional video cd format                    | 02  | EA | 909-0754-04 | Included W/NSN 0267 | Included W/NSN 0267 | Impact inst | Indef              | N          | 2                       |

## IMPACT 754M COMSUMABLES RESUPPLY

| NSN           | INCL.W/NSN | Nomenclature                                     | QTY | UI    | PART #      | UNIT PRICE | Total Price | MFG         | Shelf Life, months | Refrig Y/N | CONUS Ship Time, weeks |
|---------------|------------|--|-----|-------|-------------|------------|-------------|-------------|--------------------|------------|------------------------|
| 4720013829231 | INCL.W/NSN | High pressure oxygen hose                        | 01  | EA    | 825-0002-00 | \$32.40    | \$32.40     | Impact Inst | Indef              | N          | 2                      |
| 6530015193018 | INCL.W/NSN | High pressure air hose                           | 01  | EA    | 825-0004-00 | \$33.75    | \$33.75     | Impact Inst | Indef              | N          | 2                      |
| 6130014688360 | INCL.W/NSN | Universal ac power supply                        | 01  | EA    | 703-0754-09 | \$625.50   | \$625.50    | Impact Inst | Indef              | N          | 2                      |
| 6530015192814 | INCL.W/NSN | 12 vdc power cable                               | 01  | EA    | 703-0754-03 | \$131.13   | \$131.13    | Impact Inst | Indef              | N          | 2                      |
| 6545015190169 | INCL.W/NSN | Case, padded                                     | 01  | EA    | 402-0014-00 | \$117.00   | \$117.00    | Impact Inst | Indef              | N          | 2                      |
| 6515015097331 | INCL.W/NSN | Strap, velco 24 in. Long                         | 02  | EA    | 334-0020-00 | \$11.84    | \$40.00     | Impact Inst | Indef              | N          | 2                      |
| 6515015045417 | INCL.W/NSN | Hch, adult filtered bact/viral                   | 02  | 25p/g | 003005      | \$66.82    | \$133.64    | Impact inst | Indef              | N          | 2                      |
| 7610015189213 | INCL.W/NSN | Manual-operation/service                         | 01  | EA    | 906-0754-02 | \$54.00    | \$54.00     | Impact Inst | Indef              | N          | 2                      |
| 6530015185060 | INCL.W/NSN | Oxygen reservoir kit                             | 1   | EA    | 820-097-15  | \$189.00   | \$189.00    | Impact inst | Indef              | N          | 2                      |
| 6515014661195 | INCL.W/NSN | Ventilator circuit Disposable/single patient use | 1   | 15/PG | 820-0067-15 | \$80.00    | \$80.00     | Impact inst | Indef              | N          | 2                      |
| 7610015220841 | OPTIONAL   | Instructional video                              | 01  | EA    | 903-0754-02 | \$13.50    | \$13.50     | Impact inst | Indef              | N          | 2                      |
|               | INCL.W/NSN | Instructional video cd format                    | 02  | EA    | 909-0754-04 | N/C        | N/C         | Impact inst | Indef              | N          | 2                      |

## VITAL SIGNS MONITOR TOC

WELCH ALLYN

MODEL #: PROPAQ 206 EL W/PULSE OXIMETRY  
Manufacturer's PHONE: (503)-530-7500 FAX (503)-530-4910

Website: <http://www.welchallyn.com>

AAC "W" ITEM 6515-01-465-3285

AAC "J" ITEM 6515-01-432-2707

UA's: 2257, 2261, 3257, 5267, 9300, 9302, 9303, 9306, 261A, 257A, 267A, N308,  
N309, F308, F309

USAMMA POC: Equipment Acquisition Division, 301-619-4060, DSN 343-4060  
UNIT PRICE: \$16,812.69

SYSTEM DESCRIPTION: Rugged, lightweight, portable vital signs monitor for field use.

### TEST PERFORMED

Heart/Pulse rate  
3-5 Lead ECG  
Non Invasive BP  
2 Channel Invasive BP  
Temperature  
Pulse Oximetry  
Respiration

### ADVANTAGES

Motion tolerant  
monitoring.  
Small, lightweight  
Ease of use  
Modular  
Ruggedized  
Automatic sensor  
detection




Operator Familiarization: CD-ROM is available.

**PROPAQ 206 EL VITAL SIGNS MONITOR  
RIGHT SIDE VIEW**





**5 LEAD ECG CABLE, WITH  
ATTACHED LEAD WIRES,  
(008-0313-00)**



**NIBP CUFF, ADULT STUFF W/TWIST  
LOCK CONNECTOR  
(008-0628-00)**




**CABLE, PULSE OXIMETRY, 8 FEET,  
(008-0742-00)**




**HOSE, NIBP ADULT/PEDIATRIC,  
(008-0238-00)**




**AC POWER ADAPTER, (503-0054-0)**




**DURASENSOR REUSABLE FINGER, SPO2,  
(900-0021-00)**



**NIBP CUFF KIT ADULT, (008-0324-00)**



**NIBP CUFF KIT PEDIATRIC, (008-0324-00)**



**NIBP CUFF KIT THIGH,  
(008-0324-00)**



**TEMPERATURE PROBE, (008-0230-00)**



**MILITARY REUSABLE CONTAINER  
(008-0586-00)  
WITH ACCESSORIES SHOWN**

**PROPAQ 206EL PHYSICAL AND ENVIRONMENTAL  
SPECIFICATIONS**

|                              |            |  |                  |
|------------------------------|------------|--|------------------|
| <b>Dimensions Hei</b>        | <b>ght</b> | <b>9.6"</b>  |                  |
| <b>Wi</b>                    | <b>dth</b> | <b>8.2"</b>  |                  |
| <b>Dept</b>                  | <b>h</b>   | <b>7.6"</b>  |                  |
| <b>Weight</b>                |            | <b>13.5 lbs</b>                                    |                  |
| <b>Operating Temperature</b> |            | <b>0 to 40C degrees</b>                            |                  |
| <b>Storage Temperature</b>   |            | <b>-20 to 60C degrees</b>                          |                  |
| <b>Humidity</b>              |            | <b>15% to 95% non-condensing</b>                   |                  |
| <b>Power Requirements</b>    |            | <b>110/208VAC +/- 10%, 50/60<br/>HZ<br/>.06 KW</b> | <b>12-23 VDC</b> |

**PROPAQ 206EL MONITOR WITH PULSE OXIMETRY  
(STARTUP)**

| NSN                  | NOTES                                  | Nomenclature   | QTY | UI    | PART #               | UNIT PRICE | Total Price | MFG         | Shelf Life, months | Refrig Y/N | CONUS Ship Time, weeks |
|----------------------|--|--|-----|-------|----------------------|------------|-------------|-------------|--------------------|------------|------------------------|
| See Resupply 10 Roll | Incl W/ NSN                            | Paper 3 Rolls  | 3   | EA    | See Resupply 10 Roll |            |             | Welch Allyn | Indef              | N          | 2                      |
| 6515015189543        | Incl W/ NSN                            | 1 pkg of 5 Electrodes Gelled                                 | 1   | PG    | 6200-10              | \$5.00     | \$5.00      | Welch Allyn | indef              | N          | 2                      |
| 6515015195855        | Incl W/ NSN                            | Electrode Electrocardiograph                                 | 1   | 30/BG | 6200-11              | \$22.39    | \$22.39     | Welch Allyn | indef              | N          | 2                      |
| 6515015189559        | Incl W/ NSN                            | Military Container   | 1   | EA    | 008-0586-00          | \$576.40   | \$576.40    | Welch Allyn | Indef              | N          | 2                      |
| 6515015190163        | Incl W/ NSN                            | Pulse oximetry probe reusable durasensor DS100A              | 1   | EA    | 900-0021-00          | \$337.00   | \$337.00    | Welch Allyn | Indef              | N          | 2                      |
| 6515015189839        | Incl W/ NSN                            | Temp Probe General Purpose Reusable Adult General Purpose    | 1   | EA    | 008-0230-00          | \$63.32    | \$63.32     | Welch Allyn | Indef              | N          | 2                      |
| 6515014989984        | Incl W/ NSN                            | Temp Extension Cable, 10 ft for Reusable Temp probe          | 1   | EA    | 008-0235-00          | \$49.75    | \$49.75     | Welch Allyn | Indef              | N          | 2                      |
| 6515015189556        | Incl W/ NSN                            | NIBP Cuff, adult standard reusable w/ "twist lock" connector | 1   | EA    | 008-0628-00          | \$35.00    | \$35.00     | Welch Allyn | Indef              | N          | 2                      |
| 6515015190962        | Incl W/ NSN<br>(must designate 5 lead) | ECG Cable, 5 lead, 10 foot, W/ 5 attached lead wires, snap   | 1   | EA    | 008-0313-00          | \$91.00    | \$91.00     | Welch Allyn | Indef              | N          | 2                      |
| 6515015191102        | Incl W/ NSN                            | AC Adapter for recharging battery, 120 VAC 60 HZ             | 1   | EA    | 503-0054-02          | \$122.00   | \$122.00    | Welch Allyn | Indef              | N          | 2                      |
| 6515015039828        | Incl W/ NSN                            | Power Cord, Hospital Grade 100-120 VAC                       | 1   | EA    | 008-0333-00          | \$23.00    | \$23.00     | Welch Allyn | Indef              | N          | 2                      |
| 6515015010661        | Incl W/ NSN                            | Cable, Pulse Oximetry, 8 foot extension                      | 1   | EA    | 008-0742-00          | \$65.00    | \$65.00     | Welch Allyn | Indef              | N          | 2                      |
| 6515014365080        | Incl W/ NSN                            | Hose, NIBP Adult/Pediatric                                   | 1   | EA    | 008-0238-00          | \$20.00    | \$20.00     | Welch Allyn | Indef              | N          | 2                      |
| 6515015191100        | Incl W/ NSN                            | Cuff Kit, NIBP adult reusable w/ "twist lock" connector      | 1   | EA    | 008-0324-00          | \$94.97    | \$94.97     | Welch Allyn | Indef              | N          | 2                      |
| 7610015189140        | Incl W/ NSN                            | Technical Reference Guide (Service Manual), CD FORMAT        | 1   | EA    | 810-1084-01          | \$45.00    | \$45.00     | Welch Allyn | Indef              | N          | 2                      |
| 7610015436723        | Incl W/ NSN                            | (Service Manual), Hard Copy Format                           | 1   | EA    | 810-1316-02          | \$45.00    | \$45.00     | Welch Allyn | Indef              | N          | 2                      |
| 7610015189122        | Incl W/ NSN                            | Operator's Manual Hard Copy Format                           | 2   | EA    | 810-0867-00          | \$45.00    | \$90.00     | Welch Allyn | Indef              | N          | 2                      |

**PROPAQ 206EL WITH PULSE OXIMETRY CONSUMABLES  
RESUPPLY**

| NSN           | Nomenclature               | QT<br>Y | UI   | PART #       | Unit<br>Price | Total<br>Price | MFG         | Shelf<br>Life,<br>month<br>s | Refrig<br>Y/N | CONUS<br>Ship<br>Time,<br>weeks | NOTES                |
|---------------|----------------------------|---------|------|--------------|---------------|----------------|-------------|------------------------------|---------------|---------------------------------|----------------------|
| 6515014128673 | Paper, Printer, Roll       | 1       | 10PG | 008-0040-98x | \$27.00       | \$27.00        | Welch Allyn | Indef                        | N             | 2                               |                      |
| 6515015195855 | Electrode Eltrocardiograph | 1       | 30PG | 6200-11      | \$22.39       | \$22.39        | Welch Allyn | indef                        | N             | 2                               | FINGER 6<br>PATIENTS |

**PROPAQ 206EL WITH PULSE OXIMETRY CONSUMABLES  
OPTIONAL ITEMS**

| NSN           | NOTES         | Nomenclature                              | QT<br>Y | UI    | PART #      | Unit<br>Price | Total<br>Price | MFG         | Shelf<br>Life,<br>month<br>s | Refrig<br>Y/N | CONUS<br>Ship<br>Time,<br>weeks |
|---------------|---------------|---|---------|-------|-------------|---------------|----------------|-------------|------------------------------|---------------|---------------------------------|
| 7610015189142 | Optional Item | Video, In-service North<br>America (NTSC) | 1       | EA    | 810-0835-00 | \$38.00       | \$38.00        | Welch Allyn | indef                        | N             | 2                               |
| 6515012714894 | Optional Item | SENSOR,SPO2,FINGER<br>DISPOSABLE          | 1       | 24sPG | D-25        | \$394.18      | \$394.18       | NELLCOR     | indef                        | N             | 2                               |