

MEDICAL MATERIEL SET RADIOLOGY



Support and Consumables Handbook

6545-01-522-9741

UA N305

LIN M86675

Semper Responsus

REVISED

January 2013

U.S. Army Medical Materiel Agency

The information contained in this manual was prepared by the

U.S. Army Medical Materiel Agency
Office of PM, Medical Devices
Acquisition Information Division
693 Neiman Street
Fort Detrick, MD 21702-5001

This manual is a living document and may contain inaccuracies due to changes in mission requirements or equipment updates. To report corrections or additions please contact:

Customer Relationship Management
301-619-1288/4301, DSN 343-1288/4301, or at:

USAMMACRM@amedd.army.mil

**For additional equipment item information, visit the
USAMMA Medical Equipment Literature section on the web at
<<http://www.usamma.amedd.army.mil/med equip lit cdroms.cfm>>**

**Review the Master Table of Contents for all of the
published USAMMA Medical Equipment CDs at
<<http://www.usamma.amedd.army.mil/assets/docs/Master%20Table%20of%20Contents.pdf>>**

**You can also order a copy of each published CD by completing and submitting the form at
<<http://www.usamma.amedd.army.mil/CDROM Requests form.cfm>>**

NOTE: CLICK ON TITLE
FOR DIRECT LINK

TABLE OF CONTENTS

SECTION	DEVICE	NSN	PAGE
1	CLEANER VACUUM ELECTRIC 115V AC 50 60HZ	(J) 7910-01-586-6813	1
2	CONTAINER 105-11300-A	(J) 8115-01-241-7524	7
3	LIGHT FLOOR GENERAL EXAM GREEN SERIES	(L) 6530-01-589-4229	11
4	PRINTER - CR READER CODONICS	(Z) 6525-01-507-3500	15
5	READER SYSTEM COMPUTED RADIOGRAPHY	(J) 6525-01-548-6026	21
6	SCREEN X-RAY PROTECTIVE MOBILE	(L) 6525-01-166-9033	31
7	SHELTER TACTICAL EXPANDABLE ONE-SIDED	(J) 5411-01-295-3433	35
8	SINK UNIT SCRUB FIELD	(J) 6530-01-308-7740	39
9	STOOL DENTAL OPERATING CHAIR STEEL	(L) 6520-01-456-5467	43
10	SUCTION APPARATUS SURGICAL PROGRAMMABLE	(L) 6515-01-435-0050	47
11	X-RAY APPARATUS, RADIOGRAPHIC	(Z) 6525-01-514-9962	53

Please provide all comments at the website link listed below.

https://ice.disa.mil/index.cfm?fa=card&site_id=750&service_provider_id=102377

Select: EQUIPMENT PUBLICATIONS BUTTON AT TOP OF FORM

CLEANER VACUUM ELECTRIC 115V AC 50 60HZ

TOC

**DISTRIBUTOR: OWENS & MINOR
MANUFACTURER: MINUTEMAN INTERNATIONAL INC.**

Distributor Model# 6269137

Manufacturer Model# C81415-01

Distributor's PHONE: (804) 723-7000 FAX: (804) 723-7100

Manufacturer's PHONE: (630) 627-6900 FAX: (630) 627-1130

Distributor's Website: <<http://www.owens-minor.com>>

Manufacturer's Website: <<http://www.minutemanintl.com>>

Item Web Link:

<http://www.minutemanintl.com/Critical_Filter/CriticalVacs.html>

AAC 'J' ITEM NSN 7910-01-586-6813

UAs: N305 , N312 , N523 , N725 , P301 , P307 , P308 , P309 , P310 , P311 , P314

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$1,145.53

System Description: Vacuum system to control contaminants in air and on surfaces; supports proper housekeeping procedures and infection control plan. For use in any area housing immunosuppressed, high-risk patients. Collects and contains fungal, biological, lead, mold, asbestos, bacterial, or any other infectious material.

- Features:**
- Wet/Dry, four stage filtration system includes filter protector, washable cloth filter, pre-filter, and HEPA filter
 - Indicator light on lid assembly alerts operator when filters require servicing
 - 15 Gallon Tank
 - 2.15 cubic foot Dry Capacity
 - 2.3 Horsepower
 - Critical Area Vacuums
 - Healthcare Vacuums
 - Control contaminants in air and on surfaces
 - HEPA Filter Efficiency 99.97% at 0.3 microns
 - 50-foot Power Cord



**CLEANER VACUUM ELECTRIC 115V AC 50 60HZ
PART # C81415-01
NSN 7910015866813**



**VACUUM TOOL AND ACCESSORY KIT
PART # 490024-1
NSN 7910015886530**

**CLEANER VACUUM ELECTRIC 115V AC 50 60HZ
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	38
	Width (Inches)	24
	Length (Inches)	21
	Cube (Cubic Feet)	11.0833
	Weight	65 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	82 lbs
Storage Temp		-80 to 155 °F
Operating Temp		-80 to 155 °F
Storage Humidity		
Operating Humidity		
Amps		15
Watts		1800
Power Requirements	120 VAC, 50/60 Hz	
Notes		

**CLEANER VACUUM ELECTRIC 115V AC 50 60HZ
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Minuteman Internation al Inc.	DIST PN Owens & Minor	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
7910015866813		Cleaner Vacuum Electric 115V AC 50 60Hz	C81415-01		1	EA	\$1,145.53	\$1,145.53	N/A
	Awaiting NSN	Prefilter Sleeve	110028PK G		1	6/PG	Incl w/NSN 6813	Incl w/NSN 6813	N/A
7910 NCM105158		Filter HEPA Hygenic 10"	110038		1	EA	Incl w/NSN 6813	Incl w/NSN 6813	N/A
7910013223485	* See Additional Note Below	Filter Protector Vacuum	805038		1	EA	Incl w/NSN 6813	Incl w/NSN 6813	N/A
7910015886530	See Table Below for Contents	Cleaning Tool Set Vacuum Cleaner	490024-1		1	EA	Incl w/NSN 6813	Incl w/NSN 6813	N/A
7910NCM105166		Cloth Bag Assembly	805058		1	EA	Incl w/NSN 6813	Incl w/NSN 6813	N/A
NSN Not Required		Literature, Operator			1	EA	Incl w/NSN 6813	Incl w/NSN 6813	N/A

**CLEANER VACUUM ELECTRIC 115V AC 50 60HZ
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Minuteman Internation al Inc.	DIST PN Owens & Minor	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	Prefilter Sleeve	110028PK G		1	6/PG	\$29.02	\$29.02	N/A
7910 NCM105158		Filter HEPA Hygenic 10"	110038		1	EA	\$278.07	\$278.07	N/A
7910013223485	* See Additional Note Below	Filter Protector Vacuum	805038		1	12/PG	\$42.89	\$42.89	N/A
7910015280253		Handle Vacuum Floor Wand Assembly	290000		1	EA	\$41.38	\$41.38	N/A
7910015280256		Hose Vacuum Cleaner Crush Proof 1.5 in x 10 ft	800317		1	EA	\$105.53	\$105.53	N/A
7910015886530	See Table Below for Contents	Cleaning Tool Set Vacuum Cleaner	490024-1		1	EA	\$169.55	\$169.55	N/A
7910015886551		Cleaning Tool Attachment Vacuum Cleaner 1.5" Wide Black 12" Crev	800035		1	EA	\$7.86	\$7.86	N/A
7910015886564		Cleaning Tool Attachment Floor Tool 11" for Vacuum Cleaner	829561		1	EA	\$18.14	\$18.14	N/A
7910016012861		Cleaning Tool 5 in Rectangular w/Slide-on Brush	800124		1	EA	\$16.10	\$16.10	N/A
7910NCM105164		Brush, Dust Round 3"	800083		1	EA	\$15.72	\$15.72	N/A
7910NCM105166		Cloth Bag Assembly	805058		1	EA	\$33.85	\$33.85	N/A
7920015310978		Squeegee Tool 14"	800605		1	EA	\$62.39	\$62.39	N/A

**CLEANER VACUUM ELECTRIC 115V AC 50 60HZ
ADDITIONAL NOTE:**

* Start-up quantity/unit of issue may be different from Resupply quantity/unit of issue.

CLEANER VACUUM ELECTRIC 115V AC 50 60HZ

ITEM TABLES

Cleaning Tool Set Vacuum Contents NSN 7910-01-588-6530 P/N 490024-1

NSN	Nomenclature	P/N	QTY	UI	Unit Price	Distributor
7910-01-528-0256	Hose Vacuum Cleaner Crush Proof 1.5 in x 10 ft	800317	1	EA	\$105.53	Minuteman International Inc.
7910-01-528-0253	Handle Vacuum Floor Wand Assembly	290000	1	EA	\$41.38	Minuteman International Inc.
7920-01-531-0978	Squeegee Tool 14"	800605	1	EA	\$62.39	Minuteman International Inc.
7910-01-601-2861	Cleaning Tool 5" Rectangular w/Slide-on Brush	800124	1	EA	\$16.10	Minuteman International Inc.
7910-01-588-6551	Cleaning Tool Attachment Vacuum Cleaner 1.5: Wide Black 12" Crev	800035	1	EA	\$7.86	Minuteman International Inc.
7910-01-588-6564	Cleaning Tool Attachment Floor Tool 11"	829561	1	EA	\$18.14	Minuteman International Inc.
7910-NC-M10-5164	Brush, Dust Round 3"	800083	1	EA	\$15.72	Minuteman International Inc.

CONTAINER 105-11300-A

TOC

MANUFACTURER: JD BERTOLINI INDUSTRIES INC

Manufacturer Model# 105-11300-A

Manufacturer's PHONE: FAX:

AAC 'J' ITEM NSN 8115-01-241-7524

UAs: N305, P307, P506, P706

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301


UNIT PRICE: \$5,457.00

System Description: The DEPMEDS containers are used in direct support of the Surgeon General's fielding of the Deployable Medical Systems (DEPMEDS). They are used for shipping and storage of the components for various operating rooms, medical support, and laboratories, which comprise the DEPMEDS. The DEPMEDS container is designed to ANSI/ISO standards and is produced from a military performance specification. The container is constructed of steel with hardwood flooring, and the interior walls are lined with plywood. The floor and inside walls contain tie down rings for securing cargo. The container is equipped with one double door opening on the side and one double door opening at the rear end of the container.

NOTE: This Manufacturer no longer in business. Check inventory.



CONTAINER 105-11300-A
PART # 105-11300-A
NSN 8115012417524



CONTAINER CARGO REUSEABLE W O MECHANICAL RESTRAINT SYSTEM
PART # 105-11300-A
NSN 8115012417524

CONTAINER 105-11300-A
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	96
	Width (Inches)	96
	Length (Inches)	240
	Cube (Cubic Feet)	1280
	Weight	5,150 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	Maximum Gross weight: 44,800 lbs	

**CONTAINER 105-11300-A
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN JD Bertolini Industries Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
8115012417524		Container 105-11300-A	105-11300- A		1	EA	\$5,457.00	\$5,457.00	N/A

**CONTAINER 105-11300-A
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

LIGHT FLOOR GENERAL EXAM GREEN SERIES

TOC

MANUFACTURER: WELCH ALLYN

Manufacturer Model# GS 300

Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361

Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:

<http://www.welchallyn.com/products/en-us/x-19-br-96-1255625713648.htm>

AAC 'L' ITEM NSN 6530-01-589-4229

UAs: 301A, 324A, 623A, 625A, N305, N312, N315, N316, N413, N432, N436, N503, N513, N703, N713, P301, P307, P308, P309, P310, P311, P314, P433

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$304.15

System Description: This general exam light is a perfect combination of intense light output and cool operation, all delivered in a compact design and with rugged performance.

- Features:**
- Touchless On/Off
 - Multiple mounting options for floor space maximization
 - Low cost of ownership due to elimination of bulb replacement and lower energy consumption
 - Easy Assembly



LIGHT FLOOR GENERAL EXAM GREEN SERIES
PART # 44400
NSN 6530015894229

**LIGHT FLOOR GENERAL EXAM GREEN SERIES
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	57.59
	Width (Inches)	20.87
	Length (Inches)	20.87
	Cube (Cubic Feet)	14.516
	Weight	18.40 lbs
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Storage Temp		-4 to 120 °F
Operating Temp		50 to 95 °F
Storage Humidity		
Operating Humidity		
Amps		0.35 (max)
Watts		40.25
Power Requirements	100/240 VAC, 50/60 Hz	
Notes		

**LIGHT FLOOR GENERAL EXAM GREEN SERIES
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015894229		Light Floor General Exam Green Series	44400		1	EA	\$304.15	\$304.15	N/A
NSN Not Required		GS300 W/Control Box	406790		1	EA	Incl w/NSN 4229	Incl w/NSN 4229	N/A
NSN Not Required		Literature, Operator	713317		1	EA	Incl w/NSN 4229	Incl w/NSN 4229	N/A
NSN Not Required		Power Cord 8 Foot Long	714030		1	EA	Incl w/NSN 4229	Incl w/NSN 4229	N/A
NSN Not Required		Stand Mobile GS Series	405515		1	EA	Incl w/NSN 4229	Incl w/NSN 4229	N/A

**LIGHT FLOOR GENERAL EXAM GREEN SERIES
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
NSN Not Required		Power Cord 8 Foot Long	714030		1	EA	\$15.00	\$15.00	N/A

PRINTER - CR READER CODONICS

TOC

DISTRIBUTOR: SOURCEONE HEALTHCARE TECH

MANUFACTURER: PHILIPS MEDICAL SYSTEMS

Manufacturer Model# WPR120N

Distributor's PHONE: (215) 637-9170 FAX: (440) 701-1376

Manufacturer's PHONE: (800) 722-9377 FAX: (978) 659-4995

Distributor's Website: <http://www.orex-cr.com>

Manufacturer's Website: <http://www.medical.philips.com/us>

AAC 'Z' ITEM NSN 6525-01-507-3500

UAs: N305, P433

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$36,414.00

System Description: An intelligent, desktop sized, grayscale output manager that produces diagnostic quality medical hardcopy on a variety of media types. The imager accepts many industrial standard file formats including DICOM and incorporates networking, high speed image processing and spooling capabilities. Prints diagnostic grayscale images on film 14"x 17". Can be used for all modalities.

Features:

- This printer interfaces with all imaging modalities (Radiographic system, workflow station, and the CR reader). The system also provides operator control from the host console.
- The printer is DICOM 3.0 or the latest version compliant. The latest version shall be 100% compliant with DICOM 3.0.
- The printer prints 8"x 10", and 14" x 17" films with diagnostic quality images using thermal printing technology.
- This system provides continuous tone film image quality.
- The operator automatic image quality control, provides automatic adjustment to film density and contrast.
- The system provides film formatting in user selectable custom formats. The operator has the ability to acquire images on any order.



**CODONICS HORIZON GS LASER PRINTER
PART # WPR120N
NSN 6525015073500**



CODONICS PRINTER AND CASE



CODONICS PRINTER AND CASE

**PRINTER - CR READER CODONICS
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	14.5
	Width (Inches)	20.5
	Length (Inches)	24
	Cube (Cubic Feet)	4.1285
	Weight	79 Lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		-8 to 123 °F
Operating Temp		59 to 86 °F
Storage Humidity		5 to 85% Non-condensing
Operating Humidity		10 to 80%
Amps		5
Watts		600 / 150 Idle
Power Requirements	100-120/230 VAC, 50/60 Hz	
Notes		

**PRINTER - CR READER CODONICS
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Philips Medical Systems	DIST PN SourceOne Healthcare Tech	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6525015073500		Printer - CR Reader Codonics		WPR120N	1	EA	\$36,414.00	\$36,414.00	N/A
6525015073644		Case, Codonics Unit		H-CASE	1	EA	Incl w/NSN 3500	Incl w/NSN 3500	N/A
NSN Not Required		Cables, Cross-over			1	EA	Incl w/NSN 3500	Incl w/NSN 3500	N/A
NSN Not Required		Cables, Straight			1	EA	Incl w/NSN 3500	Incl w/NSN 3500	N/A
NSN Not Required		Grayscale Desktop Large Format Film & Paper Diagnostic Imager			1	EA	Incl w/NSN 3500	Incl w/NSN 3500	N/A
NSN Not Required		Literature Operation			2	EA	Incl w/NSN 3500	Incl w/NSN 3500	N/A
NSN Not Required		Maintenance Manual			2	EA	Incl w/NSN 3500	Incl w/NSN 3500	N/A

**PRINTER - CR READER CODONICS
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Philips Medical Systems	DIST PN SourceOne Healthcare Tech	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6525015073644		Case, Codonics Unit		H-CASE	1	EA	\$1,537.00	\$1,537.00	N/A
6525015095261		Film, Vista Clear, Codonics Direct 14"x17" EI 6525-01-507-3500	409791		1	500/B X	\$1,305.59	\$1,305.59	N/A
6525015659228		Film, Dry Printer 8X10 Blue 500 Sheets F/6525-01- 507-3500	810-DVB		1	BX	\$525.03	\$525.03	N/A
6525015659945		Paper, Dry Printer 8.5X11 400 Sheets	A-DVP		1	400/B X	\$25.42	\$25.42	N/A
6525015659951	Direct Vista grayscale paper; for use with the printer for the bucky; package of 400 sheets.	Paper, Dry Printer 14"X17" 400 Sheets	1417-DVP		1	400/B X	\$553.41	\$553.41	N/A
NSN Not Required		Cables, Cross-over			1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Cables, Straight			1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Grayscale Desktop Large Format Film & Paper Diagnostic Imager			1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Literature Operation			2	EA	\$0.00	\$0.00	N/A
NSN Not Required		Maintenance Manual			2	EA	\$0.00	\$0.00	N/A

READER SYSTEM COMPUTED RADIOGRAPHY

[TOC](#)

MANUFACTURER: PHILIPS MEDICAL SYSTEMS

Manufacturer Model# 100435

Manufacturer's PHONE: (800) 722-9377 FAX: (978) 659-4995

Manufacturer's Website: <http://www.medical.philips.com/us>

Item Web Link:

http://www.healthcare.philips.com/us_en/products/xray/products/radiography/computed/s_plus/index.wpd

AAC 'J' ITEM NSN 6525-01-548-6026

UAs: N305

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$74,674.50

System Description: The PCR Eleva S Plus is a single-slot system, which allows a throughput of 97 plates per hour or a cycle time of 37 seconds. PCR Eleva S Plus is suitable as a system for one normal throughput X-ray room or as a system for two low throughput X-ray rooms enabling good workflow and efficiency. After inserting the cassette into the reader, the barcode of the imaging plate is read by the internal barcode reader. This connects the clinical image from the plate to the patient, examination and specific view. The reader removes the exposed plate from the cassette and the reading process starts according to the examination parameters. After that, the plate will be erased in order to ensure that no residual information remains on the imaging plate. As soon as the cassette is reloaded and released, the reading procedure is finished. The cassettes have standard dimensions and can be used in any conventional X-ray system instead of the current film-screen cassettes. Loading and releasing of the cassette inside the reader is done automatically. During readout, the image is shown in parallel on the Eleva workspot for quick image display.

Features:

- RIS connection (Option)
- DICOM WLM (Option)
- DICOM MPPS (Option)
- DICOM GSDF
- DICOM Print (Option)
- DICOM Image Export (Option)
- DICOM Media (Option)
- Touch or non-touch screen LCD monitor
- UNIQUE image processing
- Eleva concept – workflow customization
- Viewing & Image manipulation
- Move tool
- Reject analysis (Option)
- Reader sharing (Option)
- Multiple Eleva workspots (Option)
- Automatic image stitching (Option)
- iSite integration (Option)
- Vequion competence
- Integrated virus scanner
- Extended security with mShield (Option)
- HIPAA compliance
- Quality Control Kit for Digital Radiography



**READER SYSTEM COMPUTED RADIOGRAPHY
PART # 100435
NSN 6525015486026**




ELEVA S PLUS IMAGE PLATE READER TOUCHSCREEN MONITOR AND BARCODE SCANNER

PCR Eleva workspot					
Hard disk	≥80 GB for system software and for intermediate storage of raw and processed image data (up to 2000 images)				
Monitor	Choice of: <ul style="list-style-type: none"> • 17" LCD color touch screen monitor (recommended for optimized workflow) • 17" LCD color monitor 				
RAM storage capacity	≥1.5 GB				
Software	PCR Eleva software automatically controls the cassette readout process and provides full functionality for technologists to perform exams. Images are processed with UNIQUE and displayed, exported and printed according to user preferences. Workflow can be optimized with the use of a touch screen.				
Image processing	UNIQUE multi-resolution image processing for images in DR quality				
Patient data input	<ul style="list-style-type: none"> • Hardware keyboard • Software keyboard • Barcode scanner • RIS connection 				
Barcode scanner and holder	<ul style="list-style-type: none"> • Barcoding cassettes with the patient and the examination data • Reading patient data 				
Interfaces	<ul style="list-style-type: none"> • 2 serial interfaces • Keyboard and mouse ports • Ethernet 10 / 100 / 1000 Mbit/s • Interface for a printer and • 8 USB interfaces (6 at the back, 2 at the front) 				
Optional	<table border="0"> <tr> <td>Software:</td> <td>Hardware:</td> </tr> <tr> <td> <ul style="list-style-type: none"> • DICOM and Classic RIS connection (Worklist management) • DICOM MPPS • DICOM Image Export • DICOM Print • Automatic image stitching ¹ • Reject analysis • Reader sharing • DICOM Media ¹ • iSite Integration ¹. </td> <td> <ul style="list-style-type: none"> • 17" LCD color touch screen • 17" LCD color monitor • Additional PCR Eleva workspots can be placed in the department • Wallmount kit for workspot • mShield (network security). </td> </tr> </table>	Software:	Hardware:	<ul style="list-style-type: none"> • DICOM and Classic RIS connection (Worklist management) • DICOM MPPS • DICOM Image Export • DICOM Print • Automatic image stitching ¹ • Reject analysis • Reader sharing • DICOM Media ¹ • iSite Integration ¹. 	<ul style="list-style-type: none"> • 17" LCD color touch screen • 17" LCD color monitor • Additional PCR Eleva workspots can be placed in the department • Wallmount kit for workspot • mShield (network security).
Software:	Hardware:				
<ul style="list-style-type: none"> • DICOM and Classic RIS connection (Worklist management) • DICOM MPPS • DICOM Image Export • DICOM Print • Automatic image stitching ¹ • Reject analysis • Reader sharing • DICOM Media ¹ • iSite Integration ¹. 	<ul style="list-style-type: none"> • 17" LCD color touch screen • 17" LCD color monitor • Additional PCR Eleva workspots can be placed in the department • Wallmount kit for workspot • mShield (network security). 				

INCLUDED HARDWARE & SOFTWARE LISTING





**ELEVA S PLUS IMAGE PLATE READER
PART # NNAH007**



Dimensions	A	B	C
Touch monitor	435 mm (17.14")	430 mm (16.94")	240 mm (9.46")
Non-touch monitor	362 mm (14.26")	390 mm – 490 mm (15.37" – 19.3")	205 mm (8.1")
PC	310 mm (12.2")	85 mm (3.35")	358 mm (14.1")

PART DIMENSIONS



PART DIMENSIONS CONTINUED

**READER SYSTEM COMPUTED RADIOGRAPHY
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	31.9
	Width (Inches)	23.25
	Length (Inches)	14.97
	Cube (Cubic Feet)	6.4253
	Weight	N/A
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		9 to 86 °F
Storage Humidity		8 to 90%
Operating Humidity		20 to 80%
Amps		
Watts		
Power Requirements	100 to 240 VAC, 50/60Hz	
Notes	Touch Monitor Height: 16.94 inches Touch Monitor Width: 17.14 inches Touch Monitor Length: 9.46 inches	

**READER SYSTEM COMPUTED RADIOGRAPHY
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Philips Medical Systems	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6525015486026		Reader System Computed Radiography	100435		1	EA	\$74,674.50	\$74,674.50	N/A
	Awaiting NSN	17" LCD Color Touchscreen	NDCB292		1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
	Awaiting NSN	Additional Set PCR Eleva Manual	NDCC291		1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
	Awaiting NSN	Barcode Scanner			1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
	Awaiting NSN	Basic PCR Eleva workspot			1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
	Awaiting NSN	Codonics Transport Case			1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
	Awaiting NSN	Holder for Barcode Scanner			1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
	Awaiting NSN	PC			1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
	Awaiting NSN	PCR Eleva S Plus	NNAH007		1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
	Awaiting NSN	PCR Eleva S Plus Image Plate Reader			1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
	Awaiting NSN	PCR Reader & Transport Case			1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
	Awaiting NSN	Universal Power Supply (UPS)	SP059B		1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
6525015057486		10/100 Mini Hub Switch Kit	980704161009		1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
6525015349129		(1) CR6 10 x 12 inch Plates	989001082381		6	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
6525015349174		(1) CR6 8 x 10 inch ST Plates	989001082361		4	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
6525015349175		(1) CR6 14x17 inch Plate	989001082341		6	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
6525015659161		Cassette 8x10 Inch Leadback	989001087161		4	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
6525015667788		Cassette 10x12 Inch Leadback	989001087141		6	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
6525015667797		Cassette 14x17 Inch Leadback	989001087021		6	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
NSN Not Required		Keyboard			1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
NSN Not Required		Maintenance Manual			2	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
NSN Not Required		Mouse			1	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A
NSN Not Required		Operation Manual			2	EA	Incl w/NSN 6026	Incl w/NSN 6026	N/A

**READER SYSTEM COMPUTED RADIOGRAPHY
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Philips Medical Systems	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	17" LCD Color Touchscreen	NDCB292		1	EA	\$0.00	\$0.00	N/A
	Awaiting NSN	Additional Set PCR Eleva Manual	NDCC291		1	EA	\$0.00	\$0.00	N/A
	Awaiting NSN	Barcode Scanner			1	EA	\$0.00	\$0.00	N/A
	Awaiting NSN	Basic PCR Eleva workspot			1	EA	\$0.00	\$0.00	N/A
	Awaiting NSN	Codonics Transport Case			1	EA	\$0.00	\$0.00	N/A
	Awaiting NSN	Holder for Barcode Scanner			1	EA	\$0.00	\$0.00	N/A
	Awaiting NSN	PC			1	EA	\$0.00	\$0.00	N/A
	Awaiting NSN	PCR Eleva S Plus	NNAH007		1	EA	\$0.00	\$0.00	N/A
	Awaiting NSN	PCR Eleva S Plus Image Plate Reader			1	EA	\$0.00	\$0.00	N/A
	Awaiting NSN	PCR Reader & Transport Case			1	EA	\$0.00	\$0.00	N/A
	Awaiting NSN	Universal Power Supply (UPS)	SP059B		1	EA	\$0.00	\$0.00	N/A
6525015057486		10/100 Mini Hub Switch Kit	980704161 009		1	EA	\$0.00	\$0.00	N/A
6525015349129		(1) CR6 10 x 12 inch Plates	989001082 381		6	EA	\$470.80	\$2,824.80	N/A
6525015349174		(1) CR6 8 x 10 inch ST Plates	989001082 361		4	EA	\$349.00	\$1,396.00	N/A
6525015349175		(1) CR6 14x17 inch Plate	989001082 341		6	EA	\$857.10	\$5,142.60	N/A
6525015659161		Cassette 8x10 Inch Leadback	989001087 161		4	EA	\$391.62	\$1,566.48	N/A
6525015667788		Cassette 10x12 Inch Leadback	989001087 141		6	EA	\$413.99	\$2,483.94	N/A
6525015667797		Cassette 14x17 Inch Leadback	989001087 021		6	EA	\$660.15	\$3,960.90	N/A
NSN Not Required		Keyboard			1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Maintenance Manual			2	EA	\$0.00	\$0.00	N/A
NSN Not Required		Mouse			1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Operation Manual			2	EA	\$0.00	\$0.00	N/A

SCREEN X-RAY PROTECTIVE MOBILE

TOC

MANUFACTURER: FLUKE BIOMEDICAL

Manufacturer Model# 56-603

Manufacturer's PHONE: (440) 498-2565 FAX: (440) 498-0000

Manufacturer's Website: <http://www.flukebiomedical.com/biomedical/usen/home>
<>

Item Web Link:

<http://www.flukebiomedical.com/biomedical/usen/radiation-safety/radiation-protection/56-663-series.htm?PID=55000>

AAC 'L' ITEM NSN 6525-01-166-9033

UAs: N305

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$833.09

System Description: The regular and the jumbo mobile barriers can safely shield one or two persons. The updated stainless steel hardware provides the “look” to your discriminating healthcare designers and their health care staff. These models are available in 0.5 mm lead equivalence. This shield is idea for Operating Room Special Procedure Suites and Cardiac Catherization Labs. The stainless steel hardware mobile barriers are the perfect fit in any imaging room due to their 30 inch width and easy maneuverability.



**SCREEN X-RAY PROTECTIVE MOBILE 6 FT. X 2 FT.
PART # 56-603
NSN 6525011669033**

**SCREEN X-RAY PROTECTIVE MOBILE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	72
	Width (Inches)	30
	Length (Inches)	2
	Cube (Cubic Feet)	2.5
	Weight	110 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	<p>Window Height: 24 inches Window Width: 30 inches Lead equivalent window panel: 24" by 30", 0.5 mm Lead equivalent opaque panel: 48" by 30", Min 0.03 in (0.8mm)</p>	

**SCREEN X-RAY PROTECTIVE MOBILE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Fluke BioMedica 1	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6525011669033		Screen X-Ray Protective Mobile	56-603		1	EA	\$833.09	\$833.09	N/A

**SCREEN X-RAY PROTECTIVE MOBILE
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

**SCREEN X-RAY PROTECTIVE MOBILE
WEB LINKS**

[Click Below for Literature, Operator Manual](#)

<http://assets.fluke.com/manuals/56_614__umeng0000.pdf>

SHELTER TACTICAL EXPANDABLE ONE-SIDED

TOC

MANUFACTURER: U.S. ARMY NATICK

Manufacturer Model# 5-4-3200

Manufacturer's PHONE: (508) 233-4001 FAX: (508) 233-5065


AAC 'J' ITEM NSN 5411-01-295-3433

UAs: N305, N432, P302, P433

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$60,315.00

System Description: Army ISO shelters are compatible with military and commercial handling equipment and can be transported by all modes of transportation including cargo container ships, C-130, C-141, C-5A and C-17 military aircraft, trucks, trailers and the M1022A1 ISO Dolly Set. These shelters are comprised of individual replaceable panels that are either bolted or hinged into place. These panels are fabricated by hot bonding aluminum skins to resin impregnated paper honeycomb core material. Each ISO shelter is wired for three phase electrical distribution and is integrated with internal fluorescent lights, 120 VAC, 20 amp electrical outlets, an external area light, and an interface for external environmental control units. Each shelter is also equipped with leveling jacks and can be erected in the field by four people in less than thirty minutes without any special tools. Complexing capability with 58" × 77" knockout panels is available for One-Sided ISO shelters.



**SHELTER TACTICAL EXPANDABLE ONE-SIDED
PART # 5-4-3200
NSN 5411012953433**



**DIAGNOSTIC, RAD ISO SHELTER
PART # 5411012953433**

**SHELTER TACTICAL EXPANDABLE ONE-SIDED
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	96
	Width (Inches)	96
	Length (Inches)	238.5
	Cube (Cubic Feet)	1272
	Weight	5400 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	120/240VAC 100 amp input cable	
Notes	Payload Weight: 8,500 lbs Width Extended: 14.833 feet nominal Length Extended: 19.875 feet nominal Max Floor Load: 65 lbs/ft² Max Ceiling Load: 40 lbs/ft² Interior (Transport Mode): 19ft 1in L x 7ft W x 7ft 1in H Interior (Expanded): 18ft 4in L x 14ft 6 in W x 7ft 1in H Quantity Door: 2	

**SHELTER TACTICAL EXPANDABLE ONE-SIDED
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN U.S. Army Natick	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
5411012953433		Shelter Tactical Expandable One-Sided	5-4-3200		1	EA	\$60,315.00	\$60,315.00	N/A
6150012566300		4 Wire Pig Tale w/Ground	13226E702 0		2	EA	Incl w/NSN 3433	Incl w/NSN 3433	N/A
6150012566304		Iso-Power Cables 100 amp	13226E702 4		2	EA	Incl w/NSN 3433	Incl w/NSN 3433	N/A

**SHELTER TACTICAL EXPANDABLE ONE-SIDED
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN U.S. Army Natick	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6150012566300		4 Wire Pig Tale w/Ground	13226E702 0		2	EA	\$486.00	\$972.00	N/A
6150012566304		Iso-Power Cables 100 amp	13226E702 4		2	EA	\$2,041.00	\$4,082.00	N/A

SINK UNIT SCRUB FIELD

[TOC](#)

MANUFACTURER: FISHER HAMILTON LLC

Manufacturer Model# 950S936

Manufacturer's PHONE: (800) 826-1166 FAX: (412) 490-8304

Manufacturer's Website: <http://www.fishersci.com>

AAC 'J' ITEM NSN 6530-01-308-7740

UAs: N305, N306, N432, N703, N704, P302, P433, P706

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301


UNIT PRICE: \$4,753.28

System Description: This sink supplies hot and cold water and is mounted on four detachable casters. It is a self contained sink with a tankless electric water heater and pump.

- Features:**
- Removable faucet with a gooseneck spout
 - Paddle shaped handles to control the water flow
 - Foot activated, externally mounted soap dispenser
 - Two recessed carrying handles on each side
 - Two doors
 - A 10-foot water supply hose with auto shut-off and quick disconnect couplings
 - Water temperature adjustable from 100°F to 145°F
 - Corrosion-resistant steel (CRS) top and sink



SINK UNIT SCRUB FIELD HOSPITAL CRS 30 INCHES
PART # 950S936
NSN 6530013087740



- Self-contained sink base cabinet is 30" wide X 22-5/8" deep X 36-1/2" high
- Includes 24" X 14" X 12" stainless steel X-Ray sink, self-contained pump and heater, foot operated soap dispenser.
- 4" casters

SINK UNIT SCRUB FIELD
PART # 950S936

**SINK UNIT SCRUB FIELD
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	36.5
	Width (Inches)	30
	Length (Inches)	22.625
	Cube (Cubic Feet)	14.337
	Weight	335 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		38
Watts		9000
Power Requirements	120/230 VAC, 50/60Hz	
Notes		

**SINK UNIT SCRUB FIELD
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Fisher Hamilton LLC	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530013087740		Sink Unit Scrub Field	950S936		1	EA	\$4,753.28	\$4,753.28	N/A

**SINK UNIT SCRUB FIELD
ACCESSORIES & CONSUMABLES**

NO RESUPPLY ITEMS

SINK UNIT SCRUB FIELD

ADDITIONAL NOTE:

To order Operator and Maintenance Literature for this sink, please refer to the USAMMA Medical Equipment Literature Web page (http://www.usamma.army.mil/med equip_lit_cdroms.cfm); click on "Order the CD-ROM here," fill in the requested information, and select "Operator & Maintenance Literature for Medical Equipment - Discs 3 & 4"

STOOL DENTAL OPERATING CHAIR STEEL

TOC

MANUFACTURER: ASEPTICO INC.

Manufacturer Model# ADC-08S

Manufacturer's PHONE: (425) 487-3157 FAX: (360) 668-8722

Manufacturer's Website: <http://www.aseptico.com>

Item Web Link:

http://www.aseptico.com/mm5/merchant.mvc?Screen=PROD&Store_Code=AS&Product_Code=ADC-08&Category_Code=>

AAC 'L' ITEM NSN 6520-01-456-5467

UAs: 179A, N305, N315, N477

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$745.00

System Description: This is a single operator, comfortable padded seat and backrest chair with steel and aluminum legs. The padded seat and backrest make this stool comfortable for extended use, while the folding design and light weight ensure maximum portability. The seat is plywood with padded vinyl and adjusts from 19 to 22 inches. It comes with a soft carrying case.



**STOOL DENTAL OPERATING CHAIR STEEL
PART # ADC-08S
NSN 6520014565467**

**STOOL DENTAL OPERATING CHAIR STEEL
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	22
	Width (Inches)	9
	Length (Inches)	19
	Cube (Cubic Feet)	2.1771
	Weight	15 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	Soft case included in weight	

**STOOL DENTAL OPERATING CHAIR STEEL
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Aseptico Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6520014565467		Stool Dental Operating Chair Steel	ADC-08S		1	EA	\$745.00	\$745.00	N/A
6520015403053		Soft Padded Case	410093		1	EA	Incl w/NSN 5467	Incl w/NSN 5467	N/A
NSN Not Required		Literature, Operator			1	EA	Incl w/NSN 5467	Incl w/NSN 5467	N/A

**STOOL DENTAL OPERATING CHAIR STEEL
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Aseptico Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6520015403053		Soft Padded Case	410093		1	EA	\$63.60	\$63.60	N/A

**STOOL DENTAL OPERATING CHAIR STEEL
WEB LINKS**

[Click Below for Operator Manual](http://www.aseptico.com/pdf/ADC08web.pdf)
<<http://www.aseptico.com/pdf/ADC08web.pdf>>

SUCTION APPARATUS SURGICAL PROGRAMMABLE

[TOC](#)

MANUFACTURER: IMPACT INSTRUMENTATION INC.

Manufacturer Model# 800-0326-04

Manufacturer's PHONE: (973) 882-1212 FAX: (973) 882-4993

Manufacturer's Website: <http://www.impactii.com>

Item Web Link:

<http://www.impactinstrumentation.com/326.html>

AAC 'L' ITEM NSN 6515-01-435-0050

UAs: 249B, 256C, 257B, 258C, 261B, 267C, 269B, 512A, 625A, 905C, 912B, N305, N316, N320, N436, N477, N513, N713, P301, P307, P308, P309, P310

**USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: \$2,758.56**


System Description: The Model 326 is a multifunction, continuous and programmable intermittent suction unit, built around Impact's ultra-lite® vacuum pump. The Model 326 may be used for oropharyngeal, tracheal, wound drainage, and abdominal or thoracic decompression procedures - short or long-term use. Its supplied accessories permit continuous use from AC or DC power and internal rechargeable batteries provide power for several hours of transport or emergency backup. Collection canister assembly includes a reusable collection jar, canister, elbows and fittings. The 326 also includes Air Worthiness Release (AWR).

Features:

- AC/DC rechargeable battery operation
- Simultaneous battery recharge and operation
- Dual-scale metric/English vacuum gauge
- Extended operation between recharges
- Energy efficient, easy to use
- Oil-less vacuum pump
- Exceeds all clinical standards for upper airway & gastrointestinal suctioning
- 2 universal collection canister brackets hold 2 canisters up to 2000 ml capacity each
- Patient adaptable intermittent suction
- Continuously variable programmable selections
- Small/lightweight/versatile
- EMI/RFI certified for aeromedical use
- Built-in wall/pole mounting bracket interface
- Low battery indicator
- 2 Velcro straps to attach unit to a litter – 1” x 24” w/ 18” loop in the middle and a 3” hook at the ends



SUCTION APPARATUS, SURGICAL PROGRAMMABLE - OPEN CASE
PART # 800-0326-04
NSN 6515014350050



SUCTION APPARATUS, SURGICAL PROGRAMMABLE
PART # 326M

**SUCTION APPARATUS SURGICAL PROGRAMMABLE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	11.5
	Width (Inches)	9.5
	Length (Inches)	4.87
	Cube (Cubic Feet)	0.3079
	Weight	12 lbs
Ship Dimensions	Height (Inches)	18
	Width (Inches)	7.25
	Length (Inches)	24
	Cube (Cubic Feet)	1.8125
	Weight	29 lbs
Storage Temp		
Operating Temp		-4 to 120 °F
Storage Humidity		
Operating Humidity		Tested to level required for Air Worthiness - 94±4%RH, 85° F±3.6°
Amps		2.5 Steady State
Watts		100
Power Requirements	115/230 VAC, 50-400 Hz; Battery pack, rechargeable, sealed lead acid	
Notes	Operating Time: Minimum, 2 hours-cycled Recharge Time: Maximum, 16 hours Free Air Flow - Continuous: 30 Liters per Minute (lpm) Free Air Flow - Intermittent: 5-8 Liters per Minute (lpm) Vacuum Range - Continuous: Adjustable, 0-550 mmHg (0-22" Hg) Vacuum Range - Intermittent: Adjustable, 0-220 mmHg (0-8" Hg)	

**SUCTION APPARATUS SURGICAL PROGRAMMABLE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Impact Instrument ation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014350050		Suction Apparatus Surgical Programmable	800-0326-04		1	EA	\$2,758.56	\$2,758.56	N/A
6140013318528	Installed in Apparatus	Battery, Rechargeable 12VDC 5Ah	704-0750-03		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	18
6515015096967		Case, Padded w/ 2 Velcro Straps, Soft Side	402-0017-00		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
6515015096977		Case, Carry-All w/ Label, Hard Side	703-0326-16		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
6545015571419	Contents Listed in Table Below	Parts Kit for Suction Apparatus	802-0326-03		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
NSN Not Required		Literature, Operation and Service	906-0326-03		2	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A

**SUCTION APPARATUS SURGICAL PROGRAMMABLE
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Impact Instrument ation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
5920015085022	Available in Kit	Fuse	081-0020-00		1	EA	\$1.05	\$1.05	N/A
6140013318528	Installed in Apparatus	Battery, Rechargeable 12VDC 5Ah	704-0750-03		1	EA	\$116.34	\$116.34	18
6515011942187	Available in Kit	Filter Disp U/W Pn 326M Or 306M Reusable Canister App Surg	465-0005-00		1	EA	\$15.48	\$15.48	N/A
6515015039456	1000cc reusable Available in Kit	Collection Canister Assembly	703-0326-07		1	EA	\$82.72	\$82.72	N/A
6515015043306	Available in Kit	Cable, Power, Charger, AC/DC	703-0326-06		1	EA	\$357.94	\$357.94	N/A
6515015085047		Filter, Hydrophobic/Bacterio Static, Disposable	465-0005-05		1	5/PG	\$45.23	\$45.23	N/A
6515015096877	Available in Kit	Cable, Power, DC, Vehicle Lighter	708-0326-01		1	EA	\$53.80	\$53.80	N/A
6515015096967		Case, Padded w/ 2 Velcro Straps, Soft Side	402-0017-00		1	EA	\$173.73	\$173.73	N/A
6515015096977		Case, Carry-All w/ Label, Hard Side	703-0326-16		1	EA	\$145.25	\$145.25	N/A
6515015097331	Available in Kit	Velcro Strap	334-0020-00		1	EA	\$47.68	\$47.68	N/A
6515015098638	Available in Kit	Bracket Assembly, Canister	334-0030-00		1	EA	\$31.11	\$31.11	N/A
6515015117007		Tubing, Suction, 72 inch	820-0018-50		1	50/PG	\$168.00	\$168.00	N/A
6515015117017	Available in Kit	Tubing, Suction, 24 inch	540-0051-00		1	EA	\$4.27	\$4.27	N/A
6515015117023	Available in Kit	Tubing, Clear, 12 inch	540-0068-00		1	EA	\$0.97	\$0.97	N/A
6515015117034	Available in Kit	Tubing, Clear, 18 inch	540-0055-00		1	EA	\$3.32	\$3.32	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Impact Instrument ation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015117035	Available in Kit	Tubing, Suction, 72 inch	820-0018- 00		1	EA	\$5.76	\$5.76	N/A
6545015571419	Contents Listed in Table Below	Parts Kit for Suction Apparatus	802-0326- 03		1	EA	\$743.57	\$743.57	N/A
NSN Not Required		Literature, Operation and Service	906-0326- 03		1	EA	\$36.00	\$36.00	N/A

SUCTION APPARATUS SURGICAL PROGRAMMABLE
WEB LINKS

[Click Below for Specification Sheet](#)

<http://www.impactinstrumentation.com/images/326.pdf>

[Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military \(.mil\) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.](#)

http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm

SUCTION APPARATUS SURGICAL PROGRAMMABLE

ITEM TABLES

Parts Kit Suction Apparatus Contents

COMPONENT	NSN	PN	QTY	UI
Bracket Universal Collection Jar Assembly	6515 015098638	334-0030-00	2	EA
Cable Suction Apparatus DC Power	6515 015096877	708-0326-01	1	EA
Canister Assembly, Collection 1000cc Reusable	6515 015039456	703-0326-07	2	EA
Charger Suction Apparatus	6515 015043306	703-0326-06	1	EA
Filter Disposable Suction Apparatus	6515 011942187	465-0005-00	2	EA
Fuse Cartridge 250V 2A Midget	5920 015085022	081-0020-00	2	EA
Straps Self Fastening Velcro	6515 015097331	334-0020-00	2	EA
Tubing Suction Surgical 12 Inch	6515 015117023	540-0068-00	1	EA
Tubing Suction Surgical 18 Inch	6515 015117034	540-0055-00	2	EA
Tubing Suction Surgical 24 Inch	6515 015117017	540-0051-00	2	EA
Tubing Suction Surgical 72 Inch	6515 015117035	820-0018-00	1	EA

X-RAY APPARATUS, RADIOGRAPHIC

[TOC](#)

MANUFACTURER: PHILIPS MEDICAL SYSTEMS

Manufacturer Model# BUCKY DIAGNOST X-RAY

Manufacturer's PHONE: (800) 722-9377 FAX: (978) 659-4995

Manufacturer's Website: <http://www.medical.philips.com/us>

Item Web Link:

<http://www.medical.philips.com/us/products/xray/products/radiography/analog/buckydiagnost/index.wpd>

AAC 'Z' ITEM NSN 6525-01-514-9962

UAs: N305

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$100,000.00


System Description: This Radiological System consist of X-Ray Apparatus, Radiographic, a Patient Table, X-ray tube with tube stand, Chest stand, X-ray exposure control, Optimus 50 X-Ray Generator and a Compano CR system with Codonics printer. This system also includes Bucky Unit, Wall Mount Operator Panel, Tube Assembly Panel, Lateral Cassette Holder, VE/VT, High Speed Rotor Control, Automatic Collimation.

Features:

- Anatomically Programmed Radiography (APR) Programmable Techniques available at the tableside
- (APR) selectable at the collimator
- Large easily accessible foot pedals for table movement
- Single button release of all locks in the tube handle
- Kevlar covered four way floating table top
- Table is capable of handling 460lbs Patient with no reduction of movement
- Automatic cassette size sensing (auto-collimation)
- Automatic Exposure Control (AEC)




**BUCKY DIAGNOST PHILIPS RAD SYSTEM
PART # BUCKY DIAGNOST X-RAY
NSN 6525015149962**




BUCKY DIAGNOST PHILIPS RAD SYSTEM ISO SHELTER INTERIOR LAYOUT



RAD TABLE



RAD CONTROL W-AEC



CHEST STAND



TUBEHEAD COLLIMATOR AND WALL MOUNTED TUBESTAND



DIAGNOST RAD SYSTEM AND COMPANO SYSTEM SHOWN IN SHIPMENT MODE



DIAGNOST RAD SYSTEM AND COMPANO SYSTEM SHOWN IN SHIPMENT MODE

**X-RAY APPARATUS, RADIOGRAPHIC
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	96
	Width (Inches)	170.04
	Length (Inches)	220.344
	Cube (Cubic Feet)	2081.5163
	Weight	4,500 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		14 to 158 °F
Operating Temp		41 to 85 °F
Storage Humidity		0 to 95% Non-Condensing
Operating Humidity		10 to 90% Non-Condensing
Amps		100
Watts		20.8 kW
Power Requirements	120/208 Volt 3Ø, 50/60Hz, 100 Amps Max 20,800 Max Watts, 12, 000 nominal	
Notes		

**X-RAY APPARATUS, RADIOGRAPHIC
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Philips Medical Systems	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6525015149962		X-Ray Apparatus, Radiographic	BUCKY DIAGNOS T X-RAY		1	EA	\$100,000.00	\$100,000.00	N/A
6525015239962		X-Ray Apparatus, Radiographic Med Bucky	Bucky Diagnostic X-Ray		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		50 kw X-Ray Generator for BuckyDiagnost	NRDN062		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		Adapt. Transf. 415-480 V	NRDN199		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		Additional User Manual BuckyDiagnost	NRDN129		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		Amplimat for System	NRDN192		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		Bcable Set for BTH	980306680 009		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		BuckyDiagnost "FS"	NRDN002		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		BuckyDiagnost FS S	NNAH603		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		BuckyDiagnost TH	NRDN020		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		BuckyDiagnost VS (Advanced Package)	NRDN044		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		Cabinet Box	980306030 007		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		Document Box	989801220 008		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		Extension to Automatic Collimation	NRDN120		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		Maintenance Manual			2	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		Operation Manual			2	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		SRO 2550 - ROT 360	NRDN081		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A
NSN Not Required		Wall Mounting for Operating Panel	NRDN196		1	EA	Incl w/NSN 9962	Incl w/NSN 9962	N/A

**X-RAY APPARATUS, RADIOGRAPHIC
ACCESSORIES & CONSUMABLES - RESUPPLY**

NSN	Notes	Nomenclature	MFR PN Philips Medical Systems	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
NSN Not Required		50 kw X-Ray Generator for BuckyDiagnost	NRDN062		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Adapt. Transf. 415-480 V	NRDN199		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Additional User Manual BuckyDiagnost	NRDN129		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Amplimat for System	NRDN192		1	EA	\$0.00	\$0.00	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Philips Medical Systems	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
NSN Not Required		Bcable Set for BTH	980306680 009		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		BuckyDiagnost "FS"	NRDN002		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		BuckyDiagnost FS S	NNAH603		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		BuckyDiagnost TH	NRDN020		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		BuckyDiagnost VS (Advanced Package)	NRDN044		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Cabinet Box	980306030 007		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Document Box	989801220 008		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Extension to Automatic Collimation	NRDN120		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Maintenance Manual			2	EA	\$0.00	\$0.00	N/A
NSN Not Required		Operation Manual			2	EA	\$0.00	\$0.00	N/A
NSN Not Required		SRO 2550 - ROT 360	NRDN081		1	EA	\$0.00	\$0.00	N/A
NSN Not Required		Wall Mounting for Operating Panel	NRDN196		1	EA	\$0.00	\$0.00	N/A

X-RAY APPARATUS, RADIOGRAPHIC

ADDITIONAL NOTE:

The X-ray generator shall incorporate technique selectable MA stations over the range of usable tube current (10 -600 MA) at a maximum of 125 KVP.

Linearity of mR/mAs produced at all KVP settings shall be within +/- 10% of the mR/mAs over the range of available MA or MAS selections

X-RAY APPARATUS, RADIOGRAPHIC

ITEM TABLES

BUCKY RADIOLOGY PARTS LIST

NSN	Part Number	Long Description	UI	QTY
6525015723369	989000085831	Assembly, Tubehead, Buckyth (SRO ROT 350(SRO 2550 ROT 350 .6/1.0))	1 (U/I is EA)	2
6525015723533	989601022161	Collimator, Nicol	1 (U/I is EA)	2
6525015723541	451220400153	Assembly, Converter Q	1 (U/I is EA)	2
6525015722006	451210807509	Circuit Board, Controller, Bucky	1 (U/I is EA)	2
6525015722082	451211430192	Firmware, Controller, Bucky Release 9.2	1(U/I is ST)	2
6525015723567	452216610244	Circuit Board, PSCCAN/CANCO, LA2	1(U/I is EA)	2
6525015723575	452216704021	Circuit Board, SIFLCO, LA3	1(U/I is EA)	2
7025015723581	452230024741	Kit, Upgrade, Direct Shutter Control	1(U/I is KT)	2

