MEDICAL MATERIEL SET POST-OP ICU WARD

Support and Consumables Handbook

6545-01-585-9914
UA P309
LIN M09576

Semper Responsus

REVISED

January 2013

U.S. Army Medical Materiel Agency

The information contained in this manual was prepared by the

U.S. Army Medical Materiel Agency
Office of PM, Medical Devices
Acquisition Information Division
693 Neiman Street
Fort Detrick, MD 21702-5001

This manual is a living document and may contain inaccuracies due to changes in mission requirements or equipment updates. To report corrections or additions please contact:

Customer Relationship Management
301-619-1288/4301, DSN 343-1288/4301, or at:

USAMMACRM@amedd.army.mil

For additional equipment item information, visit the USAMMA Medical Equipment Literature section on the web at
<http://www.usamma.amedd.army.mil/med_equip_lit_cdroms.cfm>

Review the Master Table of Contents for all of the published USAMMA Medical Equipment CDs at
<http://www.usamma.amedd.army.mil/assets/docs/Master%20Table%20of%20Contents.pdf>

You can also order a copy of each published CD by completing and submitting the form at
<http://www.usamma.amedd.army.mil/CDROM_Requests_form.cfm>

NOTE: CLICK ON TITLE FOR DIRECT LINK

TABLE OF CONTENTS

SECTION	DEVICE	NSN	PAGE
1	CARRIER LITTER WHEELED	(L) 6530-01-591-9636	1
2	CLEANER VACUUM ELECTRIC 115V AC 50 60HZ	(J) 7910-01-586-6813	5
3	DEFIBRILLATOR MONITOR RECORDER SYSTEM	(L) 6515-01-515-4197	11
4	ELECTROCARDIOGRAPH CP200 KIT W CASE	(L) 6515-01-563-7185	25
5	FLUID WARMING SYSTEM	(J) 6515-01-465-2059	33
6	GENERATOR OXYGEN MEDICAL SYSTEM POGS	(L) 6530-01-533-4481	41
7	LARYNGOSCOPE SET	(L) 6515-01-534-2369	57
8	LIGHT FLOOR GENERAL EXAM GREEN SERIES	(L) 6530-01-589-4229	63
9	LIGHT HEAD GENERAL	(L) 6230-01-520-3474	67
10	LIGHT SURGICAL FIELD UNIT	(J) 6530-01-518-9854	73
11	MONITOR PATIENT VITAL SIGNS	(L) 6515-01-432-2711	79
12	OTOSCOPE & OPHTHALMOSCOPE SET	(H) 6515-01-333-3165	93
13	OXIMETER PULSE PORTABLE FINGERTIP	(J) 6515-01-557-1136	99
14	PANEL ELECTRICAL DISTRIBUTION	(Z) 6120-01-555-6861	105
15	PANEL MODULAR MEDICAL PRIMARY CARE	(L) 6530-01-518-0118	111
16	PATIENT OXYGEN DISTRIBUTION SYSTEM	(L) 6530-01-447-4932	117
17	PATIENT WARMING SYSTEM KIT	(J) 6530-01-567-7143	121
18	PUMP EXTREMITY SEQUENTIAL COMPRESSION	(L) 6530-01-573-3224	127
19	PUMP INTRAVENOUS INFUSION	(L) 6515-01-550-5669	133
20	REFRIGERATOR-FREEZER	(L) 4110-01-425-8009	139
21	RESUSCITATION KIT MOUTH TO MASK PEDS	(L) 6515-01-513-9276	143
22	SINK UNIT SURGICAL SCRUB	(L) 6530-01-572-6775	153
23	STETHOSCOPE ULTRASCOPE DOPPLER SYSTEM	(L) 6515-01-491-8101	163
24	STIMULATOR PERIPHERAL NERVE	(J) 6515-01-397-5212	169
25	SUCTION APPARATUS SURGICAL PROGRAMMABLE	(L) 6515-01-435-0050	173
26	THERMOMETER KIT CLINICAL	(L) 6515-01-523-9935	179
27	ULTRASONIC UNIT BLOOD FLOW DETECTION	(J) 6515-01-293-5578	187
28	VENTILATOR VOLUME PORTABLE	(L) 6530-01-464-0267	191
29	VITAL SIGNS MONITOR	(L) 6515-01-432-2707	197

Please provide all comments at the website link listed below.
https://ice.disa.mil/index.cfm?fa=card&site_id=750&service_provider_id=102377
Select: EQUIPMENT PUBLICATIONS BUTTON AT TOP OF FORM

CARRIER LITTER WHEELED

TOC

MANUFACTURER: FARETEC INC
Manufacturer Model# 2221030
Manufacturer's PHONE: (440) 350-9510 FAX: (440) 350-9520
Manufacturer's Website: <http://www.faretec.com/index.html>

Item Web Link:
<http://www.faretec.com/litter-carrier.html>

AAC 'L' ITEM NSN 6530-01-591-9636

UAs: N413, N513, N713, P301, P307, P308, P309, P310, P311

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $1,189.88

System Description: The Litter Carrier is a light, stable device, equipped with two large non-pneumatic wheels designed for transporting injured persons on rugged terrain. These flat-free tires keep the unit mobile at all times, without the need for a pneumatic pump.

When the supporting legs are in the transport position the patient is easily moved by one or two persons. When the supporting legs are in the “static” position the litter carrier provides a steady and stable support for the patient.

When not in use, the Litter Carrier is easily folded to a compact size for storage.

This unit has proved very useful for transporting and moving injured patients (or materials) inside field hospitals and field hospital areas, Air Mobile Platforms (AMPs), or to provide access to helicopter pads or airlift areas in typical large-scale emergency or natural disaster scenarios.

CARRIER LITTER WHEELED
PART # 2221030
NSN 6530015919636

Open Position

CARRIER LITTER WHEELED
PART # 2221030
NSN 6530015919636

Closed Postion

CARRIER LITTER WHEELED
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**33.1**
	Width (Inches)	**24.4**
	Length (Inches)	**20.5**
	Cube (Cubic Feet)	**9.5814**
	Weight	**46.3 lbs**
Ship Dimensions	**Height (Inches)**	**0**
	Width (Inches)	**0**
	Length (Inches)	**0**
	Cube (Cubic Feet)	**0**
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**N/A**	
Notes	**Carrier dimensions in opened position:** **Length, 62.2 inches nominal** **Width, 24.4 inches nominal** **Height, 33.9 inches nominal**	

CARRIER LITTER WHEELED
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Faretec Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015919636		Carrier Litter Wheeled	2221030		1	EA	$1,189.88	$1,189.88	N/A
NSN Not Required		Literature, Maintenance	2221032		1	EA	Incl w/NSN 9636	Incl w/NSN 9636	N/A

CARRIER LITTER WHEELED
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Faretec Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
NSN Not Required		Literature, Maintenance	2221032		1	EA	$12.95	$12.95	N/A

CLEANER VACUUM ELECTRIC 115V AC 50 60HZ TOC

DISTRIBUTOR: OWENS & MINOR
MANUFACTURER: MINUTEMAN INTERNATIONAL INC.
Distributor Model# 6269137
Manufacturer Model# C81415-01
Distributor's PHONE: (804) 723-7000 FAX: (804) 723-7100
Manufacturer's PHONE: (630) 627-6900 FAX: (630) 627-1130
Distributor's Website: <http://www.owens-minor.com>
Manufacturer's Website: <http://www.minutemanintl.com>

Item Web Link:
<http://www.minutemanintl.com/Critical_Filter/CriticalVacs.html>

AAC 'J' ITEM NSN 7910-01-586-6813

UAs: N305 , N312 , N523 , N725 , P301 , P307 , P308 , P309 , P310 , P311 , P314

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $1,145.53

System Description: Vacuum system to control contaminants in air and on surfaces; supports proper housekeeping procedures and infection control plan. For use in any area housing immunosuppressed, high-risk patients. Collects and contains fungal, biological, lead, mold, asbestos, bacterial, or any other infectious material.

Features:
- Wet/Dry, four stage filtration system includes filter protector, washable cloth filter, pre-filter, and HEPA filter
- Indicator light on lid assembly alerts operator when filters require servicing
- 15 Gallon Tank
- 2.15 cubic foot Dry Capacity
- 2.3 Horsepower
- Critical Area Vacuums
- Healthcare Vacuums
- Control contaminants in air and on surfaces
- HEPA Filter Efficiency 99.97% at 0.3 microns
- 50-foot Power Cord

CLEANER VACUUM ELECTRIC 115V AC 50 60HZ
PART # C81415-01
NSN 7910015866813

VACUUM TOOL AND ACCESSORY KIT
PART # 490024-1
NSN 7910015886530

CLEANER VACUUM ELECTRIC 115V AC 50 60HZ
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**38**
	Width (Inches)	**24**
	Length (Inches)	**21**
	Cube (Cubic Feet)	**11.0833**
	Weight	**65 lbs**
Ship Dimensions	**Height (Inches)**	**0**
	Width (Inches)	**0**
	Length (Inches)	**0**
	Cube (Cubic Feet)	**0**
	Weight	**82 lbs**
Storage Temp		**-80 to 155 °F**
Operating Temp		**-80 to 155 °F**
Storage Humidity		
Operating Humidity		
Amps		**15**
Watts		**1800**
Power Requirements	**120 VAC, 50/60 Hz**	
Notes		

CLEANER VACUUM ELECTRIC 115V AC 50 60HZ
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Minuteman International Inc.	DIST PN Owens & Minor	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
7910015866813		Cleaner Vacuum Electric 115V AC 50 60Hz	C81415-01		1	EA	$1,145.53	$1,145.53	N/A
	Awaiting NSN	Prefilter Sleeve	110028PKG		1	6/PG	Incl w/NSN 6813	Incl w/NSN 6813	N/A
7910 NCM105158		Filter HEPA Hygenic 10"	110038		1	EA	Incl w/NSN 6813	Incl w/NSN 6813	N/A
7910013223485	* See Additional Note Below	Filter Protector Vacuum	805038		1	EA	Incl w/NSN 6813	Incl w/NSN 6813	N/A
7910015886530	See Table Below for Contents	Cleaning Tool Set Vacuum Cleaner	490024-1		1	EA	Incl w/NSN 6813	Incl w/NSN 6813	N/A
7910NCM105166		Cloth Bag Assembly	805058		1	EA	Incl w/NSN 6813	Incl w/NSN 6813	N/A
NSN Not Required		Literature, Operator			1	EA	Incl w/NSN 6813	Incl w/NSN 6813	N/A

CLEANER VACUUM ELECTRIC 115V AC 50 60HZ
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Minuteman International Inc.	DIST PN Owens & Minor	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	Prefilter Sleeve	110028PKG		1	6/PG	$29.02	$29.02	N/A
7910 NCM105158		Filter HEPA Hygenic 10"	110038		1	EA	$278.07	$278.07	N/A
7910013223485	* See Additional Note Below	Filter Protector Vacuum	805038		1	12/PG	$42.89	$42.89	N/A
7910015280253		Handle Vacuum Floor Wand Assembly	290000		1	EA	$41.38	$41.38	N/A
7910015280256		Hose Vacuum Cleaner Crush Proof 1.5 in x 10 ft	800317		1	EA	$105.53	$105.53	N/A
7910015886530	See Table Below for Contents	Cleaning Tool Set Vacuum Cleaner	490024-1		1	EA	$169.55	$169.55	N/A
7910015886551		Cleaning Tool Attachment Vacuum Cleaner 1.5" Wide Black 12" Crev	800035		1	EA	$7.86	$7.86	N/A
7910015886564		Cleaning Tool Attachment Floor Tool 11" for Vacuum Cleaner	829561		1	EA	$18.14	$18.14	N/A
7910016012861		Cleaning Tool 5 in Rectangular w/Slide-on Brush	800124		1	EA	$16.10	$16.10	N/A
7910NCM105164		Brush, Dust Round 3"	800083		1	EA	$15.72	$15.72	N/A
7910NCM105166		Cloth Bag Assembly	805058		1	EA	$33.85	$33.85	N/A
7920015310978		Squeegee Tool 14"	800605		1	EA	$62.39	$62.39	N/A

CLEANER VACUUM ELECTRIC 115V AC 50 60HZ
ADDITIONAL NOTE:

* Start-up quantity/unit of issue may be different from Resupply quantity/unit of issue.

CLEANER VACUUM ELECTRIC 115V AC 50 60HZ
ITEM TABLES

Cleaning Tool Set Vacuum Contents NSN 7910-01-588-6530 P/N 490024-1

NSN	Nomenclature	P/N	QTY	UI	Unit Price	Distributor
7910-01-528-0256	Hose Vacuum Cleaner Crush Proof 1.5 in x 10 ft	800317	1	EA	$105.53	Minuteman International Inc.
7910-01-528-0253	Handle Vacuum Floor Wand Assembly	290000	1	EA	$41.38	Minuteman International Inc.
7920-01-531-0978	Squeegee Tool 14"	800605	1	EA	$62.39	Minuteman International Inc.
7910-01-601-2861	Cleaning Tool 5" Rectangular w/Slide-on Brush	800124	1	EA	$16.10	Minuteman International Inc.
7910-01-588-6551	Cleaning Tool Attachment Vacuum Cleaner 1.5: Wide Black 12" Crev	800035	1	EA	$7.86	Minuteman International Inc.
7910-01-588-6564	Cleaning Tool Attachment Floor Tool 11"	829561	1	EA	$18.14	Minuteman International Inc.
7910-NC-M10-5164	Brush, Dust Round 3"	800083	1	EA	$15.72	Minuteman International Inc.

DEFIBRILLATOR MONITOR RECORDER SYSTEM

TOC

MANUFACTURER: ZOLL MEDICAL CORP
Manufacturer Model# M SERIES CCT
Manufacturer's PHONE: (978) 421-9460 FAX: (978) 421-0010
Manufacturer's Website: <http://www.zoll.com>

Item Web Link:
<http://www.zoll.com/medical-products/defibrillators/m-series-cct/>

AAC 'L' ITEM NSN 6515-01-515-4197

UAs: 009A, 257B, 267C, N513, N713, P301, P307, P308, P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $22,540.00

System Description: The M Series CCT features a three-channel display for ECG and up to two invasive pressures with ranges covering arterial, pulmonary arterial, central venous or intracranial pressure as well as two temperature channels. Of course, it also provides you all the non-invasive parameter options of the M Series including SpO^2, $EtCO^2$, NIBP, and fully interpretive 12-lead ECG.

Features:
- ZOLL XL Battery for longer transport times
- Transport-ready design
- Easy-to-read display
- M Series technology and simplicity
- Full range of parameters for a full range of patients
- Flexible color display
- Quick, easy connections
- Ready to gather and share critical data

NOTE: • CD-ROM is available for reference

DEFIBRILLATOR MONITOR RECORDER
PART # M SERIES CCT
NSN 6515015154197

DEFIBRILLATOR MONITOR RECORDER
PART # M Series CCT
NSN 6515015154197

DEFIBRILLATOR MONITOR RECORDER WITH RUBBER JACKET



DEFIBRILLATOR MONITOR RECORDER - TYPICAL M SERIES FRONT PANEL

DEP PAK FOUR, PATIENT
PART # 8900-4017-30
NSN 6515015092908

Found in UA Support

1X1 BATTERY CHARGER
PART # 8050-0022-30
NSN 6515015186016

XL SMART READY LEAD ACID BATTERIES
PART # 8000-0500-01
NSN 6515015185955



MILITARY UNIVERSAL CABLE
PART # 8000-0308-30
NSN 6515015185982

M SERIES EXTERNAL PADDLE ASSEMBLY
PART # 8000-1010-01
NSN 6515015046492

HOSE, BLOOD PRESSURE CUFF
PART # 8000-0662
NSN 6515015396647

CUFF, BLOOD PRESSURE, ADULT
PART # 8000-1651
NSN 6515015605033

SENSOR, SPO2 ADULT, MILITARY
ITEMS SHOWN IN THIS CASE INCLUDE THE STARTUP KIT
PART # 8000-0294
NSN 6515015502659

MILITARY SPO2 CABLE
PART # 8000-0246-30
NSN 6515015185972



TEMPERATURE CABLE AND PROBE
PART # 8000-0409
NSN 6515015185980



ETCO2 CABLE WITH MAINSTREAM CAPNOSTAT SENSOR
PART # 8000-0410
NSN 6515015185967

HARDIGG CASE ONLY - ITEMS SHOWN IN THIS CASE INCLUDE THE STARTUP KIT
PART # 8000-0850-30
NSN 6515015186011



HARDIGG CASE CONTENTS DIAGRAM



MILITARY 1 STEP 12 - LEAD ECG CABLE
PART # 8000-0527-30
NSN 6515015185962

DEFIBRILLATOR MONITOR RECORDER SYSTEM
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**6.8**
	Width (Inches)	**10.3**
	Length (Inches)	**8.2**
	Cube (Cubic Feet)	**0.3324**
	Weight	**13.5 lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		**-4 to 140 °F (-20 to 60 °C)**
Operating Temp		**32 to 122 °F (0 to 50 °C)**
Storage Humidity		**5 to 95%**
Operating Humidity		**5 to 95%**
Amps		**1.18**
Watts		**130**
Power Requirements	**110/220 VAC, 50/60 Hz; 220/240 VAC, 50 Hz; DC Input 10-29 VDC, Sealed Lead-acid Battery Pack, Five 2 VDC cells**	
Notes		

DEFIBRILLATOR MONITOR RECORDER SYSTEM
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Zoll Medical Corp	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015154197		Defibrillator Monitor Recorder System	M SERIES CCT		1	EA	$22,540.00	$22,540.00	N/A
6515015046492		Paddle Assembly, Defib, External, Apex/Sturnum w/controls	8000-1010-01		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015185955	* See Additional Note Below	Battery, Lead Acid, XL Smart Ready	8000-0500-01		3	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015185958		Case, Carry Xtreme Pak II, Rear Pouch and Front Flap for Defib 6515015154197	9680-0785		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015185960		Power Cord, AC, w/Ferrite, Military Spec, f/6515015154197	8000-0304		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015185962		Cable, Military 1 Step 12 –Lead ECG	8000-0527-30		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015185967		Cable, EtCO² w/Mainstream Capnostat Sensor, Military	8000-0410		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015185972		Cable SpO2 Military Use w/6515015154197	8000-0246-30		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015185980		Cable, Temperature & Probe, Military, Use w/6515015154197	8000-0409		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015185982		Cable, Universal, Military	8000-0308-30		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015185984		Paper, Recorder, Defib, f/6515015154197 & 6515015161519	8000-0300		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015185995		Cover, Environmental Protective	8000-0400		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015186011		Case w/Label Hardigg	8000-0850-30		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015186012		Video, In-Service	9650-0073		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015186016		Charger, Battery 1X1	8050-0022-30		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015186021		Airway Adapters (10), Single Patient Use	8000-0260-01		1	10/BX	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015186027		Dep Pak – Single Patient 4 Year Shelf Life	8900-4018-30		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	48
6515015186029	For Air Worthiness Model	Insert, Manual, Airworthy CCT	9650-0501-30		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015186030		Data Card, PCMCIA, 16 MB (2/pg)	8000-0167		1	2/PG	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015396647		Hose Blood Pressure	8000-0662		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015502659	Mfr also recognizes p/n 9355-0294-30 for this item	Sensor Oxygen Monitoring SPO2 F/6515015154197	8000-0294		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A
6515015605033		Cuff, Blood Pressure Adult	8000-1651		1	EA	Incl w/NSN 4197	Incl w/NSN 4197	N/A

DEFIBRILLATOR MONITOR RECORDER SYSTEM
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Zoll Medical Corp	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015046492		Paddle Assembly, Defib, External, Apex/Sturnum w/controls	8000-1010-01		1	EA	$409.75	$409.75	N/A
6515015092908		Deployment Pack Defib, Four Patient	8900-4017-30		1	EA	$310.59	$310.59	48
6515015093389		Paper, ECG Record Thermal, f/Zoll CCT M-Series Defib 10/PG	8000-0302		1	10/PG	$27.35	$27.35	N/A
6515015173851		Batteries (3 pack), Lead Acid, XL Smart Ready	8000-0686		1	3/PG	$464.00	$464.00	48
6515015185955	* See Additional Note Below	Battery, Lead Acid, XL Smart Ready	8000-0500-01		1	EA	$186.25	$186.25	N/A
6515015185958		Case, Carry Xtreme Pak II, Rear Pouch and Front Flap for Defib 6515015154197	9680-0785		1	EA	$443.28	$443.28	N/A
6515015185960		Power Cord, AC, w/Ferrite, Military Spec, f/6515015154197	8000-0304		1	EA	$34.83	$34.83	N/A
6515015185962		Cable, Military 1 Step 12 –Lead ECG	8000-0527-30		1	EA	$317.41	$317.41	N/A
6515015185967		Cable, EtCO² w/Mainstream Capnostat Sensor, Military	8000-0410		1	EA	$1,940.25	$1,940.25	N/A
6515015185972		Cable SpO2 Military Use w/6515015154197	8000-0246-30		1	EA	$161.19	$161.19	N/A
6515015185980		Cable, Temperature & Probe, Military, Use w/6515015154197	8000-0409		1	EA	$450.00	$450.00	N/A
6515015185982		Cable, Universal, Military	8000-0308-30		1	EA	$134.33	$134.33	N/A
6515015185995		Cover, Environmental Protective	8000-0400		1	EA	$99.50	$99.50	N/A
6515015186012		Video, In-Service	9650-0073		1	EA	$18.63	$18.63	N/A
6515015186016		Charger, Battery 1X1	8050-0022-30		1	EA	$384.07	$384.07	N/A
6515015186021		Airway Adapters (10), Single Patient Use	8000-0260-01		1	10/BX	$67.05	$67.05	N/A
6515015186029	For Air Worthiness Model	Insert, Manual, Airworthy CCT	9650-0501-30		1	EA	$55.72	$55.72	N/A
6515015186030		Data Card, PCMCIA, 16 MB (2/pg)	8000-0167		1	EA	$409.75	$409.75	N/A
6515015396647		Hose Blood Pressure	8000-0662		1	EA	$37.25	$37.25	N/A
6515015502659	Mfr also recognizes p/n 9355-0294-30 for this item	Sensor Oxygen Monitoring SPO2 F/6515015154197	8000-0294		1	EA	$270.00	$270.00	N/A
6515015605033		Cuff, Blood Pressure Adult	8000-1651		1	EA	$26.08	$26.08	N/A

DEFIBRILLATOR MONITOR RECORDER SYSTEM
ADDITIONAL NOTE:

* Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

DEFIBRILLATOR MONITOR RECORDER SYSTEM

WEB LINKS

Click Below for Product Brochure

<http://www.zoll.com/uploadedFiles/Public_Site/Products/M_Series_CCT/CCT_Bro.pdf>

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

ELECTROCARDIOGRAPH CP200 KIT W CASE

TOC

MANUFACTURER: WELCH ALLYN
Manufacturer Model# CP2A-1EM
Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361
Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:
<http://www.welchallyn.com/products/en-us/x-11-ac-100-0000000001026.htm>

AAC 'L' ITEM NSN 6515-01-563-7185

UAs: 009A, N513, N713, P308, P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $4,410.24

System Description: A multichannel electrocardiograph that is flexible enough to work in any setting. The CP200 is a powerful, easy-to-use device featuring an intuitive design and color display that make taking ECGs (electrocardiograms) easier.

Features:
- An interpretive 12-lead resting multichannel ECG that provides accurate measurements
- Full alphanumeric keyboard and color LCD screen to enter patient data quickly
- High-resolution thermal printer generates standard full-sized reports
- Help feature to access patient education tools as well as answer system operation questions
- Frequency range of 0.3 to 150 Hz
- Digital sampling rate of greater than 1,000 samples/second/channel
- Prints up to 100 continuous ECGs per battery charge

ELECTROCARDIOGRAPH CP200
PART # CP2A-1EM
NSN 6515015637185

CABLE, PATIENT DIGITAL ECG
PART # 401126
NSN 6515015609895

10-LEAD REPLACEABLE LEAD SET
PART # 401129
NSN 6515015610335

PAPER, THERMAL
PART # 94018-0000
NSN 6515015527128

ALLIGATOR CLIP
PART # 58581-0000
NSN 6515015053043

TAB ELECTRODES
PART # 45008-0000
NSN 6515015053037

ELECTROCARDIOGRAPH CP200 KIT W CASE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**6.2**
	Width (Inches)	**16.2**
	Length (Inches)	**15.6**
	Cube (Cubic Feet)	**0.9068**
	Weight	**11.6 lbs**
Ship Dimensions	**Height (Inches)**	**0**
	Width (Inches)	**0**
	Length (Inches)	**0**
	Cube (Cubic Feet)	**0**
	Weight	
Storage Temp		**-4 to 120 °F**
Operating Temp		**32 to 104 °F**
Storage Humidity		**15 – 95% Noncondensing (30 – 70% for printing)**
Operating Humidity		**15 – 95% Noncondensing (30 – 70% for printing)**
Amps		**2.2 Max**
Watts		**13.2**
Power Requirements	**100-240 VAC, 50/60Hz**	
Notes	**Battery: Rechargeable lead acid gel, 6 VDC, 5 Ah (ampere-hour), 12 hour recharging** **Paper: 200 sheets/PG, 8.25 x 11 inches, Z-fold thermal**	

ELECTROCARDIOGRAPH CP200 KIT W CASE
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015637185		Electrocardiograph CP200 Kit w Case	CP2A-1EM		1	EA	$4,410.24	$4,410.24	N/A
6515015053025		Electrocardiograph CP200	CP2A		1	EA	Incl w/NSN 7185	Incl w/NSN 7185	N/A
6515015609895	Mfr uses PN 400293 for Resupply	Cable, Patient Digital ECG, 10-lead, Replaceable, AHA	401126	400293	1	EA	Incl w/NSN 7185	Incl w/NSN 7185	N/A
6515015609958		Manual Operator, Training Guide & Physician's Guide, CD	401151		1	EA	Incl w/NSN 7185	Incl w/NSN 7185	N/A
6515015610335	Mfr uses PN 401129 for Resupply	10-Lead Replaceable Lead Set, AHA, Banana Clip, 4 Limb Leads, 6 Precordial (for Use w/400293)	401672	401129	1	SE	Incl w/NSN 7185	Incl w/NSN 7185	N/A
6515015611869		Case, Storm, Hard-Sided	IM2720		1	EA	Incl w/NSN 7185	Incl w/NSN 7185	N/A
6540015009058		AC Power cord	761076-0		1	EA	Incl w/NSN 7185	Incl w/NSN 7185	N/A
NSN Not Required		Case, Soft-Sided/Dust Cover	701586		1	EA	Incl w/NSN 7185	Incl w/NSN 7185	N/A
NSN Not Required	See Additional Note 2 Below	Electrode ECG Disposable 100s	45008-0001		1	100/PG	Incl w/NSN 7185	Incl w/NSN 7185	N/A
NSN Not Required		European Power Cord	761076-2		1	EA	Incl w/NSN 7185	Incl w/NSN 7185	N/A
NSN Not Required		Literature, Maintenance, CD	704340		1	EA	Incl w/NSN 7185	Incl w/NSN 7185	N/A
NSN Not Required	See Additional Note 1 Below	Paper, Thermal, 200 sheets	704367		1	RM	Incl w/NSN 7185	Incl w/NSN 7185	60

ELECTROCARDIOGRAPH CP200 KIT W CASE
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015053037		Electrode ECG Disposable 1000s	45008-0000		1	1000/PG	$73.02	$73.02	N/A
6515015053043		Alligator Clips	58581-0000		1	10/PG	$30.00	$30.00	N/A
6515015527128		Paper, Thermal, 1000 SH	94018-0000		1	1000/PG	$90.75	$90.75	N/A
6515015609895		Cable, Patient Digital ECG, 10-lead, Replaceable, AHA	400293		1	EA	$275.00	$275.00	N/A
6515015609920		Cardio Perfect Workstation Software (for Viewing Tests on Computer), USB cable (to Connect to Computer), SD Memory Card, SD Card reader	100638		1	EA	$396.55	$396.55	N/A
6515015609958		Manual Operator, Training Guide & Physician's Guide, CD	401151		1	EA	$21.45	$21.45	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015610335		10-Lead Replaceable Lead Set, AHA, Banana Clip, 4 Limb Leads, 6 Precordial (for Use w/400293)	401129		1	SE	$110.00	$110.00	N/A
6515015611869		Case, Storm, Hard-Sided	IM2720		1	EA	$171.00	$171.00	N/A
6540015009058		AC Power cord	761076-0		1	EA	$14.63	$14.63	N/A
NSN Not Required		Case, Soft-Sided/Dust Cover	701586		1	EA	$20.00	$20.00	N/A
NSN Not Required		European Power Cord	761076-2		1	EA	$42.00	$42.00	N/A
NSN Not Required		Literature, Maintenance, CD	704340		1	EA	$245.20	$245.20	N/A
NSN Not Required		Literature, Operator, Hard copy	701557		1	EA	$25.00	$25.00	N/A

ELECTROCARDIOGRAPH CP200 KIT W CASE
ADDITIONAL NOTE:

1. Paper must be stored at 77 °F or less and 45 to 65% Relative Humidity.

2. Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

ELECTROCARDIOGRAPH CP200 KIT W CASE
WEB LINKS

Click Below for Service Manual

<http://www.welchallyn.com/documents/Cardiopulmonary/Electrocardiographs/CP200/ServiceManual_2007-8-3_CP100&CP200.pdf>

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

FLUID WARMING SYSTEM

TOC

MANUFACTURER: BELMONT INSTRUMENT CORP.
Manufacturer Model# FMS2000
Manufacturer's PHONE: (978) 663-0212 FAX: (978) 663-0214
Manufacturer's Website: <http://www.belmontinstrument.com>

Item Web Link:
<http://www.belmontinstrument.com/product.php?id=1>

AAC 'J' ITEM NSN 6515-01-465-2059

UAs: 267C , P301 , P307 , P308 , P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $26,171.27

System Description: The unit delivers blood or replacement fluid at high infusion rate for use in trauma and high blood loss surgery. The system combines a high speed fluid pump, a compact blood and fluid warmer, air detection and removal, and pressure monitoring in a 28-pound package, which mounts to an IV pole. The system is easy to use, quick to set up with nearly instantaneous infusion, and fluid heating. The line pressure control turns off pump, and alerts the Operator if the fluid line is obstructed. A single pass through the induction heater brings fluid to normothermia in seconds. The Operator controlled fluid delivery rates of 1 - 750 ml per minute at physiological temperatures.

Features:
- Portability: Quick-on IV Pole Mount or Handle at top of unit.
- Power: 115 VAC, 15A or 220-240 VAC, 7.5A input.
- Battery: Internal, rechargeable for transport. Operates all functions without heating.
- Fluid Pump: Roller type peristaltic pump.
- Heater: Maximum applied power, 1500 watts.
- Sensors: 2 Air bubble sensors, pressure transducer (fluid). 2 temperature probes (infrared sensing), pump flow rate sensor.
- Control Computer: Built-in, controls all functions, with redundant hardwired overrides in case of computer failure.
- Display: 5 in. x 2.5 in. Electroluminescent type, with waterproof touch pad.

FLUID WARMING SYSTEM, BELMONT
PART # FMS2000
NSN 6515014652059

FLUID WARMING SYSTEM, BELMONT - SIDE VIEW
PART # FMS2000
NSN 6515014652059

3-BAG SPIKE DISPOSABLE SET (NOT INCLUDED WITH NSN)
PART # 903-00006
NSN 6515015178115

Found In UA Support



3-BAG SPIKE DISPOSABLE SET KEY COMPONENTS

FLUID WARMING SYSTEM
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**13.5**
	Width (Inches)	**7.5**
	Length (Inches)	**12**
	Cube (Cubic Feet)	**0.7031**
	Weight	**28 lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	**1.39**
	Weight	**28 lbs**
Storage Temp		**5 to 104 °F**
Operating Temp		**50 to 89.6 °F**
Storage Humidity		**10 to 90% Non-Condensing**
Operating Humidity		**10 to 90% Non-Condensing**
Amps		**15**
Watts		**1500**
Power Requirements	**115 VAC, 60 Hz or 220-240 VAC, 50 Hz (Internal rechargeable battery will not power heat function)**	
Notes		

FLUID WARMING SYSTEM
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Belmont Instrument Corp.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014652059		Fluid Warming System	FMS2000		1	EA	$26,171.27	$26,171.27	N/A
	Awaiting NSN	Carrying Case	603-00039		1	EA	Incl w/NSN 2059	Incl w/NSN 2059	N/A
NSN Not Required		2-Hook Assembly, Knob	403-00259		1	EA	Incl w/NSN 2059	Incl w/NSN 2059	N/A
NSN Not Required		2-Hook Assembly, Portable Telescopic IV Pole	403-00285		1	EA	Incl w/NSN 2059	Incl w/NSN 2059	N/A
NSN Not Required		IV Pole Portable Telescopic, Assembly	403-00284		1	EA	Incl w/NSN 2059	Incl w/NSN 2059	N/A
NSN Not Required		Literature, Maintenance	702-00046		1	EA	Incl w/NSN 2059	Incl w/NSN 2059	N/A
NSN Not Required		Literature, Operator	702-00001		1	EA	Incl w/NSN 2059	Incl w/NSN 2059	N/A
NSN Not Required		Literature, Operator Manual, CD-ROM	702-00040		1	EA	Incl w/NSN 2059	Incl w/NSN 2059	N/A
NSN Not Required		Power Cord, 120V	118-0096		1	EA	Incl w/NSN 2059	Incl w/NSN 2059	N/A
NSN Not Required		Reservoir Support Assembly	403-00247		1	EA	Incl w/NSN 2059	Incl w/NSN 2059	N/A

FLUID WARMING SYSTEM
ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM

NSN	Notes	Nomenclature	MFR PN Belmont Instrument Corp.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015178115	In the UA, Required item but not incl w/NSN	Fluid Management System	903-00006		2	12/BX	$1,894.54	$3,789.08	24

FLUID WARMING SYSTEM
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Belmont Instrument Corp.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	Carrying Case	603-00039		1	EA	$600.00	$600.00	N/A
6515015178115	Required item but not included w/NSN	Fluid Management System	903-00006		1	12/PG	$1,894.54	$1,894.54	24
NSN Not Required		2-Hook Assembly, Knob	403-00259		1	EA	$45.36	$45.36	N/A
NSN Not Required		2-Hook Assembly, Portable Telescopic IV Pole	403-00285		1	EA	$86.25	$86.25	N/A
NSN Not Required		IV Pole Portable Telescopic, Assembly	403-00284		1	EA	$270.00	$270.00	N/A
NSN Not Required		Literature, Maintenance	702-00046		1	EA	$45.89	$45.89	N/A
NSN Not Required		Literature, Operator	702-00001		1	EA	$39.60	$39.60	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Belmont Instrument Corp.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
NSN Not Required		Literature, Operator Manual, CD-ROM	702-00040		1	EA	$5.00	$5.00	N/A
NSN Not Required		Power Cord, 120V	118-0096		1	EA	$52.00	$52.00	N/A
NSN Not Required		Reservoir Support Assembly	403-00247		1	EA	$31.90	$31.90	N/A

FLUID WARMING SYSTEM
WEB LINKS

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

GENERATOR OXYGEN MEDICAL SYSTEM POGS

TOC

MANUFACTURER: ON SITE GAS SYSTEMS, INC.
Manufacturer Model# 33C
Manufacturer's PHONE: (860) 667-8888 FAX: (860) 667-2222
Manufacturer's Website: <http://www.onsitegas.com>

Item Web Link:
<http://www.onsitegas.com/portable-oxygen-generators>

AAC 'L' ITEM NSN 6530-01-533-4481

UAs: P301 , P307 , P308 , P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $35,750.00

System Description: The Portable Oxygen Generation System (POGS) 33 is designed to provide sufficient medical grade oxygen and medical grade compressed air to provide oxygen to patients, operate anesthesia devices in the operating room, and patient ventilators in pre- and post-op and to fill high pressure oxygen cylinders for patient transport and system backup.

POGS units are fully self contained, compact turnkey systems that are four-person portable. Each system is capable of producing up to 33 LPM of USP 93% oxygen and 30 LPM of Medical grade air both at 50 psi as well as being able to fill cylinders up to 2200 psi. Each system can be operated independently or in multiple combinations to provide unlimited oxygen flow 24 hours a day/ 7 days a week. When not in use, the system can be stacked and stored for future use.

Features:
- FDA approved Class II medical device
- CE certified Class IIa medical device
- Generates 33LPM of USP 93% oxygen
- Generates 30LPM of medical air to operate anesthesia equipment and ventilators
- Used for direct O2-to-patient, cylinder filling station, or both
- Fills D and E cylinders to 2200 PSIG
- Man portable, compact, reliable, completely self-contained
- Includes O2 analyzer and CO/dew point monitor
- Backup system for supreme reliability

PORTABLE O² GENERATION SYSTEM
PART # 33
NSN 6530015334481

PORTABLE OXYGEN GENERATOR
PART # 33
NSN 6530015656582

PORTABLE OXYGEN GENERATOR - INSIDE VIEW
NSN 6530015656582

FEED AIR COMPRESSOR
NSN 6530015656581

ACCESSORY KIT STORAGE SHELF
PART # POGS33C-ACC-Kit
NSN 6530015656576

OXYGEN BOOSTER & ACCESSORIES
NSN 6530015050207



MICROBOOST OXYGEN BOOSTER - TOP VIEW
NSN 6530015050207

MICROBOOST OXYGEN BOOSTER - SIDE VIEW
NSN 6530015050207

CASTER WHEEL, 5 INCH REMOVABLE
PART # 1-020-01549

CANNULAS
PART # 1600-2D

USB 2.0 FLASH DRIVE
PART # BB10432718

REMOTE SUPPLY AIR HOSE, 15'
PART # RSAH-15

DRAIN BOTTLE

FEED AIR HOSE FOR POGS33
PART # FAH-015

OXYGEN 15 LPM, DISS HEX NUT FLOWMETER
PART # FM103

OXYGEN Y-FITTING
PART # M16-75



O^2 PLASTIC SWIVEL CONNECTOR
PART # M24-45P
NSN 6530015859769

MALE TO MALE ADAPTORS

WRENCH & CHAIN ASSEMBLY
PART # MCW-3PC

OXYGEN Y-FITTING
PART # MY-2S

8' OXYGEN HOSE
PART # P33-040-003

15' OXYGEN HOSE
PART # P33-040-005

20' OXYGEN HOSE
PART # P33-040-007

8' OXYGEN HOSE - GREEN
PART # P33.040-003

GENERATOR OXYGEN MEDICAL SYSTEM POGS
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**51**
	Width (Inches)	**28**
	Length (Inches)	**24**
	Cube (Cubic Feet)	**19.8333**
	Weight	
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	**43.74**
	Weight	**644 lbs**
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		**9.1**
Watts		**1892**
Power Requirements	**120/208 VAC, 3 Phase**	
Notes	**Feed Air Compressor Height: 29 inches** **Feed Air Compressor Width: 27 inches** **Feed Air Compressor Depth: 27 inches** **Feed Air Compressor Cube: 12.23 cubic feet** **Oxygen Booster Height: 29 inches** **Oxygen Booster Width: 27 inches** **Oxygen Booster Depth: 27 inches** **Oxygen Booster Cube: 12.23 cubic feet** **Watts w/cylinder oxygen booster: 1892 watts 9.1 amps** **Watts w/o cylinder filling booster: 1520 watts 7.3 amps** **Maintainer Test Kit:** **NSN 6530-01-540-9331, Calibration Kit Oxygen** **Located in the following UA's:** **N523, N725**	

GENERATOR OXYGEN MEDICAL SYSTEM POGS
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN On Site Gas Systems, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015334481		Generator Oxygen Medical System POGS	33C		1	EA	$35,750.00	$35,750.00	N/A
6530015050207		Microboost	POGS-Microboost		1	EA	Incl w/NSN 4481	Incl w/NSN 4481	N/A
6530015656576	See Table Below for Accessory Kit Contents	Accessory Kit	POGS33C-ACC-Kit		1	EA	Incl w/NSN 4481	Incl w/NSN 4481	N/A
6530015656581		Feed Air Compressor	POGS33C-COMP		1	EA	Incl w/NSN 4481	Incl w/NSN 4481	N/A
6530015656582		Generator, Oxygen	POGS33C-Generator		1	EA	Incl w/NSN 4481	Incl w/NSN 4481	N/A
NSN Not Required	CD version included	Literature Operation/ Maintenance/Service	MANUAL		1	EA	Incl w/NSN 4481	Incl w/NSN 4481	N/A
NSN Not Required		Literature, CD Manual			1	EA	Incl w/NSN 4481	Incl w/NSN 4481	

GENERATOR OXYGEN MEDICAL SYSTEM POGS
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN On Site Gas Systems, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015050207		Microboost	POGS-Microboost		1	EA	$7,500.00	$7,500.00	N/A
6530015656576	See Table Below for Accessory Kit Contents	Accessory Kit	POGS33C-ACC-Kit		1	EA	$3,200.00	$3,200.00	N/A
6530015656581		Feed Air Compressor	POGS33C-COMP		1	EA	$13,500.00	$13,500.00	N/A
6530015656582		Generator, Oxygen	POGS33C-Generator		1	EA	$17,000.00	$17,000.00	N/A
NSN Not Required	CD version included	Literature Operation/ Maintenance/Service	MANUAL		1	EA	$100.00	$100.00	N/A

GENERATOR OXYGEN MEDICAL SYSTEM POGS
WEB LINKS

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

GENERATOR OXYGEN MEDICAL SYSTEM POGS
ITEM TABLES

Accessory Kit Contents (Stored in Lid)

NSN	Nomenclature	Part Number	QTY	UI	Cost	Total
Awaiting NSN	Booster Bottle Wrench	MCW-3PC	4	EA	$2.88	$11.52
6515-01-586-2332	Cannula Nasal Oxygen 20 ft	1600-20	1	6/PG	46.59	46.59
Not Required	CD Manual		1	EA	$0.00	$ -
Not Required	Condensate Drain Bottle		2	EA	$5.08	$10.16
6530-01-586-3529	Gasket Yoke POGS Size D/E	2544-2	1	50/BX	$46.50	$46.50
Awaiting NSN	Feed Air Hose, 15 ft	FAH-015	1	EA	$113.92	$113.92
Awaiting NSN	Flowmeter Oxygen 15 LPM, DISS Hex Nut Flowmeter	FM103	6	EA	$61.75	$370.50
Awaiting NSN	Hose Adaptor M/M Green	P33-024-02	6	EA	$7.34	$44.04
Awaiting NSN	Hose Adaptor M/M Yellow	P33-024-M	6	EA	$34.12	$204.72
6530-01-586-6584	Humidifier Bottle	PX1003	6	EA	$5.08	$30.48
7610-01-543-7003	Manual	PR2837	2	EA	$100.00	$200.00
Awaiting NSN	Medical Air "Y"	M16-75	3	EA	$58.78	$176.34
Awaiting NSN	Medical Air Hose Yellow (F/F), 15 ft	P33-041-005	1	EA	$39.72	$39.72
Awaiting NSN	Medical Air Hose Yellow (F/F), 20 ft	P33-041-007	1	EA	$41.07	$41.07
Awaiting NSN	Medical Air Hose Yellow (F/F), 8 ft	P33-041-003	1	EA	$35.14	$35.14
Awaiting NSN	Medical Air Hose Yellow (M/F), 15 ft	P33-042-005	1	EA	$40.97	$40.97
Awaiting NSN	Medical Air Hose Yellow (M/F), 20 ft	P33-042-007	1	EA	$44.24	$44.24
Awaiting NSN	Medical Air Hose Yellow (M/F), 8 ft	P33-042-003	1	EA	$36.40	$36.40
Awaiting NSN	Oxygen "Y"	MY-2S	2	EA	$41.87	$83.74
Awaiting NSN	Oxygen Hose Green (F/F), 15 ft	P33-040-005	2	EA	$25.18	$50.36
Awaiting NSN	Oxygen Hose Green (F/F), 20 ft	P33-040-007	2	EA	$28.47	$56.94
Awaiting NSN	Oxygen Hose Green (F/F), 8 ft	P33-040-003	2	EA	$20.47	$40.94
Awaiting NSN	Remote Supply Air Hose, 15 ft	RSAH-15	1	EA	$215.00	$215.00
6530-01-585-9769	Connector Swivel POGS (Xmas Tree)	M24-45P	6	EA	$0.65	$3.90
Awaiting NSN	Wheels to Generator Cover	1-020-01549	4	EA	$62.70	$250.80

LARYNGOSCOPE SET

TOC

MANUFACTURER: WELCH ALLYN
Manufacturer Model# MIL5072
Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361
Manufacturer's Website: <http://www.welchallyn.com>

AAC 'L' ITEM NSN 6515-01-534-2369

UAs: 257B , 261B , 506A , 625A , 9120 , P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $425.00

System Description: Laryngoscope Set Fiber Optic Battery Operated with Case

Features:
- Reduced handle and blade weight for improved balance and maneuverability facilitates even the most difficult intubations
- Repairable, allowing replacement of deteriorating light pathways for a fraction of the cost of a replacement blade
- Improved design with reduced proximal blade height assists in intubating patients with limited oral access
- Single-piece stainless steel blades ensure blade integrity (no soldered joints)

LARYNGOSCOPE SET FIBER OPTIC WITH 3 BLADES
PART # MIL5072
NSN 6515015342369

CASE LARYNGOSCOPE SET FIBER OPTIC
PART # 05701-U
NSN 6515015343305

BLADE LARYNGOSCOPE #3 MACINTOSH REUSABLE
PART # 69213
NSN 6515014673430



HANDLE LARYNGOSCOPE SIZE C
PART # 60813
NSN 6515014451082

BLADE LARYNGOSCOPE #3 MACINTOSH 126MM CURVED REUSABLE
PART # 69063
NSN 6515014451085

BLADE LARYNGOSCOPE #3 MILLER 198MM STRAIGHT
PART # 68063
NSN 6515015194239

LARYNGOSCOPE SET
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**4.75**
	Width (Inches)	**14**
	Length (Inches)	**19.5**
	Cube (Cubic Feet)	**0.7504**
	Weight	**9.545 lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**Battery Operated 1.5 Volt C Cell Batteries - 2**	
Notes		

LARYNGOSCOPE SET
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015342369		Laryngoscope Set	MIL5072		1	EA	$425.00	$425.00	N/A
6135009857846	See Additional Note Below	Battery Non-Rechargeable Alkaline 1.5 Volt C Cell	ANSI C18.1M		2	EA	Incl w/NSN 2369	Incl w/NSN 2369	36
6240015269631		Lamp, Cartridge	608125-501		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515014451082		Handle 'C' Size	60813		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515014451085		Blade Laryngoscope Macintosh Size 3 Fiber Optic Curved 126mm	69063		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515014673430		Blade Laryngoscope English Macintosh Size 3 Fiber Optic	69213		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515015194239		Blade Laryngoscope Miller Size 3 Fiber Optic Straight 198mm	68063		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515015194257	spare bulb	Bulb Laryngoscope	06000-U		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A
6515015343305		Case, Laryngoscope	05701-U		1	EA	Incl w/NSN 2369	Incl w/NSN 2369	N/A

LARYNGOSCOPE SET
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857846	See Additional Note Below	Battery Non-Rechargeable Alkaline 1.5 Volt C Cell	ANSI C18.1M		1	12/PG	$6.32	$6.32	36
6240015269631		Lamp, Cartridge	608125-501		1	EA	$50.00	$50.00	N/A
6515014451082		Handle 'C' Size	60813		1	EA	$79.34	$79.34	N/A
6515014451085		Blade Laryngoscope Macintosh Size 3 Fiber Optic Curved 126mm	69063		1	EA	$110.00	$110.00	N/A
6515014673430		Blade Laryngoscope English Macintosh Size 3 Fiber Optic	69213		1	EA	$85.43	$85.43	N/A
6515015194239		Blade Laryngoscope Miller Size 3 Fiber Optic Straight 198mm	68063		1	EA	$85.43	$85.43	N/A
6515015194257		Bulb Laryngoscope	06000-U		1	6/PG	$30.37	$30.37	N/A
6515015343305		Case, Laryngoscope	05701-U		1	EA	$48.00	$48.00	N/A

LARYNGOSCOPE SET
ADDITIONAL NOTE:

Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

LIGHT FLOOR GENERAL EXAM GREEN SERIES

TOC

MANUFACTURER: WELCH ALLYN
Manufacturer Model# GS 300
Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361
Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:
<http://www.welchallyn.com/products/en-us/x-19-br-96-1255625713648.htm>

AAC 'L' ITEM NSN 6530-01-589-4229

UAs: 301A, 324A, 623A, 625A, N305, N312, N315, N316, N413, N432, N436, N503, N513, N703, N713, P301, P307, P308, P309, P310, P311, P314, P433

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $304.15

System Description: This general exam light is a perfect combination of intense light output and cool operation, all delivered in a compact design and with rugged performance.

Features:
- Touchless On/Off
- Multiple mounting options for floor space maximization
- Low cost of ownership due to elimination of bulb replacement and lower energy consumption
- Easy Assembly

LIGHT FLOOR GENERAL EXAM GREEN SERIES
PART # 44400
NSN 6530015894229

LIGHT FLOOR GENERAL EXAM GREEN SERIES
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**57.59**
	Width (Inches)	**20.87**
	Length (Inches)	**20.87**
	Cube (Cubic Feet)	**14.516**
	Weight	**18.40 lbs**
Ship Dimensions	**Height (Inches)**	**0**
	Width (Inches)	**0**
	Length (Inches)	**0**
	Cube (Cubic Feet)	**0**
	Weight	
Storage Temp		**-4 to 120 °F**
Operating Temp		**50 to 95 °F**
Storage Humidity		
Operating Humidity		
Amps		**0.35 (max)**
Watts		**40.25**
Power Requirements	**100/240 VAC, 50/60 Hz**	
Notes		

LIGHT FLOOR GENERAL EXAM GREEN SERIES
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015894229		Light Floor General Exam Green Series	44400		1	EA	$304.15	$304.15	N/A
NSN Not Required		GS300 W/Control Box	406790		1	EA	Incl w/NSN 4229	Incl w/NSN 4229	N/A
NSN Not Required		Literature, Operator	713317		1	EA	Incl w/NSN 4229	Incl w/NSN 4229	N/A
NSN Not Required		Power Cord 8 Foot Long	714030		1	EA	Incl w/NSN 4229	Incl w/NSN 4229	N/A
NSN Not Required		Stand Mobile GS Series	405515		1	EA	Incl w/NSN 4229	Incl w/NSN 4229	N/A

LIGHT FLOOR GENERAL EXAM GREEN SERIES
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
NSN Not Required		Power Cord 8 Foot Long	714030		1	EA	$15.00	$15.00	N/A

LIGHT HEAD GENERAL

TOC

MANUFACTURER: WELCH ALLYN
Manufacturer Model# 49020M
Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361
Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:
<http://www.WelchAllyn.com/products/en-us/x-11-ac-100-0000000001087.htm>

AAC 'L' ITEM NSN 6230-01-520-3474

UAs: 174A, 267C, 512A, 625A, M437, N320, N437, N477, P301, P307, P308, P309, P314

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $821.50

System Description: The Solid State Procedure Headlight provides ideal illumination for procedures such as minor surgery, general examinations, foreign body removal, OB/GYN applications and procedures, dermatology examinations or any procedure that requires a small, homogenous, and well-defined spot.

Features:
- Weighing less than four ounces, it's one of the most comfortable lightweight headlights available
- With a color temperature of 5500 Kelvin, this light supplies bright, white, shadow-free light allowing the end user to see tissue characteristics without distortion
- Operating life expectancy of 10,000 hours
- Enjoy the flexibility of operating the headlight using the direct power source or the rechargeable "belt-clip" portable power source
- Long operating life (10,000 hours of continuous burn)
- More energy efficient than incandescent and halogen lamps
- Cool beam is safe to touch
- Instant light (less than 100 ns)
- Virtually maintenance-free operation
- No UV rays

NOTE: User manual available at item Web link.

HEADBAND LIGHT WITH DIRECT PLUG-IN POWER SUPPLY
PART # 49020M
NSN 6230015203474

Part # 49020M includes everything shown above plus carrying case (p/n 49099), portable power source (p/n 75201), and charger (p/n 400712).

LIGHT HEADBAND GENERAL PURPOSE
PART # 49000B
NSN 6230015203474

DIRECT POWER SUPPLY
PART # 401570
NSN 6230015221337

CHARGER FOR PORTABLE POWER SOURCE
PART # 400712
NSN 6230015221304



PORTABLE POWER SOURCE
PART # 75201
NSN 6230015221307

CASE, CARRYING
PART # 49099
NSN 6530015225307

LIGHT HEAD GENERAL
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**0**
	Width (Inches)	**0**
	Length (Inches)	**0**
	Cube (Cubic Feet)	**0**
	Weight	**6 oz**
Ship Dimensions	**Height (Inches)**	**11**
	Width (Inches)	**14.5**
	Length (Inches)	**6.5**
	Cube (Cubic Feet)	**0.6**
	Weight	**3.7 lbs**
Storage Temp		**-4 to 120 °F**
Operating Temp		**32 to 104 °F**
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**Input: 120 VAC, 50/60 Hz, Output: 5 VDC**	
Notes	**Spot Size Range:** 1.5 to 6 inches at a working distance of 16 inches **Light Source:** 5 watt solid state lamp **Color Temperature:** 9,440 °F **Lamp Life Expectancy:** 10,000 hrs w/minimal degradation of light output **Battery Run Time:** One hour continuously on a fully charged battery **Battery Life:** Approx. 2.5 years	

LIGHT HEAD GENERAL
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6230015203474		Light Head General	49020M		1	EA	$821.50	$821.50	N/A
	For Resupply use Distributor P/N 49000B.	Headlight, Procedure	49000	49000B	1	EA	Incl w/NSN 3474	Incl w/NSN 3474	N/A
6230015221304	For Resupply Use Distributor P/N 74180	Charger Only, for Portable Power Source	400712	74180	1	EA	Incl w/NSN 3474	Incl w/NSN 3474	N/A
6230015221307	For Resupply use Distributor P/N 75200	Power Source, Portable	75201	75200	1	EA	Incl w/NSN 3474	Incl w/NSN 3474	N/A
6230015221337	For Resupply use Distributor P/N 75270	Power Supply, Direct	401570	75270	1	EA	Incl w/NSN 3474	Incl w/NSN 3474	N/A
6530015225307		Case, Carrying	49099	49099	1	EA	Incl w/NSN 3474	Incl w/NSN 3474	N/A
NSN Not Required		Literature Operation	460134	460134	1	EA	Incl w/NSN 3474	Incl w/NSN 3474	N/A
NSN Not Required		Literature, Operation Power Source	703696	703696	1	EA	Incl w/NSN 3474	Incl w/NSN 3474	N/A

LIGHT HEAD GENERAL
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	For Resupply use Distributor P/N 49000B.	Headlight, Procedure	49000	49000B	1	EA	$443.40	$443.40	N/A
6230015221304	For Resupply Use Distributor P/N 74180	Charger Only, for Portable Power Source	400712	74180	1	EA	$51.43	$51.43	N/A
6230015221307	For Resupply use Distributor P/N 75200	Power Source, Portable	75201	75200	1	EA	$177.80	$177.80	N/A
6230015221337	For Resupply use Distributor P/N 75270	Power Supply, Direct	401570	75270	1	EA	$59.29	$59.29	N/A
6530015225307		Case, Carrying	49099	49099	1	EA	$244.09	$244.09	N/A

LIGHT HEAD GENERAL
WEB LINKS

Click Below for Manual Available Online

<http://www.welchallyn.com/documents/Lighting/Minor%20Procedure%20Headlights/Solid%20State%20Procedure%20Headlights/usermanual_20080121_490solidsthdlight.pdf>

LIGHT SURGICAL FIELD UNIT

TOC

MANUFACTURER: FEDMEDICAL INC.
Manufacturer Model# FMI-301FB
Manufacturer's PHONE: (843) 554-7004 FAX: (843) 832-4343
Manufacturer's Website: <http://www.fedmedical.com>

Item Web Link:
<http://www.fedmedical.com/Surgical-Lights.html>

AAC 'J' ITEM NSN 6530-01-518-9854

UAs: 905C , 912B , P308 , P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $9,060.62

System Description: Color-correct, shadow-free, illumination, full-sized surgical light, floor mounted, swivel light, 12V halogen bulb, 50 watt, lamp housing diameter, 11.4 inch, 6 hour back-up battery and case, for field or theater of operation use, ultra-light suspension. The base of this light is made of 14 gauge, powder coated steel and can hold 250 lbs. The lamp suspension allows fingertip control and secure, drift-free positioning.

Features:
- Internal “smart” circuit automatically adjusts for 110-220VAC or 24VDC
- 50,000 lux of color-correct brilliance at 1 meter
- More accurate tissue differentiation and diagnosis—with 4,500 K color temperature for truer colors
- 27” depth of field and 5.5” field diameter
- Optimized shadow reduction
- Sealed light head keeps contaminates out
- Quick, tool-free bulb exchange
- Extremely low heat emission
- Drift-free suspension

LIGHT SURGICAL FIELD UNIT
PART # FMI-301FB
NSN 6530015189854

SURGICAL LIGHT BASE

HARDENED CASE WITH LIGHT

LIGHT SURGICAL FIELD UNIT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**20**
	Width (Inches)	**28**
	Length (Inches)	**34**
	Cube (Cubic Feet)	**11.0185**
	Weight	**120 lbs**
Ship Dimensions	**Height (Inches)**	**20**
	Width (Inches)	**28**
	Length (Inches)	**35**
	Cube (Cubic Feet)	**11.3426**
	Weight	**128 lbs**
Storage Temp		**32 to 150 °F**
Operating Temp		**35 to 130 °F**
Storage Humidity		**90%**
Operating Humidity		**90%**
Amps		**55**
Watts		**230**
Power Requirements	**115-230 VAC, 50/60 Hz; 24 VDC**	
Notes	**Maximum height from lens to floor 78 inches** **Minimum from Lens to floor 34 inches** **Case weighs 40 lbs** **Continous 360 degree rotation main horizontal arm**	

LIGHT SURGICAL FIELD UNIT
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN FedMedical Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015189854		Light Surgical Field Unit	FMI-301FB		1	EA	$9,060.62	$9,060.62	N/A
6130015263300		12 VOLT Battery, 55 amp hour	41-1002		1	EA	Incl w/NSN 9854	Incl w/NSN 9854	N/A
6530015275487		Cord Surgical Light Field, 15 ft., Use w/NSN 6530015189854	41-2020		1	EA	Incl w/NSN 9854	Incl w/NSN 9854	N/A
6530015275490		Hardened Case w/Foam	41-2100		1	EA	Incl w/NSN 9854	Incl w/NSN 9854	N/A
6530015275497		Bulb, 12 volt, 50 watt, Halogen	41-2010		1	EA	Incl w/NSN 9854	Incl w/NSN 9854	N/A
NSN Not Required		Literature, Operator			2	EA	Incl w/NSN 9854	Incl w/NSN 9854	N/A

LIGHT SURGICAL FIELD UNIT
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN FedMedical Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6130015263300		12 VOLT Battery, 55 amp hour	41-1002		1	EA	$100.00	$100.00	N/A
6530015275487		Cord Surgical Light Field, 15 ft., Use w/NSN 6530015189854	41-2020		1	EA	$60.75	$60.75	N/A
6530015275490		Hardened Case w/Foam	41-2100		1	EA	$844.65	$844.65	N/A
6530015275497		Bulb, 12 volt, 50 watt, Halogen	41-2010		1	EA	$87.35	$87.35	N/A
6530015275501		Disposable Light Handle Cover	41-2002		1	25/BX	$85.45	$85.45	N/A
6530015275566		Reusable Sterilizable Light Handle Cover	41-2001		1	EA	$89.25	$89.25	N/A

LIGHT SURGICAL FIELD UNIT
WEB LINKS

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

MONITOR PATIENT VITAL SIGNS

TOC

MANUFACTURER: WELCH ALLYN
Manufacturer Model# PROPAQ 206EL MONITOR W/SPO^2 AND CAPNOGRAPHY
Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361
Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:
<http://www.welchallyn.com/products/en-us/x-11-ac-100-0000000001101.htm>

AAC 'L' ITEM NSN 6515-01-432-2711

UAs: 267C , 512A , 905C , 912B , P301 , P307 , P308 , P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $13,954.18

System Description: Rugged, lightweight, portable vital signs monitor for field use.

Features: Advantages:
Motion tolerant monitoring
Small, lightweight
Easy to use
Modular
Ruggedized
Automatic sensor detection

Tests Performed:
Heart/Pulse rate
3-5 Lead ECG
Non-Invasive BP
2 Channel Invasive BP
Temperature
Pulse Oximetry
Respiration

NOTE: A. CD-ROM for operator familiarization is available.

B. New monitors coming from Welch Allyn include a 3-lead ECG cable (P/N 008-0315-00) and a 3-lead Electrode set (P/N 6200-9). These are not required components for this configuration and need not be purchased to reissue the Monitor, Patient Vital Signs.

C. Support Plans Link: http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm

PROPAQ 206EL VITAL SIGNS MONITOR - FRONT VIEW
PART # Propaq 206EL Monitor w/SPO² and Capnography
NSN 6515014322711



PROPAQ 206EL VITAL SIGNS MONITOR - LEFT SIDE VIEW
PART # Propaq 206EL Monitor w/SPO² and Capnography
NSN 6515014322711



PROPAQ 206EL VITAL SIGNS MONITOR - RIGHT SIDE VIEW
PART # Propaq 206EL Monitor w/SPO² and Capnography
NSN 6515014322711

ECG CABLE, 5 LEAD
PART # 008-0313-00
NSN 6515015190962



NIBP CUFF, ADULT
PART # 008-0628-00
NSN 6515015189556



CABLE, PULSE OXIMETRY, 8 FT. EXTENSION
PART # 008-0742-00
NSN 6515015010661

HOSE, NIBP ADULT-PEDIATRIC 10 FT.
PART # 008-0238-00
NSN 6515014365080

AC POWER ADAPTER
PART # 503-0054-02
NSN 6515015191102



DURASENSOR REUSABLE FINGER, SPO2
PART # 900-0021-00
NSN 6515015190163



NIBP CUFF KIT, ADULT
PART # 008-0324-00
NSN 6515015191100



NIBP CUFF KIT, PEDIATRIC
PART # 008-0324-00



NIBP CUFF KIT, THIGH
PART # 008-0324-00

TEMPERATURE PROBE
PART # 008-0230-00
NSN 6515015193763

SIDE STREAM CANNULA CO2 W-WATER TRAP
PART # 008-1040-00
NSN 6515015224095



CO2 SENSOR AIRWAY ADAPTER WITH 10' CABLE
PART # 008-0502-00
NSN 6515014755511

MILITARY REUSABLE CONTAINER, SHOWN W ACCESSORIES
PART # 008-0586-00

MONITOR PATIENT VITAL SIGNS
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**9.6**
	Width (Inches)	**8.2**
	Length (Inches)	**7.6**
	Cube (Cubic Feet)	**0.3462**
	Weight	**13.5 lbs**
Ship Dimensions	**Height (Inches)**	**16**
	Width (Inches)	**19**
	Length (Inches)	**25**
	Cube (Cubic Feet)	**4.3981**
	Weight	**45 lbs**
Storage Temp		**-4 to 140 °F (-20 to 60 °C)**
Operating Temp		**32 to 104 °F (0 to 40 °C)**
Storage Humidity		**15 to 95% Non-Condensing**
Operating Humidity		**15 to 95% Non-Condensing**
Amps		**0.54**
Watts		**60**
Power Requirements	**110/208 VAC ± 10%, 50/60 HZ, .06 KW, 12-23 VDC**	
Notes	**Case weight 26 lbs**	

MONITOR PATIENT VITAL SIGNS
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014322711		Monitor Patient Vital Signs	Propaq 206EL Monitor w/SPO² and Capnography		1	EA	$13,954.18	$13,954.18	N/A
	Awaiting NSN	NIBP Cuff, Child, Reusable	REUSE-09-1MQ		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
	Ships w/end item; see Note 2.	ECG Cable, 3-Lead	008-0315-00		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6135013960704	One battery comes installed in unit	Battery Assembly E.I. Vital Signs Monitor 6515014322711	008-0125-00		2	EA	Incl w/NSN 2711	Incl w/NSN 2711	36
6515014128673	See Additional Note 3 Below	Paper, ECG Printer, Standard Thermal	008-0040-98		3	RO	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515014365080		Hose NIBP Adult/Pediatric 10 ft.	008-0238-00		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515014468319		CO² Airway Adapters, Single Patient Use, 10/Box	008-0132-00		1	10/BX	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515014631759		NIBP Cuff, Adult Standard Reusable Flexiport	REUSE-11-1 MQ		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515014755511		CO² Sensor and Airway Adapter Set	008-0502-00		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515014989984		Temperature Extension Cable, 10 ft, for Reusable Temp Probes	008-0235-00		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515015010661		Cable, Pulse Oximetry Sensor, 8 foot extension	008-0742-00		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515015039828		Power Cord, Hospital Grade 100-120 VAC	008-0333-00		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515015113254	See Additional Note 3 Below	Sure Ventline Set Adult/Pediatric .	008-1042-00		2	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515015189559		Military Container	008-0586-00		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515015190163		Pulse Oximetry Finger Probe Reusable Durasensor DS100A	900-0021-00		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515015190962		ECG Cable, 5 Lead, 10 ft, w/5 Attached Lead Wires, Snap	008-0313-00		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515015191100		Cuff Kit, NIBP, 1 ea Lg Adult, Sm Adult, Thigh cuff, reusable w/twist lock" connector	008-0324-00		1	KT	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515015191102		AC Adapter for Recharging Battery, 120 VAC 60 HZ	503-0054-02		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515015193763		Temp Probe Reusable Adult General Purpose	008-0230-00		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515015195855		Electrode ECG 30/PG	6200-11		1	30/PG	Incl w/NSN 2711	Incl w/NSN 2711	N/A
6515015933062		Monitor Propaq 206EL	9002-028470		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A

ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
NSN Not Required		Kit, Voltage Conversion, Fuses for 220VAC	900-0466-00		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
NSN Not Required		Literature, Maintenance CD Format	810-1084-03		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
NSN Not Required		Literature, Maintenance	810-1316-04		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
NSN Not Required		Literature, Operator	810-2106-02		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A
NSN Not Required		Literature, Operator CD Format	810-1719-04		1	EA	Incl w/NSN 2711	Incl w/NSN 2711	N/A

MONITOR PATIENT VITAL SIGNS

ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015224084		CO^2 Airway Adapters Single Pt use for Mainstream Only	008-0367-00		1	24/PG	$288.00	$288.00	N/A

MONITOR PATIENT VITAL SIGNS

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	NIBP Cuff, Child, Reusable	REUSE-09-1MQ		1	EA	$10.05	$10.05	N/A
	Awaiting NSN	NIBP Tube			1	EA	$0.00	$0.00	N/A
	Awaiting NSN	NIBP Tube Cuff Attachment			1	EA	$0.00	$0.00	N/A
6135013960704	One battery comes installed in unit	Battery Assembly E.I. Vital Signs Monitor 6515014322711	008-0125-00		1	EA	$111.88	$111.88	36
6515013960711		Paper EKG 150 yd L X 60MM w/100 Rolls	008-0040-99		1	100/PG	$271.35	$271.35	N/A
6515014128673	See Additional Note 3 Below	Paper, ECG Printer, Standard Thermal	008-0040-98		1	10/BX	$29.54	$29.54	N/A
6515014341421		Monitoring Set Arterial Pressure Sterile /20s	42589-05		1	20/PG	$871.81	$871.81	N/A
6515014346106		Cable Monitoring Set Arterial Pressure Reusable 15 ft	42661-04		1	EA	$118.58	$118.58	N/A
6515014365080		Hose NIBP Adult/Pediatric 10 ft.	008-0238-00		1	EA	$21.70	$21.70	N/A
6515014466260		CO^2 Sensor Airway Adapter w/10 ft. cable for Mainstream	008-0130-01		1	EA	$2,016.63	$2,016.63	N/A
6515014468319		CO^2 Airway Adapters, Single Patient Use, 10/Box	008-0132-00		1	10/BX	$126.20	$126.20	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014470079		Adapter Airway CO^2, Single PT USE Low Dead Space	008-0263-00		1	10/PG	$163.25	$163.25	N/A
6515014631759		NIBP Cuff, Adult Standard Reusable Flexiport	REUSE-11-1 MQ		1	EA	$11.04	$11.04	N/A
6515014755511		CO^2 Sensor and Airway Adapter Set	008-0502-00		1	EA	$1,946.63	$1,946.63	N/A
6515014989984		Temperature Extension Cable, 10 ft, for Reusable Temp Probes	008-0235-00		1	EA	$51.02	$51.02	N/A
6515015010661		Cable, Pulse Oximetry Sensor, 8 foot extension	008-0742-00		1	EA	$63.55	$63.55	N/A
6515015039828		Power Cord, Hospital Grade 100-120 VAC	008-0333-00		1	EA	$23.00	$23.00	N/A
6515015113254		CO^2 Monitoring Catheter In-Line	008-1042-00		1	25/PG	$352.00	$352.00	N/A
6515015113254	See Additional Note 3 Below	Sure Ventline Set Adult/Pediatric .	008-1042-00		1	25/PG	$440.72	$440.72	N/A
6515015189556		NIBP Cuff, Adult Standard Reusable w/"Twist Lock" Connector	008-0628-00		1	EA	$35.00	$35.00	N/A
6515015189559		Military Container	008-0586-00		1	EA	$573.20	$573.20	N/A
6515015190163		Pulse Oximetry Finger Probe Reusable Durasensor DS100A	900-0021-00		1	EA	$299.83	$299.83	N/A
6515015190962		ECG Cable, 5 Lead, 10 ft, w/5 Attached Lead Wires, Snap	008-0313-00		1	EA	$107.71	$107.71	N/A
6515015191100		Cuff Kit, NIBP, 1 ea Lg Adult, Sm Adult, Thigh cuff, reusable w/twist lock" connector	008-0324-00		1	KT	$111.88	$111.88	N/A
6515015191102		AC Adapter for Recharging Battery, 120 VAC 60 HZ	503-0054-02		1	EA	$125.30	$125.30	N/A
6515015193763		Temp Probe Reusable Adult General Purpose	008-0230-00		1	EA	$64.89	$64.89	N/A
6515015195855		Electrode ECG 30/PG	6200-11		1	30/PG	$34.01	$34.01	N/A
6515015224081		CO^2 Airway Adapters, Multi-Use Adult/Peds	008-0261-00		1	EA	$691.95	$691.95	N/A
6515015224084		CO^2 Airway Adapters Single Pt use for Mainstream Only	008-0367-00		1	24/PG	$288.00	$288.00	N/A
6515015224101		Pediatric Nasal Cannula w/Sampling Line & Water trap	008-0770-00		1	25/PG	$328.00	$328.00	N/A
6515015293860		Cuff Sphygmomanometer Disp Neonatal 5 Sizes	008-0631-00		1	SE	$36.70	$36.70	N/A
6515015294286		Hose Assembly Blood	01050066		1	EA	$58.41	$58.41	N/A
6515015747767		Cuff Sphygmomanometer Bladderless Disposable Size Neonate No.1 3.3-5.6cm	008-0620-00		1	10/PG	$36.70	$36.70	N/A
6515015752928		Cable Vital Signs Monitor Veterinary	07-845-3648		1	2/PG	$275.00	$275.00	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015933062		Monitor Propaq 206EL	9002-028470		1	EA	$11,228.67	$11,228.67	N/A
NSN Not Required		Kit, Voltage Conversion, Fuses for 220VAC	900-0466-00		1	EA	$0.00	$0.00	N/A
NSN Not Required		Literature, Maintenance CD Format	810-1084-03		1	EA	$17.90	$17.90	N/A
NSN Not Required		Literature, Maintenance	810-1316-04		1	EA	$46.32	$46.32	N/A
NSN Not Required		Literature, Operator	810-2106-02		1	EA	$52.00	$52.00	N/A
NSN Not Required		Literature, Operator CD Format	810-1719-04		1	EA	$20.70	$20.70	N/A

MONITOR PATIENT VITAL SIGNS
ADDITIONAL NOTE:

1. The Propaq 206EL monitors are shipped complete with adult, pediatric, and neonatal monitoring capability. The monitor includes 3 or 5 lead ECG (user specified), NIBP, 2 IBP, 2 TEMP, Respiration and Nellcor SpO^2. Includes a 3 year warranty.
2. New monitors coming from Welch Allyn include a 3-lead ECG cable (P/N 008-0315-00) and a 3-lead Electrode set (P/N 6200-9). These are not required components for this configuration and need not be purchased to reissue the Monitor, Patient Vital Signs.
3. Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

MONITOR PATIENT VITAL SIGNS
WEB LINKS

Click Below for Reference Guide Propaq Encore Software version 2.5x.

<http://www.welchallyn.com/documents/Patient%20Monitoring/Continuous%20Monitoring/Propaq%20Encore/2008_08_12_Propaq_Encore_Reference_Guide.pdf>

Click Below for Reference Guide Propaq Encore Software version 2.4x.

<http://www.welchallyn.com/documents/Patient%20Monitoring/Continuous%20Monitoring/Propaq%20Encore/usermanual_20070324_propaqencore_monitor.pdf>

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

OTOSCOPE & OPHTHALMOSCOPE SET

TOC

MANUFACTURER: WELCH ALLYN
Manufacturer Model# 92821
Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361
Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:
<http://www.welchallyn.com/apps/products/product.jsp?id=19-pe-114-1294170570249>

AAC 'H' ITEM NSN 6515-01-333-3165

UAs: 256C, 261B, 267C, 268B, 269B, 506A, 623A, 7054, N315, N316, N320, N413, N477, N513, N713, P301, P308, P309, P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $271.70

System Description: This item is a hand-held, battery powered, lighted instrument for examining the external canal and tympanic membrane of the ear and also for viewing the interior of the eye or examining the retina.

Features:
- 2.5V PocketScope Ophthalmoscope uses halogen bulbs for true tissue color and consistent, long lasting illumination. It has six aperture selections for general and specialist use, and 48 lenses for better resolution
- 2.5V Otoscope also has a built-in throat illuminator – two-in-one instrument features halogen illumination and fiberoptics for a cool light with no reflections or obstructions, plus a rectangular viewing lens for instrumentation under magnification
- 2.5V PocketScope handle has a smooth rheostat to control light intensity and features a handy pocket clip

OTOSCOPE & OPHTHALMOSCOPE SET
PART # 92821
NSN 6515013333165

OTOSCOPE & OPHTHALMOSCOPE SET
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**2**
	Width (Inches)	**6**
	Length (Inches)	**10**
	Cube (Cubic Feet)	**0.0694**
	Weight	**1.05 lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	**0.0992**
	Weight	**2.11 lbs**
Storage Temp		**-4 to 120 °F**
Operating Temp		**50 to 104 °F**
Storage Humidity		**95% max humidity**
Operating Humidity		
Amps		
Watts		
Power Requirements	**Two 1.5 VDC AA Batteries**	
Notes		

OTOSCOPE & OPHTHALMOSCOPE SET
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515013333165		Otoscope & Ophthalmoscope Set	92821		1	SE	$271.70	$271.70	N/A
6515015205725	See Additional Note Below	Head Otoscope Diagnostic Halogen Hpx 2.5V 9.8 Diopter 4In Focal Length	21111F	21111	1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205763	See Additional Note Below	Head Ophthalmoscope Pocket 2.5V Halogen Bulb Red Free Filter Micro/Sm	13010	13000	1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6515015205778	See Additional Note Below	Otoscope-Ophthalmoscope Handle 2.5V for 6515013333165	72843	72830	2	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
6545015190982		Case Soft Zipper F/Pocketscope	05928-U		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
NSN Not Required		Literature Operation	PM130023 -4		1	EA	Incl w/NSN 3165	Incl w/NSN 3165	N/A
NSN Not Required		Specula, Assorted	21103-U		1	SE	Incl w/NSN 3165	Incl w/NSN 3165	N/A

OTOSCOPE & OPHTHALMOSCOPE SET
ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Battery NonRechargeable Alkaline AA 1.5V 36 Months Shelf Life 24s	20-0571-1988 NEDA 15A		1	PG	$41.60	$41.60	36
6515015205740		Bulb Replacement Exam Instrument F/Halogen Otoscope 2.5V	03400-U		1	EA	$12.60	$12.60	N/A
6515015205754		Bulb Replacement Exam Instrument F/Ophthalmoscope	03900-U		1	EA	$13.21	$13.21	N/A
6515015250236		Speculum Otoscope Sz 4.25mm Disposable Use	31237-010A		1	850/PG	$22.65	$22.65	N/A
6515015250240		Speculum Otoscope Disposable Sz 2.75mm	31237-020A		1	850/PG	$22.65	$22.65	N/A

OTOSCOPE & OPHTHALMOSCOPE SET
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Battery NonRechargeable Alkaline AA 1.5V 36 Months Shelf Life 24s	20-0571-1988 NEDA 15A		1	24/PG	$41.60	$41.60	36
6515013294847		Speculum Otoscope Slit Type 4mm Disposable	52434		1	1000/PG	$19.25	$19.25	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015205725		Head Otoscope Diagnostic Halogen Hpx 2.5V 9.8 Diopter 4In Focal Length	21111		1	EA	$59.97	$59.97	N/A
6515015205740		Bulb Replacement Exam Instrument F/Halogen Otoscope 2.5V	03400-U		1	EA	$12.60	$12.60	N/A
6515015205754		Bulb Replacement Exam Instrument F/Ophthalmoscope	03900-U		1	EA	$13.21	$13.21	N/A
6515015205763		Head Ophthalmoscope Pocket 2.5V Halogen Bulb Red Free Filter Micro/Sm	13000		1	EA	$130.00	$130.00	N/A
6515015205778		Otoscope-Ophthalmoscope Handle 2.5V for 6515013333165	72830		1	EA	$53.24	$53.24	N/A
6515015250236		Speculum Otoscope Sz 4.25mm Disposable Use	31237-010A		1	850/PG	$22.65	$22.65	N/A
6515015250240		Speculum Otoscope Disposable Sz 2.75mm	31237-020A		1	850/PG	$22.65	$22.65	N/A
6545015190982		Case Soft Zipper F/Pocketscope	05928-U		1	EA	$12.00	$12.00	N/A

OTOSCOPE & OPHTHALMOSCOPE SET
ADDITIONAL NOTE:

The Welch-Allyn part number on the start-up list is deliberately different from Resupply part number, although they are the same item, per manufacturer.

OXIMETER PULSE PORTABLE FINGERTIP

TOC

DISTRIBUTOR: OWENS & MINOR
MANUFACTURER: NONIN MEDICAL INC.
Distributor Model# 473009550
Manufacturer Model# 9550
Distributor's PHONE: (804) 723-7000 FAX: (804) 723-7100
Manufacturer's PHONE: (540) 662-8000 FAX: (800) 590-0081
Distributor's Website: <http://www.owens-minor.com>
Manufacturer's Website: <http://www.nonin.com>

Item Web Link:
<http://www.nonin.com/PulseOximetry/Fingertip/Onyx9550>

AAC 'J' ITEM NSN 6515-01-557-1136

UAs: 009A, 246C, 256C, 257B, 261B, 267C, 269B, 506A, 623A, N413, N513, N713, P301, P307, P308, P309, P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $545.48

System Description: Now you can check your heart rate and blood-oxygen saturation levels simply and quickly with the Nonin Onyx 9550 Pulse Oximeter. Just place over your fingertip. It will automatically turn itself on and light up a display, providing you with instant, real-time info on your heart-rate and blood-oxygen saturation levels. When you take the Nonin 9550 Pulse Oximeter off of your finger, it automatically turns itself off after 7 seconds, saving the battery life.

Features: The portability and functionality of the Onyx II makes it a valuable tool in any situation where a fast and accurate reading of blood oxygen saturation and pulse rate is needed.

- Oxygen Saturation Range: 0-100 percent SpO2
- Pulse Rate Range: 18-321 bpm
- Small & Lightweight. Carry the Onyx II anywhere – on a lanyard, in a carrying case or in your pocket. It weighs less than 2 oz.
- Large Bright LED Display. SpO2 and Pulse Rate that can be read from any angle, day or night.
- Pulse Quality Indicator. Brilliant, easy-to-see LED provides a quick and accurate assessment of patient readings.
- Pediatric to Adult Finger Sizes. Accommodates a wide range of finger thicknesses, 0.3 inch - 1.0 inch (8 mm to 26 mm).
- Automatic On/Off
- Energy Efficient. A new turn-off mechanism allows two AAA batteries to provide approximately 2500 spot-checks or 21 hours of continuous operation.
- Durable & Reliable. Rugged enough to be used in the most demanding situations. The Onyx II has the US Army aeromedical certification for use in helicopters.
- 2 AAA Batteries and Instruction / Service Manual included

PULSE OXIMETER
PART # 473009550
NSN 6515015571136

PULSE OXIMETER - FINGER
PART # 473009550
NSN 6515015571136

OXIMETER PULSE PORTABLE FINGERTIP PEDIATRIC-ADULT INCL SOFT CASE
PART # 473009550
NSN 6515015571136

OXIMETER PULSE PORTABLE FINGERTIP
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**1.3**
	Width (Inches)	**1.27**
	Length (Inches)	**2.2**
	Cube (Cubic Feet)	**0.0021**
	Weight	**2 oz**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		**-22 to 122 °F**
Operating Temp		**32 to 104 °F**
Storage Humidity		**10 to 95% Non- condensing**
Operating Humidity		**10 to 90% Non- condensing**
Amps		
Watts		
Power Requirements	**Two 1.5 VDC AAA Batteries**	
Notes	**Hyperbaric Pressure: Up to 4 atmospheres** **Blood Oxygen Saturation (%SpO2 ± 1SD) Accuracy: 70 – 100% ± 2 digits** **Pulse Rate Accuracy: 20 – 250 bpm ± 3%** **Red Measurement Wavelengths: 660 nanometers** **Infrared Measurement Wavelengths: 910 nanometers** **Numeric Displays: Two 3-digit LED's** **Pulse Strength Displays: Tricolor LED segments** **Pulse Rate Range: 18 to 321 pulses per min** **Oxygen Saturation Range (%SpO2): 0 to 100 %**	

OXIMETER PULSE PORTABLE FINGERTIP
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Nonin Medical Inc.	DIST PN Owens & Minor	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015571136		Oximeter Pulse Portable Fingertip	9550	473009550	1	EA	$545.48	$545.48	N/A
	Awaiting NSN; See Additional Note Below	Lanyard	9550L-B		1	EA	Incl w/NSN 1136	Incl w/NSN 1136	N/A
6135008264798	See Additional Note Below	Battery Nonrechargeable Alkaline AAA 1.5V	C18.1		2	EA	Incl w/NSN 1136	Incl w/NSN 1136	36
NSN Not Required		Case, Soft Carrying Standard	9550CC-BC	473009550	1	EA	Incl w/NSN 1136	Incl w/NSN 1136	N/A
NSN Not Required		Literature, Operator	9550INS		1	EA	Incl w/NSN 1136	Incl w/NSN 1136	N/A

OXIMETER PULSE PORTABLE FINGERTIP
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Nonin Medical Inc.	DIST PN Owens & Minor	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN; See Additional Note Below	Lanyard	9550L-B		1	30/PG	$3.00	$3.00	N/A
6135008264798	See Additional Note Below	Battery Nonrechargeable Alkaline AAA 1.5V	C18.1		1	12/PG	$1.72	$1.72	36

OXIMETER PULSE PORTABLE FINGERTIP
ADDITIONAL NOTE:

Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

PANEL ELECTRICAL DISTRIBUTION

TOC

DISTRIBUTOR: USAMMA
MANUFACTURER: FORT DEFIANCE INDUSTRIES, INC.
Manufacturer Model# SAF001
Distributor's PHONE: (301) 619-4301 FAX:
Manufacturer's PHONE: (865) 408-0100 FAX: (865) 408-0960
Distributor's Website: <>
Manufacturer's Website: <http://www.fortdefianceind.com/Home_Page.php>

Item Web Link:
<http://www.fortdefianceind.com/Electrical_Panel_VSF1.php>

AAC 'Z' ITEM NSN 6120-01-555-6861

UAs: P301 , P307 , P308 , P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $3,768.00

System Description: Electrical distribution panel, commonly called "A-Frame" and used on the POGS oxygen concentrator system's 3-phase compressor. Includes class L receptacle on ends of both power output cords.

Features:
- Stands on 3 legs, slightly over 5 feet high
- Distribution box, with one 60 amp circuit breaker and two 30 amp circuit breakers
- Use with NSN: 6530-01-533-4481, portable oxygen generator

PANEL ELECTRICAL DISTRIBUTION
PART # 4481
NSN 6120015556861

PANEL ELECTRICAL DISTRIBUTION - ONE 60 AMP AND TWO 30 AMP BREAKERS

PANEL ELECTRICAL DISTRIBUTION - SIDE VIEW

PANEL ELECTRICAL DISTRIBUTION
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**62.5**
	Width (Inches)	**36**
	Length (Inches)	**8**
	Cube (Cubic Feet)	**10.4167**
	Weight	**66 lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		**60**
Watts		
Power Requirements	**208 VAC, 3Ø**	
Notes		

PANEL ELECTRICAL DISTRIBUTION
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Fort Defiance Industries, Inc.	DIST PN USAMMA	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6120015556861		Panel Electrical Distribution	4481		1	EA	$3,768.00	$3,768.00	N/A

PANEL ELECTRICAL DISTRIBUTION
ACCESSORIES & CONSUMABLES

NO RESUPPLY ITEMS

PANEL MODULAR MEDICAL PRIMARY CARE

TOC

MANUFACTURER: SPECIAL OPERATIONS TECHNOLOGIES, INC
Manufacturer Model# RAMMP-PC
Manufacturer's PHONE: (310) 202-9007 FAX: (310) 202-0880
Manufacturer's Website: <http://www.specopstech.com>

Item Web Link:
<http://specopstech.com/newwebsite/comerce%20cart/osc/product_info.php?cPath=0_232&products_id=1809&osCsid=7ff83bb829fa933b62396f6f642b3d44>

AAC 'L' ITEM NSN 6530-01-518-0118

UAs: 261B, 268B, 269B, 512A, 625A, 921B, N513, N713, P309, P310, P311

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $280.00

System Description: The RAMMP-PC (Rapid Access Modular Medical Panel, Primary Care) is designed to integrate with all military aircraft, ground vehicles, and fixed or temporary facilities. The Panel provides organized storage with immediate access to medical equipment and supplies. The RAMMP-PC panel is Pediatric Advanced Life Support (PALS) covered so medical operators can add or reconfigure pouches to suit mission needs. Pouches are configured on a hanging panel which conceals a bellows pocket and internal slots for long items and cervical collars. Systems focus on tactical deployment flexibility and adaptability to any circumstances where medical aid will be administered. The Panel itself and each modular pocket are marked with removable, low light visible labels. Custom Nametapes available at additional cost. Panel can be rapidly employed to perform “tail gate” medicine wherever trauma care is required on the battlefield. Designed to USASOC (United States Army Special Operations Command) specifications.

Features:
- MOLLE (MOdular Lightweight Load-carrying Equipment) compatible
- Constructed of 1000 Denier DuPont Cordura Plus fabric, double layered
- 138 weight bonded nylon parachute harness thread
- Strength rated nylon webbing and tapes
- Stress points anchored by double stitching, bar tacks, and box x's
- Velcro™ and Rip and Grip™ mil spec hook and loop fastener
- Flat panel covered with PALS (Pouch Attachment Ladder System) webbing
- Eight hidden PALS / MOLLE modular pockets
  - Four full-width interior storage
  - One half-panel bellows
  - Six small
  - Two medium
  - One long
  - One flat
- Modular pouches are secured by #10 zippers
- Two carrying handles
- Concealed shoulder straps

PANEL MODULAR MEDICAL PRIMARY CARE (OPEN)
PART # RAMMP-PC
NSN 6530015180118

PANEL MODULAR MEDICAL PRIMARY CARE
PART # RAMMP-PC
NSN 6530015180118

PANEL MODULAR MEDICAL PRIMARY CARE (FOLDED)
PART # RAMMP-PC
NSN 6530015180118

PANEL MODULAR MEDICAL PRIMARY CARE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**43.5**
	Width (Inches)	**16.5**
	Length (Inches)	**3**
	Cube (Cubic Feet)	**1.2461**
	Weight	**2.25 lbs**
Ship Dimensions	**Height (Inches)**	**0**
	Width (Inches)	**0**
	Length (Inches)	**0**
	Cube (Cubic Feet)	**0**
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**N/A**	
Notes		

PANEL MODULAR MEDICAL PRIMARY CARE
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Special Operations Technologies, Inc	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015180118		Panel Modular Medical Primary Care	RAMMP-PC		1	EA	$280.00	$280.00	N/A

PANEL MODULAR MEDICAL PRIMARY CARE
ACCESSORIES & CONSUMABLES

NO RESUPPLY ITEMS

PATIENT OXYGEN DISTRIBUTION SYSTEM

TOC

MANUFACTURER: PACIFIC CONSOLIDATED INDUSTRIES
Manufacturer Model# 790360-002
Manufacturer's PHONE: (951) 479-0896 FAX: (951) 479-0861
Manufacturer's Website: <http://www.pci-intl.com/>

Item Web Link:
<http://www.pci-intl.com/index.php?option=com_content&view=article&id=113&Itemid=159>

AAC 'L' ITEM NSN 6530-01-447-4932

UAs: P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $14,997.00

System Description: Patient Oxygen Distribution Systems (PODS) is a system of six flow regulators with a low pressure alarm box to mount at patients' bedsides and multiple hoses with quick disconnect fittings to provide the distribution of oxygen at a regulated pressure and flow.

Features: Provides oxygen distribution for a ward; each PODS supports six patients; packed in a portable chest; special flow meters provide constant oxygen flow to patients regardless of variation in line pressure.

PATIENT OXYGEN DISTRIBUTION SYSTEM
PART # 790360-002
NSN 6530014474932

PATIENT OXYGEN DISTRIBUTION SYSTEM ASSEMBLY
PART # 790360-002
NSN 6530014474932

PATIENT OXYGEN DISTRIBUTION SYSTEM
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**0**
	Width (Inches)	**0**
	Length (Inches)	**0**
	Cube (Cubic Feet)	**0**
	Weight	
Ship Dimensions	**Height (Inches)**	**20**
	Width (Inches)	**21**
	Length (Inches)	**33**
	Cube (Cubic Feet)	**8.0208**
	Weight	**118 lbs**
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**N/A**	
Notes		

PATIENT OXYGEN DISTRIBUTION SYSTEM
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Pacific Consolidated Industries	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530014474932		Patient Oxygen Distribution System	790360-002		1	EA	$14,997.00	$14,997.00	N/A
	Awaiting NSN	10' Hose, 1/4" Teflon	790474-003		18	EA	Incl w/NSN 4932	Incl w/NSN 4932	N/A
	Awaiting NSN	20' Hose, 1/4" Teflon	790474-002		2	EA	Incl w/NSN 4932	Incl w/NSN 4932	N/A
	Awaiting NSN	Case, PODS	590309-001		1	EA	Incl w/NSN 4932	Incl w/NSN 4932	N/A
	Awaiting NSN	CGA Adapter 540	790510-001		6	EA	Incl w/NSN 4932	Incl w/NSN 4932	N/A
	Awaiting NSN	Hose Assy, 0.38 DIA X 20 feet LG	790475-002		2	EA	Incl w/NSN 4932	Incl w/NSN 4932	N/A
	Awaiting NSN	Low-Pressure Alarm Assy	792379-001		1	EA	Incl w/NSN 4932	Incl w/NSN 4932	N/A
	Awaiting NSN	M to M QC Adapter	79510-005		1	EA	Incl w/NSN 4932	Incl w/NSN 4932	N/A
	Awaiting NSN	Quick Connect "T" Assemby	790476-001		10	EA	Incl w/NSN 4932	Incl w/NSN 4932	N/A
	Awaiting NSN	Regulator, 50 PSI	790580-001		6	EA	Incl w/NSN 4932	Incl w/NSN 4932	N/A
6680014471788		Meter Flow Rate Indicating 0-15 LPM O2	790531-001		6	EA	Incl w/NSN 4932	Incl w/NSN 4932	N/A

PATIENT OXYGEN DISTRIBUTION SYSTEM
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Pacific Consolidated Industries	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	10' Hose, 1/4" Teflon	790474-003		1	EA			N/A
	Awaiting NSN	20' Hose, 1/4" Teflon	790474-002		1	EA			N/A
	Awaiting NSN	Case, PODS	590309-001		1	EA			N/A
	Awaiting NSN	CGA Adapter 540	790510-001		1	EA			N/A
	Awaiting NSN	Hose Assy, 0.38 DIA X 20 feet LG	790475-002		1	EA			N/A
	Awaiting NSN	Low-Pressure Alarm Assy	792379-001		1	EA			N/A
	Awaiting NSN	M to M QC Adapter	79510-005		1	EA			N/A
	Awaiting NSN	Quick Connect "T" Assemby	790476-001		1	EA			N/A
	Awaiting NSN	Regulator, 50 PSI	790580-001		1	EA			N/A
6680014471788		Meter Flow Rate Indicating 0-15 LPM O2	790531-001		1	EA			N/A

PATIENT WARMING SYSTEM KIT

TOC

MANUFACTURER: ARIZANT HEALTHCARE INC.
Manufacturer Model# 50533
Manufacturer's PHONE: (952) 947-1200 FAX: (952) 947-1400
Manufacturer's Website: <http://www.arizant.com>

Item Web Link:
<http://www.arizant.com/us/bairhuggertherapy/warmingunits>

AAC 'J' ITEM NSN 6530-01-567-7143

UAs: 267C, 512A, 905C, 912B, P301, P307, P308, P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $1,862.08

System Description: Forced-air warming unit providing safe, quiet and effective warming to patients.

Features:
- Small size frees up more usable workspace
- Light weight makes transport and set-up a breeze
- Freestanding or easily attached to an IV pole, bedrail or optional rolling cart
- Built-in hour meter makes it easy to monitor usage for preventative maintenance
- Unique snap-fit hose swivels at three points for easy blanket attachment and positioning

NOTE: The Filter Is Located Inside The Unit

PATIENT WARMING SYSTEM KIT
PART # 50533
NSN 6530015677143

THERMOREGULATOR - DEMO TOP VIEW

THERMOREGULATOR - DEMO SIDE VIEW

PATIENT WARMING SYSTEM KIT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**13**
	Width (Inches)	**10**
	Length (Inches)	**11**
	Cube (Cubic Feet)	**0.8275**
	Weight	**13.6 lbs**
Ship Dimensions	**Height (Inches)**	**0**
	Width (Inches)	**0**
	Length (Inches)	**0**
	Cube (Cubic Feet)	**0**
	Weight	
Storage Temp		**-40 to 122 °F**
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		**9.5**
Watts		**1100**
Power Requirements	**120 VAC, 60 Hz**	
Notes	**Filter: High-efficiency, 0.2 µm filter** **Operating Temp - High: 109.4 °F ± 5.4 °F** **Operating Temp - Med: 100.4 °F ± 5.4 °F** **Operating Temp - Low: 89.6 °F ± 5.4 °F** **Air Flow: 28 cu ft/min**	

PATIENT WARMING SYSTEM KIT
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Arizant Healthcare Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015677143		Patient Warming System Kit	50533		1	EA	$1,862.08	$1,862.08	N/A
6515014636893	Filter inside unit	Cartridge Particulate Filtering 0.2 Micron	90009		1	EA	Incl w/NSN 7143	Incl w/NSN 7143	N/A
6515015242947		Sheet Clip	90063		1	EA	Incl w/NSN 7143	Incl w/NSN 7143	N/A
6515015242952		Hose Extended Length For 505	90003		1	EA	Incl w/NSN 7143	Incl w/NSN 7143	N/A
6515015242953		Hose Storage Clip	90017		1	EA	Incl w/NSN 7143	Incl w/NSN 7143	N/A
6530014636823		Bair Hugger Warming Unit Model 505	50500		1	EA	Incl w/NSN 7143	Incl w/NSN 7143	N/A
6530015642062		Case Small Protective Hardened Plastic w/Foam Insert	505259		1	EA	Incl w/NSN 7143	Incl w/NSN 7143	N/A
6532015224921		Blanket, Full Body Surgical	61000		1	10/PG	Incl w/NSN 7143	Incl w/NSN 7143	N/A
7610015222841	Manuals on single CD	Literature, Maintenance/Operator	OSM/OPM		1	EA	Incl w/NSN 7143	Incl w/NSN 7143	N/A

PATIENT WARMING SYSTEM KIT
ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM

NSN	Notes	Nomenclature	MFR PN Arizant Healthcare Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6532013875842		Blanket Torso	540		1	10/PG	$122.98	$122.98	N/A
6532015224921		Blanket, Full Body Surgical	61000		2	10/PG	$88.00	$176.00	N/A
6532015265337		Blanket Surgical Access	570		1	10/PG	$102.00	$102.00	N/A

PATIENT WARMING SYSTEM KIT
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Arizant Healthcare Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014636893	Filter inside unit	Cartridge Particulate Filtering 0.2 Micron	90009		1	EA	$50.00	$50.00	N/A
6515015242947		Sheet Clip	90063		1	EA	$7.80	$7.80	N/A
6515015242952		Hose Extended Length For 505	90003		1	EA	$77.00	$77.00	N/A
6515015242953		Hose Storage Clip	90017		1	EA	$0.00	$0.00	N/A
6515015290179		Blanket Warming Veterinary Latex-Free 35x24 Inches 10s	53777		1	10/PG	$130.00	$130.00	N/A
6515015290182		Blanket Warming Veterinary Latex-Free 60x37 Inches 10s	31077		1	10/PG	$80.00	$80.00	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Arizant Healthcare Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015290183		Blanket Warming Veterinary Latex-Free 60x32 Inches 10s	55077		1	10/PG	$250.00	$250.00	N/A
6530014636823		Bair Hugger Warming Unit Model 505	50500		1	EA	$987.98	$987.98	N/A
6530015642062		Case Small Protective Hardened Plastic w/Foam Insert	505259		1	EA	$541.00	$541.00	N/A
6532013564851		Blanket Lower Body	52500		1	10/PG	$146.00	$146.00	N/A
6532013875842		Blanket Torso	540		1	10/PG	$122.98	$122.98	N/A
6532013884182		Blanket Warming	522		1	10/PG	$71.25	$71.25	N/A
6532015224921		Blanket, Full Body Surgical	61000		1	10/PG	$88.00	$88.00	N/A
6532015265337		Blanket Surgical Access	570		1	10/PG	$102.00	$102.00	N/A
6532015743837		Blanket Warming Hypothermia Lg Veterniary 24"X18" Use W/6530015677143 10s	53077		1	10/PG	$66.50	$66.50	N/A
7610015222841	Manuals on single CD	Literature, Maintenance/Operator	OSM/OPM		1	EA	$0.00	$0.00	N/A

PATIENT WARMING SYSTEM KIT
WEB LINKS

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

PUMP EXTREMITY SEQUENTIAL COMPRESSION

TOC

MANUFACTURER: CAROLON COMPANY
Manufacturer Model# 9525W
Manufacturer's PHONE: (336) 969-6001 FAX: (336) 969-6999
Manufacturer's Website: <http://www.carolon.com/>

Item Web Link:
<http://www.covidien.com/vasculartherapy/pagebuilder.aspx?webPageID=0&topicID=105864&xsl=xsl/productPagePrint.xsl>

AAC 'L' ITEM NSN 6530-01-573-3224

UAs: P301 , P307 , P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $2,500.00

System Description: This unit compression system is a clinically-proven modality for the prevention of Deep Vein Thrombosis (DVT) and Pulmonary Embolism (PE). The system consists of the unit controller, non-disposable tubing and single patient use leg garments. The compression sleeve contains three bladders to deliver circumferential, sequential and gradient compression to ensure clearance of the deep veins without the risk of distal blood trapping. The sleeve is anatomically designed with adjustable sleeve closure offering a customized fit for each patient. The sleeves are available in thigh or knee length. Packaged in pairs. The unit Compression System offers a clinician the option of two different prophylactic methods with one controller; leg compression and foot compression. This new system provides a number of unique features that improve prophylaxis for every patient. The unit compression system allows one or two limb operation giving the end user more flexibility for prophylaxis options. The battery operation makes the device transportable for uninterrupted protection throughout a patient's stay in the hospital. The more active or ambulating patients can continue the protection without being tethered to a wall outlet.

Features: Delivers compression to the leg, foot, or both simultaneously; continual monitoring of patient venous refill status; system detects what type of compression garment is applied to each leg; changes between leg and foot compression parameters with the touch of a button; battery automatically recharges when controller plugged into a wall outlet; integrated bed mount; integrated handle; non-detachable, hospital grade power cord; audible and visual alarms; safety system shutdown prevents battery damage.

PUMP EXTREMITY SEQUENTIAL COMPRESSION
PART # 9525W
NSN 6530015733224

PUMP EXTREMITY SEQUENTIAL COMPRESSION
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**6.2**
	Width (Inches)	**7**
	Length (Inches)	**4.5**
	Cube (Cubic Feet)	**0.113**
	Weight	**3.5 lbs**
Ship Dimensions	**Height (Inches)**	**11.6**
	Width (Inches)	**9**
	Length (Inches)	**11.4**
	Cube (Cubic Feet)	**0.6888**
	Weight	**7.4 lbs**
Storage Temp		**32 to 122 °F**
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		**0.42**
Watts		**50**
Power Requirements	**100 - 240 VAC, 50/60 Hz; Lithium ion battery**	
Notes		

PUMP EXTREMITY SEQUENTIAL COMPRESSION
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Carolon Company	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015733224		Pump Extremity Sequential Compression	9525W		1	EA	$2,500.00	$2,500.00	N/A
6515015651389		Tubing Set	9528		1	PR	Incl w/NSN 3224	Incl w/NSN 3224	N/A
NSN Not Required		Battery Pack	F010482		1	EA	Incl w/NSN 3224	Incl w/NSN 3224	36
NSN Not Required		Literature Operation			1	EA	Incl w/NSN 3224	Incl w/NSN 3224	N/A

PUMP EXTREMITY SEQUENTIAL COMPRESSION
ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM

NSN	Notes	Nomenclature	MFR PN Carolon Company	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515011210988		Stockings AE Large Regular Seamless Calf Lg Below Knee Type 12s	70131		1	12/PG	$86.94	$86.94	N/A
6515011210990		Stockings AE Medium Regular Seamless Calf Lg Below Knee Type 12s	70121		1	12/PG	$56.03	$56.03	N/A
6515011216481		Stockings AE Small Regular Seamless Calf Lg Below Knee Type 12s	70111		1	12/PG	$38.88	$38.88	N/A
6515015649726		Sleeve Wrap-Around Pneumatic Non-Ster Disp Adj Closure Lrge 3s	9780		4	3/PG	$171.28	$685.12	N/A
6515015649738		Sleeve Wrap-Around Pneumatic Large Disp/Adjustable Knee Length	9530		3	5/PG	$237.28	$711.84	N/A
6515015651340		Sleeve Wrap-Around Pneumatic Small Disp/Adjustable Thigh Length	9545		1	PG	$232.46	$232.46	N/A

PUMP EXTREMITY SEQUENTIAL COMPRESSION
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Carolon Company	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515011210988		Stockings AE Large Regular Seamless Calf Lg Below Knee Type 12s	70131		1	12/PG	$86.94	$86.94	N/A
6515011210990		Stockings AE Medium Regular Seamless Calf Lg Below Knee Type 12s	70121		1	12/PG	$56.03	$56.03	N/A
6515011216481		Stockings AE Small Regular Seamless Calf Lg Below Knee Type 12s	70111		1	12/PG	$38.88	$38.88	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Carolon Company	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015649726		Sleeve Wrap-Around Pneumatic Non-Ster Disp Adj Closure Lrge 3s	9780		1	3/PR	$171.28	$171.28	N/A
6515015649738		Sleeve Wrap-Around Pneumatic Large Disp/Adjustable Knee Length	9530		1	5/PR	$237.28	$237.28	N/A
6515015649742		Sleeve Wrap-Around Pneumatic Disp Nonster Sz Med Pg of 5 Pr	9529		1	5/PR	$170.18	$170.18	N/A
6515015651321		Sleeve Wrap-Around Pneumatic Large Disp/Adjustable Knee Length	9789		1	5/PR	$318.48	$318.48	N/A
6515015651340		Sleeve Wrap-Around Pneumatic Small Disp/Adjustable Thigh Length	9545		1	5/PR	$232.46	$232.46	N/A
6515015651389		Tubing Set	9528		1	PR	$45.00	$45.00	N/A

PUMP INTRAVENOUS INFUSION

TOC

DISTRIBUTOR: CARDINAL HEALTH
MANUFACTURER: CAREFUSION
Manufacturer Model# 2865B
Distributor's PHONE: (614) 757-5000 FAX: (847) 689-1742
Manufacturer's PHONE: (858) 617-2000 FAX: (858) 617-2900
Distributor's Website: <http://www.cardinal.com>
Manufacturer's Website: <http://www.carefusion.com/>

Item Web Link:
<http://www.carefusion.com/products-and-services/products-services-categories/infusion/msiii-pump.aspx>

AAC 'L' ITEM NSN 6515-01-550-5669

UAs: 257B, 261B, 267C, 512A, 905C, 912B, P301, P307, P308, P309, P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $5,979.24

System Description: The multi-channel infusion system brings clinical versatility to drug infusion technology. The instrument combines three independent infusion channels with features like dose rate calculation and portability in a small, compact size.

Features:
- A small, compact size and lightweight design
- Reduced bedside clutter
- Accuracy - delivers intravenous, intra-arterial, epidural and subcutaneous applications
- Flexibility - delivers a wide range of fluids from various containers, including syringes, utilizing a syringe adapter set
- Versatility - able to travel with patients in the field and throughout their hospital stay, meeting a wide range of infusion needs; unique clamping system allows pump attachment virtually anywhere
- Set-based free-flow protection - SmartSite® needle-free valve ports and standard injection ports are available
- Dose rate calculation, single-page programming, selectable drug library and titration of drugs by the user in either dose or volumetric rate

NOTE: Only one Field Maintenance Software & Drug List Editor Kit will ship per 100 units OR one with each order placed -- not one with each unit purchased.

PUMP INTRAVENOUS INFUSION PORTABLE BATTERY OPERATED
PART # 2865B
NSN 6515015505669

ADMINISTRATIVE SET PIGGY BACK
PART # 72213N
NSN 6515014164032

ADMINISTRATIVE SET MAIN STREAM LINE
PART # 28034
NSN 6515014348712

PUMP INTRAVENOUS INFUSION
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**7.9**
	Width (Inches)	**6**
	Length (Inches)	**2.1**
	Cube (Cubic Feet)	**0.0576**
	Weight	**3.6 lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	**5.0 lbs**
Storage Temp		
Operating Temp		**50 to 104 °F**
Storage Humidity		**90%**
Operating Humidity		**90%**
Amps		**54 mA**
Watts		**6**
Power Requirements	**110/120 VAC, 60 Hz; Main Rechargeable Nicad Battery, Memory Backup Non-rechargeable Lithium, minimum 6 hours with all three channels at 125 mL/hr**	
Notes		

PUMP INTRAVENOUS INFUSION
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Carefusion	DIST PN Cardinal Health	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015505669		Pump Intravenous Infusion		2865B	1	EA	$5,979.24	$5,979.24	N/A
6515014164032		Administration Set Infusion Pump Secondary 20dropml Ster Disp100		72213N	1	100/PG	Incl w/NSN 5669	Incl w/NSN 5669	N/A
6515014523445		Administration Set Infusion Pump Vented/Unvented 50s		28034E	1	50/PG	Incl w/NSN 5669	Incl w/NSN 5669	N/A
6515015408027		Adapter, AC	2861089		1	EA	Incl w/NSN 5669	Incl w/NSN 5669	N/A
Not Required	One per shipment; not one per IV Pump	Field Maintenance Software & Drug List Editor Kit	10015452	10015452	1	EA	Incl w/NSN 5669	Incl w/NSN 5669	N/A
NSN Not Required		Literature, Maintenance	2863012		1	EA	Incl w/NSN 5669	Incl w/NSN 5669	N/A
NSN Not Required		Literature, Operator	10551005		1	EA	Incl w/NSN 5669	Incl w/NSN 5669	N/A

PUMP INTRAVENOUS INFUSION
ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM

NSN	Notes	Nomenclature	MFR PN Carefusion	DIST PN Cardinal Health	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014164032		Administration Set Infusion Pump Secondary 20dropml Ster Disp100		72213N	2	100/PG	$103.00	$206.00	N/A
6515014523445		Administration Set Infusion Pump Vented/Unvented 50s		28034E	2	50/PG	$247.50	$495.00	N/A
6515014523450		Administration Set Infusion Pump Blood IV Tubing 20s	28080E		2	20/PG	$242.70	$485.40	N/A

PUMP INTRAVENOUS INFUSION
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Carefusion	DIST PN Cardinal Health	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515013384706		Administration Set Winged Scalp Vein Pediatric 25gax3/8"Ndl 120s	4573-01		1	120/PG	$99.90	$99.90	N/A
6515014164032		Administration Set Infusion Pump Secondary 20dropml Ster Disp100		72213N	1	100/PG	$103.00	$103.00	N/A
6515014348712		Administration Set Infusion Pump Vented/Unvented Ster Disp 50s		28034	1	50/PG	$172.50	$172.50	N/A
6515014502035		Administration Set Infusion Pump Alaris Compatible 85" 50s	28117E		1	50/PG	$209.48	$209.48	N/A
6515014523445		Administration Set Infusion Pump Vented/Unvented 50s		28034E	1	50/PG	$247.50	$247.50	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Carefusion	DIST PN Cardinal Health	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014523450		Administration Set Infusion Pump Blood IV Tubing 20s	28080E		1	20/PG	$242.70	$242.70	N/A
6515014570562		Administration Set Infusion Pump Vented/Nonvented Mini 100s		42133E	1	100/PG	$398.48	$398.48	36
6515015408027		Adapter, AC	2861089		1	EA	$254.19	$254.19	N/A
6515015616204		Administration Set Intravenous Fluids Needleless Coil Tubing 50s	9610150		1	50/PG	$319.63	$319.63	36
6515015891810		Administration Set Intravenous Fluids Coiled Tubing 96" 60 Drop 50 Per Package	9660150		1	50/PG	$258.84	$258.84	36
NSN Not Required		Literature, Maintenance	2863012		1	EA	$100.00	$100.00	N/A
NSN Not Required		Literature, Operator	10551005		1	EA	$0.00	$0.00	N/A

PUMP INTRAVENOUS INFUSION
WEB LINKS

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

REFRIGERATOR-FREEZER

TOC

MANUFACTURER: NORTHLAND-MARVEL
Manufacturer Model# 6CRF0610
Manufacturer's PHONE: (616) 754-5601 FAX: (616) 754-0970
Manufacturer's Website: <www.marvelscientific.com>

Item Web Link:
<http://www.marvelscientific.com/prod-combo.php>

AAC 'L' ITEM NSN 4110-01-425-8009

UAs: 263C, 273A, 623A, 905C, 912B, 913B, 914B, N306, N413, N503, N513, N703, N713, N725, P308, P309, P310, P506, P706, P783

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $2,219.18

System Description: Six cubic foot under counter refrigerator/freezer fits easily under lab benches and casework.

Features: Forced air ventilation eliminates need for clearance space in built-in applications. Manual defrost, 5.3 cubic foot refrigerator capacity and 0.7 cubic foot freezer capacity. Dual voltage capable, carrying handles and olive drab paint scheme.

REFRIGERATOR-FREEZER MECHANICAL FIELD WARD
PART # 6CRF0610
NSN 4110014258009

REFRIGERATOR-FREEZER
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**35.5**
	Width (Inches)	**24.75**
	Length (Inches)	**25.5**
	Cube (Cubic Feet)	**12.9658**
	Weight	**120 lbs**
Ship Dimensions	**Height (Inches)**	**35.5**
	Width (Inches)	**24.75**
	Length (Inches)	**25.5**
	Cube (Cubic Feet)	**12.9658**
	Weight	**120 lbs**
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		**2.66**
Watts		**320 Normal - 1200 Surge**
Power Requirements	**120/220 VAC, 50/60 Hz**	
Notes	**Uses R-134A Refrigerant**	

REFRIGERATOR-FREEZER
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Northland-Marvel	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
4110014258009		Refrigerator-Freezer	6CRF0610		1	EA	$2,219.18	$2,219.18	N/A
NSN Not Required		Literature, Operator	41011992		1	EA	Incl w/NSN 8009	Incl w/NSN 8009	N/A

REFRIGERATOR-FREEZER
ACCESSORIES & CONSUMABLES

NO RESUPPLY ITEMS

RESUSCITATION KIT MOUTH TO MASK PEDS

TOC

MANUFACTURER: ARMSTRONG MEDICAL INDUSTRIES, INC.
Manufacturer Model# AE-4700
Manufacturer's PHONE: (847) 913-0101 FAX: (847) 913-0138
Manufacturer's Website: <http://www.armstrongmedical.com>

Item Web Link:
<http://www.armstrongmedical.com/index.cfm/go/product.detail/sec/3/ssec/14/fam/150>

AAC 'L' ITEM NSN 6515-01-513-9276

UAs: 257B, 261B, 267C, 269B, 625A, 9120, N513, N713, P301, P308, P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $1,755.00

System Description: This Resuscitation Kit is designed for emergency pediatric care. It comes with 28 size-specific procedural modules in a color-coded, easy-to-use kit.

Features: The Resuscitation Kit is a complete set of seven color-coded, pediatric size-specific packs designed for children 7 to 79 pounds in emergency situations. Each of the seven packs contains:

- Intraosseous Access Module
- Oxygen Delivery Module
- Intubation Module
- IV Delivery Module

Also includes a Broselow® Pediatric Emergency Tape, which rapidly provides:

- Medical dosage information
- Size-specific equipment information

Other features:

- Latex free
- Heavy duty advanced life support equipment organizer
- Approved for the Pediatric Advanced Life Support (PALS) education program

RESUSCITATION KIT, MOUTH TO MASK
PART # AE-4700
NSN 6515015139276

MODULES, PROCEDURAL
PART # AE-4712
NSN 6515015139488

EQUIPMENT PACK
PART # AE-4703
NSN 6515015139497

MEASURING TAPE
PART # AE-4800
NSN 6530014657011

ORGANIZER BAG AND POUCHES
PART # AE-4805
NSN Not required

"FLYING CARPET," PREFILLED POUCHES, AND MEASURING TAPE
PART # AE-4701
NSN NSN Not Required

MEASURING TAPE DEMONSTRATION

RESUSCITATION KIT MOUTH TO MASK PEDS
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**14**
	Width (Inches)	**17**
	Length (Inches)	**18**
	Cube (Cubic Feet)	**2.4792**
	Weight	**18 lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**N/A**	
Notes		

RESUSCITATION KIT MOUTH TO MASK PEDS
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Armstrong Medical Industries, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015139276		Resuscitation Kit Mouth To Mask Peds	AE-4700		1	EA	$1,755.00	$1,755.00	N/A
6515015139488	See Tables Below for Contents	Modules, Procedural, Pediatric Resuscitation	AE-4712		1	28/PG	Incl w/NSN 9276	Incl w/NSN 9276	N/A
6515015139497	See Table Below for Equipment Pack Contents	Equipment Pack, Replacement Pediatric Resuscitation Broselow	AE-4703		1	EA	Incl w/NSN 9276	Incl w/NSN 9276	N/A
6530014657011	Start-up Qty Atypical	Tape Measuring Resuscitation Pediatric Broselow Flex 5S	AE-4800		1	EA	Incl w/NSN 9276	Incl w/NSN 9276	N/A
NSN Not required		Outer Shell Carry Case	AE-4704		1	EA	Incl w/NSN 9276	Incl w/NSN 9276	N/A

RESUSCITATION KIT MOUTH TO MASK PEDS
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Armstrong Medical Industries, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015139488	See Tables Below for Contents	Modules, Procedural, Pediatric Resuscitation	AE-4712		1	28/PG	$868.00	$868.00	N/A
6515015139497	See Table Below for Equipment Pack Contents	Equipment Pack, Replacement Pediatric Resuscitation Broselow	AE-4703		1	EA	$615.00	$615.00	N/A
6530014657011	Start-up Qty Atypical	Tape Measuring Resuscitation Pediatric Broselow Flex 5S	AE-4800		1	5/PG	$120.00	$120.00	N/A
NSN Not Required	Incl Prefilled Packs and 1 Tape	Broselow Flying Carpet	AE-4701		1	SE	$1,169.00	$1,169.00	N/A
NSN Not Required	See Table Below for Details	Broselow Nylon Color Packs			1	4/PG	$1,106.00	$1,106.00	N/A
NSN Not required	Incl Velcro cloth and empty pouches	Organizer Bag, Pouches, Airway & Main Bag	AE-4805		1	EA	$395.00	$395.00	N/A
NSN Not required		Outer Shell Carry Case	AE-4704		1	EA	$270.00	$270.00	N/A

RESUSCITATION KIT MOUTH TO MASK PEDS
ITEM TABLES

AE-4712 IV Delivery Module Contents; Cost Shown is for One 2/PG

COLOR	IV Safety Catheter	IV Safety Catheter	IV Prep Kit	Extension Set	P/N	Cost
PINK/RED	22 Gauge x 1"	24 Gauge x 3/4"	1 Each	1 Each	7700 RIV	$67.00
PURPLE	20 Gauge x 1"	24 Gauge x 3/4"	1 Each	1 Each	7700 PIV	$67.00
YELLOW	18 Gauge x 1.25"	22 Gauge x 1"	1 Each	1 Each	7700 YIV	$67.00
WHITE	22 Gauge x 1"	18 Gauge x 1.16"	1 Each	1 Each	7700 WIV	$67.00
BLUE	20 Gauge x 1.25"	18 Gauge x 1.25"	1 Each	1 Each	7700 BIV	$67.00
ORANGE	20 Gauge x 1.16"	18 Gauge x 1.16"	1 Each	1 Each	7700 OIV	$67.00
GREEN	20 Gauge x 1.25"	18 Gauge x 1.25"	1 Each	1 Each	7700 GIV	$67.00

AE-4712 Intubation Module Contents; Cost Shown is for One 2/PG

COLOR	Laryngoscope Blade Size(s)	Endotracheal Tube, Uncuffed	Suction Catheter Size	Nasogastric Tube Size	P/N	Cost
ORANGE	Miller # 2, Mac # 2	6.0 mm	10 French	14 French	7700OIN	$60.00
GREEN	Miller # 3, Mac # 3	6.5 mm	12 French	18 French	7700GIN	$60.00
PINK/RED	Miller # 1	3.5 mm	8 French	8 French	7700RIN	$60.00
PURPLE	Miller # 1	4.0 mm	10 French	8 French	7700PIN	$60.00
YELLOW	Miller # 2	4.5 mm	10 French	10 French	7700YIN	$60.00
WHITE	Miller # 2	5.0 mm	10 French	10 French	7700WIN	$60.00
BLUE	Miller # 2, Mac # 2	5.5 mm	10 French	14 French	7700BIN	$60.00
Common to All IN Modules:	36" Adhesive Tape	Lubricating Jelly	3" x 3" Gauze Pad	Endotracheal Tube Stylet		

AE-4712 Oxygen Delivery Module Contents

COLOR	Berman Oral Airway Size	Pediatric Oxygen Mask with 7' Tubing	P/N	Qty/Issue	Cost
PINK/RED	5 cm	1 Each	7700RAW	2/PG	$29.00
PURPLE	6 cm	1 Each	7700PAW	2/PG	$24.00
YELLOW	6 cm	1 Each	7700YAW	2/PG	$24.00
WHITE	6 cm	1 Each	7700WAW	2/PG	$24.00
BLUE	7 cm	1 Each	7700BAW	2/PG	$24.00
ORANGE	8 cm	1 Each	7700OAW	2/PG	$24.00
GREEN	8 cm	1 Each	7700GAW	2/PG	$24.00

AE 4712 Intraosseous Module Contents

COLOR	Sternal/Iliac Aspiration Needle	Extention Set, Sterile	P/N	Qty/Issue	Cost
PINK/RED	15 Gauge Adjustable Length	1 Each	7700RIO	2/PG	$84.00
PURPLE	15 Gauge Adjustable Length	1 Each	7700PIO	2/PG	$84.00
YELLOW	15 Gauge Adjustable Length	1 Each	7700YIO	2/PG	$84.00
WHITE	15 Gauge Adjustable Length	1 Each	7700WIO	2/PG	$84.00
BLUE	15 Gauge Adjustable Length	1 Each	7700BIO	2/PG	$84.00
ORANGE	15 Gauge Adjustable Length	1 Each	7700OIO	2/PG	$84.00
GREEN	15 Gauge Adjustable Length	1 Each	7700GIO	2/PG	$84.00

Broselow Nylon Color Packs

P/N	Description	Qty	U/I	Cost
7730RED	Pink/Red Pack with Four Modules	1	4/PG	$158.00
7730PUR	Purple Pack with Four Modules	1	4/PG	$158.00
7730YEL	Yellow Pack with Four Modules	1	4/PG	$158.00
7730WHI	White Pack with Four Modules	1	4/PG	$158.00
7730BLU	Blue Pack with Four Modules	1	4/PG	$158.00
7730ORG	Orange Pack with Four Modules	1	4/PG	$158.00
7730GRN	Green Pack with Four Modules	1	4/PG	$158.00

AE 4703 Equipment Pack Contents

Description	Qty	Notes
Manual Resuscitators (Disposable)	2 Each	Baby Blue™ & Pedi Blue™
Blood Pressure Cuffs (Disposable)	3 Each	Infant, Child, Small Adult
Blood Pressure Manometer Gauge	1 Each	Fits any of the BP Cuffs
Vital View II™ LED Fiber Optic Handles	2 Each	Laryngoscope Handles
Magill Forceps	2 Each	One Small, One Large
Cuff Masks	4 Each	Two Infant, One Child, One Small Adult

SINK UNIT SURGICAL SCRUB

TOC

MANUFACTURER: ASEPTICO INC.
Manufacturer Model# ADU-42CF
Manufacturer's PHONE: (425) 487-3157 FAX: (360) 668-8722
Manufacturer's Website: <http://www.aseptico.com>

Item Web Link:
<http://www.aseptico.com/military/>

AAC 'L' ITEM NSN 6530-01-572-6775

UAs: 211B, 213B, 218B, 267C, 274A, 504B, 905C, 912B, N312, N316, N413, N436, N503, N504, N513, N523, N713, N725, P301, P307, P308, P309, P310, P311, P314, P506

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $4,786.88

System Description: This portable scrub sink provides a practical water source for mobile medical and dental operations. Both warm and cold water are available for washing and instrument cleansing as part of the process of disinfecting medical devices. Hands free operation makes surgical scrubs simple. The rigid stainless steel basin and instrument basket are durable and easy to disinfect. And, the accessory tray allows sink-side consolidation of all instruments. Light weight and compact size make the ADU-42CF easy to setup and transport.

Features:
- Sink flow rates: High - 0.95 gpm (3.6 Lpm), Low - 0.64 gpm. (2.4 Lpm)
- Max. pump discharge head: 8.3 ft (2.5 meters)
- Pump self-priming limit: 48 inches (1.2 meters)
- Tank capacity: 1.45 gal (5.5 L)
- Tank Fill Time: High Flow - 1.1 minutes, Low Flow - 1.7 minutes
- Heating capacity: 1400 Watts
- Tank Heating Time: High Flow - 6.0 minutes, Low Flow - 6.5 minutes
- Peak water temperature: 106 °F, ±7 °F (41 °C ±4 °C)
- Cold water foot pump flow rate: 0.66 gpm (2.5 Lpm)
- Sink Basin Size: 21.3 x 15.4 x 7.4 inches (54.1 x 39.1 x 18.8 cm)
- Instrument Basket Size: 20.75 x 12.75 x 6 inches (52.7 x 32.4 x 15.2 cm)

NOTE: Avoid freezing. To protect internal components, purge the sink's tank and lines prior to unattended periods in subfreezing conditions.

SINK UNIT SURGICAL SCRUB
PART # ADU-42CF
NSN 6530015726775

Items not supplied, Jerry cans or alternate water supply.

CASE TRANSPORT MIL-SPEC OD GREEN
PART # 410191-08

CASE TRANSPORT MIL-SPEC
PART # 410191-08
Case Shown Open With Contents

POUCH STORAGE LEG ASSY ADU-42CF CMPL
PART # 410192-08

POUCH 3 PLUMBING FIELD SINK
PART # 410131-08
NSN 6520015366144

POUCH ELECTRICAL FIELD SINK
PART # 410130-08
NSN 6520015347848

BASKET ASSY INSTRUMENT STAINLESS
PART # 330550

SOAP DISPENSER ASSEMBLY
PART # AA-42SD

PAPER TOWEL ASSY
PART # 330532

SINK UNIT SURGICAL SCRUB
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**0**
	Width (Inches)	**0**
	Length (Inches)	**0**
	Cube (Cubic Feet)	**0**
	Weight	**50 lbs**
Ship Dimensions	**Height (Inches)**	**12.5**
	Width (Inches)	**22.4**
	Length (Inches)	**25.3**
	Cube (Cubic Feet)	**4.0995**
	Weight	**104 lbs**
Storage Temp		**34 to 140 °F**
Operating Temp		**34 to 113 °F**
Storage Humidity		**5 to 95% Non-condensing**
Operating Humidity		**5 to 95% Non-condensing**
Amps		**12**
Watts		**1380**
Power Requirements	**115/230 VAC, 50/60 Hz**	
Notes		

SINK UNIT SURGICAL SCRUB
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Aseptico Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015726775		Sink Unit Surgical Scrub	ADU-42CF		1	EA	$4,786.88	$4,786.88	N/A
	Awaiting NSN	Paper Towel Assy	330532		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
	Awaiting NSN	Pouch Storage Leg Assy ADU-42CF Cmpl	410192-08		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6520015347848	Awaiting NSN	Pouch Electrical Field Sink	410130-08		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6520015366144	Awaiting NSN	Pouch 3 Plumbing Field Sink	410131-08		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015883968		Regulator Assembly Water Pressure	330285		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015883979		Footswitch Switch Assembly Surgical Sink	AE-7PM		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015884124		Intake Hose Assembly	330252		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015884132		Waste Hose Assembly	330284		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015884170		Foot Pump Assembly	330458		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015885078		Soap Dispenser Assembly	AA-42SD		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015885138		Basket Assembly Surgical Sink CRS	330550		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015885163		Case Transport Surgical Sink	410191-08		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015885492	Awaiting NSN	Pump and Tank Assembly Surgical Sink	330522		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015888456		Leg Assembly	330521		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015888537		Tray Instrument	330246		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
6530015888935		Spout Assembly	120354		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A
NSN Not Required		Literature Operation	420752		1	EA	Incl w/NSN 6775	Incl w/NSN 6775	N/A

SINK UNIT SURGICAL SCRUB
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Aseptico Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	Paper Towel Assy	330532		1	EA	$62.80	$62.80	N/A
	Awaiting NSN	Pouch Storage Leg Assy ADU-42CF Cmpl	410192-08		1	EA	$35.14	$35.14	N/A
6520015347848	Awaiting NSN	Pouch Electrical Field Sink	410130-08		1	EA	$35.39	$35.39	N/A
6520015366144	Awaiting NSN	Pouch 3 Plumbing Field Sink	410131-08		1	EA	$36.52	$36.52	N/A
6530015883968		Regulator Assembly Water Pressure	330285		1	EA	$159.74	$159.74	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Aseptico Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015883979		Footswitch Switch Assembly Surgical Sink	AE-7PM		1	EA	$92.26	$92.26	N/A
6530015884124		Intake Hose Assembly	330252		1	EA	$80.05	$80.05	N/A
6530015884132		Waste Hose Assembly	330284		1	EA	$20.47	$20.47	N/A
6530015884170		Foot Pump Assembly	330458		1	EA	$146.64	$146.64	N/A
6530015885078		Soap Dispenser Assembly	AA-42SD		1	EA	$114.25	$114.25	N/A
6530015885138		Basket Assembly Surgical Sink CRS	330550		1	EA	$340.03	$340.03	N/A
6530015885163		Case Transport Surgical Sink	410191-08		1	EA	$828.96	$828.96	N/A
6530015885492	Awaiting NSN	Pump and Tank Assembly Surgical Sink	330522		1	EA	$1,133.94	$1,133.94	N/A
6530015888456		Leg Assembly	330521		1	EA	$187.50	$187.50	N/A
6530015888537		Tray Instrument	330246		1	EA	$73.71	$73.71	N/A
6530015888935		Spout Assembly	120354		1	EA	$198.21	$198.21	N/A
NSN Not Required		Literature Operation	420752		1	EA			N/A

STETHOSCOPE ULTRASCOPE DOPPLER SYSTEM

TOC

DISTRIBUTOR: CARDINAL HEALTH
MANUFACTURER: COOPER SURGICAL, INC.
Distributor Model# 101-0137-010
Manufacturer Model# 101-0137-010
Distributor's PHONE: (614) 757-5000 FAX: (847) 689-1742
Manufacturer's PHONE: (203) 601-5200 FAX: (203) 601-1007
Distributor's Website: <http://www.cardinal.com>
Manufacturer's Website: <http://www.coopersurgical.com>

AAC 'L' ITEM NSN 6515-01-491-8101

UAs: P308 , P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $600.72

System Description: The MedaSonics ULTRASOUND STETHOSCOPE® Doppler Blood Flow Detector Model BF5A is a pocket-sized instrument featuring a high ultrasonic frequency and one of the smallest probe tips commercially available. It has been designed specifically for detecting blood flow in small arteries such as those of the face and digits. Clinical experience has demonstrated that Doppler ultrasound is a simple, non-invasive aid to the assessment of arterial and venous blood flow.
The MedaSonics ULTRASOUND STETHOSCOPE is based on the Doppler shift principle. At the end of the instrument is a piezoelectric crystal of very low power ultrasonic waves. This crystal is located at the tip of the plastic cone. Ultrasonic waves are emitted at a frequency of approximately 8 MHz. Reflections occur at tissue interfaces and some of the backscattered ultrasound is returned to the recieving crystal. Reflections from moving blood will have their pitch shifted slightly. After arriving at the receiving crystal, these reflections are detected and greatly amplified. Further processing converts the Doppler-shifted ultrasound into audible sounds indicating blood flow.

Features: Includes: 8 MHz Doppler, Stethoscope headset, gel, battery, soft carrying case.
Applications: Locate superficial vessels; skin flap transfer, routine arterial cannulations, vascular grafting and microvascular surgery.
Outputs: Two 2.5 mm jacks to drive one or two headsets, one headset, and a speaker or recording device.
Controls: Volume control knob and push button: ON/OFF
Power Source: One standard 9V alkaline battery
Weight: 4.7 oz. (133 gm)
Dimensions: 4.95 x 2.5 x 1.0in (12.6 x 6.4 x 2.5 mm)
Construction: Rugged ABS plastic case, integral transducers, solid state circuitry
Service: MedaSonics, Inc. maintains a full service facility which can promptly repair products returned to the factory.
Warranty: MedaSonics Dopplers are covered by a 5-year warranty on parts; 1-year warranty on labor. Call Customer Service for details.

STETHOSCOPE ULTRASCOPE DOPPLER SYSTEM
PART # 101-0137-010
NSN 6515014918101

CLOSE-UP, STETHOSCOPE ULTRASCOPE DOPPLER

HEADSET, STETHOSCOPE ULTRASCOPE DOPPLER SYSTEM
PART # 101-0008-010

MEDASONICS®

BLOOD FLOW ULTRASOUND STETHOSCOPE®
Model BF5A

Operating & Service Instructions

INTRODUCTION

The MedaSonics ULTRASOUND STETHOSCOPE® Doppler Blood Flow Detector Model BF5A is a pocket-sized instrument featuring a high ultrasonic frequency and one of the smallest probe tips commercially available. It has been designed specifically for detecting blood flow in small arteries such as those of the face and digits. Clinical experience has demonstrated that Doppler ultrasound is a simple, non-invasive aid to the assessment of arterial and venous blood flow.

The MedaSonics ULTRASOUND STETHOSCOPE is based on the Doppler shift principle. At the end of the instrument is a piezoelectric crystal of very low power ultrasonic waves. This crystal is located at the tip of the plastic cone. Ultrasonic waves are emitted at a frequency of approximately 8 MHz. Reflections occur at tissue interfaces and some of the backscattered ultrasound is returned to the recieving crystal. Reflections from moving blood will have their pitch shifted slightly. After arriving at the receiving crystal, these reflections are detected and greatly amplified. Further processing converts the Doppler-shifted ultrasound into audible sounds indicating blood flow.

INSTRUCTIONS FOR USE

1 Spread a generous amount of ultrasound coupling agent on the body surface to be examined. *A fluid coupling agent is essential for proper operation.* Commercial preparations provide good coupling, however, a soap solution or even water can be used. *Do not use alcohol* as a coupling agent. A tube of commercial coupling agent is supplied with each instrument.

2 Plug headset or speaker into either output jack. Set volume control midway. Place the plastic probe tip on the site to be examined. Press side-mounted ON button. Adjust volume control as desired. Unit will remain on as long as button is depressed and for about 3 minutes after it is released. The BF5A is designed for one-handed operation, with the middle finger controlling the ON button and the index finger controlling the volume.

3 Place the probe tip on the surface being examined. *Do not press hard or blood flow may be affected.* Use sufficient fluid coupling medium so it is not necessary to press

OPERATOR MANUAL, STETHOSCOPE ULTRASCOPE DOPPLER SYSTEM
PART # 054-0136-010
NSN 7610015437003

SOFT CARRYING CASE, STETHOSCOPE ULTRASCOPE DOPPLER SYSTEM
PART # 209-0112-010

GEL, STETHOSCOPE ULTRASCOPE DOPPLER SYSTEM
NSN 6525-00-529-3346 is a suitable resupply for the ultrasound gel.

STETHOSCOPE ULTRASCOPE DOPPLER SYSTEM
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**2.5**
	Width (Inches)	**1**
	Length (Inches)	**4.95**
	Cube (Cubic Feet)	**0.0072**
	Weight	**4.7 oz**
Ship Dimensions	**Height (Inches)**	**0**
	Width (Inches)	**0**
	Length (Inches)	**0**
	Cube (Cubic Feet)	**0**
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		**N/A**
Watts		**N/A**
Power Requirements	**9 VDC Standard Commercial Battery**	
Notes		

STETHOSCOPE ULTRASCOPE DOPPLER SYSTEM
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Cooper Surgical, Inc.	DIST PN Cardinal Health	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014918101		Stethoscope Ultrascope Doppler System	101-0137-010		1	EA	$600.72	$600.72	N/A
	Awaiting NSN	Stethoscope headset	101-0008-010		1	EA	Incl w/NSN 8101	Incl w/NSN 8101	N/A
6135010631978	See Additional Note Below	Battery, 9V Alkaline	A1604		1	EA	Incl w/NSN 8101	Incl w/NSN 8101	36
6525005293346		Gel Transmission Ultrasound 250ml Squeeze BT 6.50-6.95 Ph 12s	70914		1	12/PG	Incl w/NSN 8101	Incl w/NSN 8101	N/A
NSN Not Required		Literature Operator	054-0136-010		1	EA	Incl w/NSN 8101	Incl w/NSN 8101	N/A
NSN Not Required		Soft carrying case	209-0112-010		1	EA	Incl w/NSN 8101	Incl w/NSN 8101	N/A

STETHOSCOPE ULTRASCOPE DOPPLER SYSTEM
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Cooper Surgical, Inc.	DIST PN Cardinal Health	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	Stethoscope headset	101-0008-010		1	EA	$68.00	$68.00	N/A
6135010631978	See Additional Note Below	Battery, 9V Alkaline	A1604		1	12/PG	$16.68	$16.68	36
6525005293346		Gel Transmission Ultrasound 250ml Squeeze BT 6.50-6.95 Ph 12s	70914		1	12/PG	$39.97	$39.97	N/A
NSN Not Required		Literature Operator	054-0136-010		1	EA			N/A
NSN Not Required		Soft carrying case	209-0112-010		1	EA	$20.00	$20.00	N/A

STETHOSCOPE ULTRASCOPE DOPPLER SYSTEM
ADDITIONAL NOTE:

Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

STIMULATOR PERIPHERAL NERVE

TOC

MANUFACTURER: LIFE-TECH, INC.
Manufacturer Model# MS-IV
Manufacturer's PHONE: (540) 662-8000 FAX: (540) 662-3803
Manufacturer's Website: <http://www.life-tech.com>

Item Web Link:
<http://www.life-tech.com/anesthesia/stimulators/ministim.shtml>

AAC 'J' ITEM NSN 6515-01-397-5212

UAs: P301 , P307 , P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $161.55

System Description: The MiniStim is a battery powered Peripheral Nerve Stimulator for monitoring the effects of skeletal muscle relaxants. The Stimulus Amplitude Control dial provides variable current control (0 to 50 mA into a 2K ohm load). The maximum output is more than adequate to ensure supramaximal subcutaneous stimulation of peripheral nerves in all patients and supramaximal transcutaneous stimulation of peripheral nerves in all but the most obese patients.

The Output Stimulus Pulse Indicator flashes each time current passes through the patient. Conditions such as an open lead or electrode will prevent indicator from flashing to alert the operator. Five stimulus patterns can be generated: Train-of-Four, Double Burst, Twitch, and 50 Hz and 100 Hz Tetanus. Double Burst (3/3 pattern) and Train-of-Four stimuli groups are generated upon demand. The twitch is repeated automatically every second.

Pressing either the 50 Hz or 100 Hz keys overrides all other stimulus pattern with titanic stimulus rates of either 50 or 100 pulses per second as long as the key is depressed. The power indicator lights while the unit is ON and flashes when the battery needs replacement.

STIMULATOR PERIPHERAL NERVE BLOCKADE
PART # MS-IV
NSN 6515013975212

LIFE-TECH MS IV

STIMULATOR PERIPHERAL NERVE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**4.2**
	Width (Inches)	**0.8**
	Length (Inches)	**2.4**
	Cube (Cubic Feet)	**0.0047**
	Weight	**5 oz**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		**0 min. to 50 max.**
Watts		
Power Requirements	**9 VDC (Battery)**	
Notes	**Output Voltage: 450V±10%** **Twitch: 2 pulses per second** **Tetanus: 50 to 100 pulses per second** **Stimulus Pulse: 22 milliseconds, square wave monophasic**	

STIMULATOR PERIPHERAL NERVE
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Life-Tech, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515013975212		Stimulator Peripheral Nerve	MS-IV		1	EA	$161.55	$161.55	N/A
6135009735632		Battery, Non-Rechargeable 9 volt	C512C		1	EA	Incl w/NSN 5212	Incl w/NSN 5212	36
6515015221838		Extension Leads Nerve Stimulator, 2 Ft w/Alligator Clips, Use w/ 6515013975212	EL-2MTP		1	EA	Incl w/NSN 5212	Incl w/NSN 5212	N/A
6515015224238		Probe, Bipolar Nerve Stimulator, Use w/ 6515013975212	DP-MTP		1	EA	Incl w/NSN 5212	Incl w/NSN 5212	N/A

STIMULATOR PERIPHERAL NERVE
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Life-Tech, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009735632		Battery, Non-Rechargeable 9 volt	C512C		1	EA	$0.96	$0.96	36
6515015221838		Extension Leads Nerve Stimulator, 2 Ft w/Alligator Clips, Use w/ 6515013975212	EL-2MTP		1	EA	$20.45	$20.45	N/A
6515015224238		Probe, Bipolar Nerve Stimulator, Use w/ 6515013975212	DP-MTP		1	EA	$24.45	$24.45	N/A

STIMULATOR PERIPHERAL NERVE
WEB LINKS

Click Below for Manual Available Online

<http://www.life-tech.com/documents/ministim1VAmanual.pdf>

SUCTION APPARATUS SURGICAL PROGRAMMABLE

TOC

MANUFACTURER: IMPACT INSTRUMENTATION INC.
Manufacturer Model# 800-0326-04
Manufacturer's PHONE: (973) 882-1212 FAX: (973) 882-4993
Manufacturer's Website: <http://www.impactii.com>

Item Web Link:
<http://www.impactinstrumentation.com/326.html>

AAC 'L' ITEM NSN 6515-01-435-0050

UAs: 249B, 256C, 257B, 258C, 261B, 267C, 269B, 512A, 625A, 905C, 912B, N305, N316, N320, N436, N477, N513, N713, P301, P307, P308, P309, P310

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $2,758.56

System Description: The Model 326 is a multifunction, continuous and programmable intermittent suction unit, built around Impact's ultra-lite® vacuum pump. The Model 326 may be used for oropharyngeal, tracheal, wound drainage, and abdominal or thoracic decompression procedures - short or long-term use. Its supplied accessories permit continuous use from AC or DC power and internal rechargeable batteries provide power for several hours of transport or emergency backup. Collection canister assembly includes a reusable collection jar, canister, elbows and fittings. The 326 also includes Air Worthiness Release (AWR).

Features:
- AC/DC rechargeable battery operation
- Simultaneous battery recharge and operation
- Dual-scale metric/English vacuum gauge
- Extended operation between recharges
- Energy efficient, easy to use
- Oil-less vacuum pump
- Exceeds all clinical standards for upper airway & gastrointestinal suctioning
- 2 universal collection canister brackets hold 2 canisters up to 2000 ml capacity each
- Patient adaptable intermittent suction
- Continuously variable programmable selections
- Small/lightweight/versatile
- EMI/RFI certified for aeromedical use
- Built-in wall/pole mounting bracket interface
- Low battery indicator
- 2 Velcro straps to attach unit to a litter – 1” x 24” w/ 18” loop in the middle and a 3” hook at the ends

SUCTION APPARATUS, SURGICAL PROGRAMMABLE - OPEN CASE
PART # 800-0326-04
NSN 6515014350050



SUCTION APPARATUS, SURGICAL PROGRAMMABLE
PART # 326M

SUCTION APPARATUS SURGICAL PROGRAMMABLE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**11.5**
	Width (Inches)	**9.5**
	Length (Inches)	**4.87**
	Cube (Cubic Feet)	**0.3079**
	Weight	**12 lbs**
Ship Dimensions	**Height (Inches)**	**18**
	Width (Inches)	**7.25**
	Length (Inches)	**24**
	Cube (Cubic Feet)	**1.8125**
	Weight	**29 lbs**
Storage Temp		
Operating Temp		**-4 to 120 °F**
Storage Humidity		
Operating Humidity		**Tested to level required for Air Worthiness - 94±4%RH, 85º F±3.6º**
Amps		**2.5 Steady State**
Watts		**100**
Power Requirements	**115/230 VAC, 50-400 Hz; Battery pack, rechargeable, sealed lead acid**	
Notes	**Operating Time: Minimum, 2 hours-cycled** **Recharge Time: Maximum, 16 hours** **Free Air Flow - Continuous: 30 Liters per Minute (lpm)** **Free Air Flow - Intermittent: 5-8 Liters per Minute (lpm)** **Vacuum Range - Continuous: Adjustable, 0-550 mmHg (0-22" Hg)** **Vacuum Range - Intermittent: Adjustable, 0-220 mmHg (0-8" Hg)**	

SUCTION APPARATUS SURGICAL PROGRAMMABLE ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Impact Instrumentation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014350050		Suction Apparatus Surgical Programmable	800-0326-04		1	EA	$2,758.56	$2,758.56	N/A
6140013318528	Installed in Apparatus	Battery, Rechargeable 12VDC 5Ah	704-0750-03		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	18
6515015096967		Case, Padded w/ 2 Velcro Straps, Soft Side	402-0017-00		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
6515015096977		Case, Carry-All w/ Label, Hard Side	703-0326-16		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
6545015571419	Contents Listed in Table Below	Parts Kit for Suction Apparatus	802-0326-03		1	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A
NSN Not Required		Literature, Operation and Service	906-0326-03		2	EA	Incl w/NSN 0050	Incl w/NSN 0050	N/A

SUCTION APPARATUS SURGICAL PROGRAMMABLE ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Impact Instrumentation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
5920015085022	Available in Kit	Fuse	081-0020-00		1	EA	$1.05	$1.05	N/A
6140013318528	Installed in Apparatus	Battery, Rechargeable 12VDC 5Ah	704-0750-03		1	EA	$116.34	$116.34	18
6515011942187	Available in Kit	Filter Disp U/W Pn 326M Or 306M Reusable Canister App Surg	465-0005-00		1	EA	$15.48	$15.48	N/A
6515015039456	1000cc reusable Available in Kit	Collection Canister Assembly	703-0326-07		1	EA	$82.72	$82.72	N/A
6515015043306	Available in Kit	Cable, Power, Charger, AC/DC	703-0326-06		1	EA	$357.94	$357.94	N/A
6515015085047		Filter, Hydrophobic/Bacterio Static, Disposable	465-0005-05		1	5/PG	$45.23	$45.23	N/A
6515015096877	Available in Kit	Cable, Power, DC, Vehicle Lighter	708-0326-01		1	EA	$53.80	$53.80	N/A
6515015096967		Case, Padded w/ 2 Velcro Straps, Soft Side	402-0017-00		1	EA	$173.73	$173.73	N/A
6515015096977		Case, Carry-All w/ Label, Hard Side	703-0326-16		1	EA	$145.25	$145.25	N/A
6515015097331	Available in Kit	Velcro Strap	334-0020-00		1	EA	$47.68	$47.68	N/A
6515015098638	Available in Kit	Bracket Assembly, Canister	334-0030-00		1	EA	$31.11	$31.11	N/A
6515015117007		Tubing, Suction, 72 inch	820-0018-50		1	50/PG	$168.00	$168.00	N/A
6515015117017	Available in Kit	Tubing, Suction, 24 inch	540-0051-00		1	EA	$4.27	$4.27	N/A
6515015117023	Available in Kit	Tubing, Clear, 12 inch	540-0068-00		1	EA	$0.97	$0.97	N/A
6515015117034	Available in Kit	Tubing, Clear, 18 inch	540-0055-00		1	EA	$3.32	$3.32	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Impact Instrumentation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015117035	Available in Kit	Tubing, Suction, 72 inch	820-0018-00		1	EA	$5.76	$5.76	N/A
6545015571419	Contents Listed in Table Below	Parts Kit for Suction Apparatus	802-0326-03		1	EA	$743.57	$743.57	N/A
NSN Not Required		Literature, Operation and Service	906-0326-03		1	EA	$36.00	$36.00	N/A

SUCTION APPARATUS SURGICAL PROGRAMMABLE WEB LINKS

Click Below for Specification Sheet

<http://www.impactinstrumentation.com/images/326.pdf>

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

SUCTION APPARATUS SURGICAL PROGRAMMABLE ITEM TABLES

Parts Kit Suction Apparatus Contents

COMPONENT	NSN	PN	QTY	UI
Bracket Universal Collection Jar Assembly	6515 015098638	334-0030-00	2	EA
Cable Suction Apparatus DC Power	6515 015096877	708-0326-01	1	EA
Canister Assembly, Collection 1000cc Reusable	6515 015039456	703-0326-07	2	EA
Charger Suction Apparatus	6515 015043306	703-0326-06	1	EA
Filter Disposable Suction Apparatus	6515 011942187	465-0005-00	2	EA
Fuse Cartridge 250V 2A Midget	5920 015085022	081-0020-00	2	EA
Straps Self Fastening Velcro	6515 015097331	334-0020-00	2	EA
Tubing Suction Surgical 12 Inch	6515 015117023	540-0068-00	1	EA
Tubing Suction Surgical 18 Inch	6515 015117034	540-0055-00	2	EA
Tubing Suction Surgical 24 Inch	6515 015117017	540-0051-00	2	EA
Tubing Suction Surgical 72 Inch	6515 015117035	820-0018-00	1	EA

THERMOMETER KIT CLINICAL

TOC

MANUFACTURER: WELCH ALLYN
Manufacturer Model# 01692-MC
Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361
Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:
<http://www.welchallyn.com/products/en-us/x-11-ac-100-0000000001198.htm>

AAC 'L' ITEM NSN 6515-01-523-9935

UAs: 174A, 256C, 257B, 261B, 267C, 268B, 269B, 506A, 625A, 905C, N316, N320, N413, N477, N513, N713, P308, P309, P310, P311

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $557.87

System Description: The digital thermometer is battery operated and comes with three extra AA batteries. It comes in a case with inserts and includes an oral probe, a rectal probe, probe case, and four boxes of 25 probe covers. The thermometer can be mounted to the wall.

Features:
- Ergonomic design - comfortable to hold, easy to use, and very durable
- Interchangeable, removable probe wells reduce the risk of cross-contamination
- Large LCD display with location identification capability
- Includes a 60-second pulse timer for counting pulses and respirations
- Mechanical or electronic security options to help prevent theft
- Takes approximately 5,000 readings on 3 "AA"batteries

THERMOMETER, DIGITAL
PART # 01692-200
NSN 6515015257595



THERMOMETER KIT, CLINICAL WITH CASE
PART # 01692-MC
NSN 6515015239935

WITH PROBE ATTACHED
PART # 01692-MC
NSN 6515015239935

PROBE AND WELL KIT, ORAL 4 INCH
PART # 02893-000
NSN 6515015331281



PROBE AND WELL KIT, RECTAL 4 INCH
PART # 02892-000
NSN 6515015324146

THERMOMETER KIT CLINICAL
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**11**
	Width (Inches)	**7**
	Length (Inches)	**5**
	Cube (Cubic Feet)	**0.2228**
	Weight	**1.9 lbs**
Ship Dimensions	**Height (Inches)**	**11**
	Width (Inches)	**7**
	Length (Inches)	**5**
	Cube (Cubic Feet)	**0.2228**
	Weight	**3.0 lbs**
Storage Temp		**-4 to 122 °F**
Operating Temp		**50 to 104 °F**
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	**1.5 VDC AA Batteries - 3**	
Notes	**Patient Temperature Range: 80 to 110 °F ± 0.2 °F**	

THERMOMETER KIT CLINICAL
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015239935		Thermometer Kit Clinical	01692-MC		1	EA	$557.87	$557.87	N/A
6135009857845	See Notes 1 & 2 Below	Batteries, Alkaline (AA)			6	EA	Incl w/NSN 9935	Incl w/NSN 9935	36
6515013738659	See Note 1 Below	Cover, Electronic Thermometer Probe, Plastic, Disposable			4	25/PG	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015257595		Digital Thermometer w/Oral Probe & Well Kit	01692-200		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015324146		Probe & Well Kit, Rectal w/4-Foot Cord	02892-000		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6515015331281		Probe & Well Kit, Oral w/4-Foot Cord	02893-000		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
6685015726374		Soft Case	701861		1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A
NSN Not Required		Literature, Operator			1	EA	Incl w/NSN 9935	Incl w/NSN 9935	N/A

THERMOMETER KIT CLINICAL
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6135009857845		Batteries, Alkaline (AA)	W-B-101 CL12		1	24/PG	$41.60	$41.60	36
6515012031332		Cover, Electronic Thermometer Probe Plastic Disposable	05031-101		1	1000/PG	$23.00	$23.00	N/A
6515013738659		Cover Electronic Therometer Probe Plastic Disposable 100S	416-100		1	100/PG	$6.82	$6.82	N/A
6515015257595		Digital Thermometer w/Oral Probe & Well Kit	01692-200		1	EA	$466.67	$466.67	N/A
6515015324116		Holder Probe and Well Thermometer	21330-0000		1	EA	$10.83	$10.83	N/A
6515015324146		Probe & Well Kit, Rectal w/4-Foot Cord	02892-000		1	EA	$88.31	$88.31	N/A
6515015331281		Probe & Well Kit, Oral w/4-Foot Cord	02893-000		1	EA	$102.26	$102.26	N/A
6685015726374		Soft Case	701861		1	EA	$50.00	$50.00	N/A

THERMOMETER KIT CLINICAL
ADDITIONAL NOTE:

Note 1: Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

Note 2: Three batteries come with the unit; three extra ones are inside the soft case.

THERMOMETER KIT CLINICAL
WEB LINKS

Click Below for User's Manual

<http://www.welchallyn.com/documents/Thermometry/Electronic%20Thermometry/SureTemp%20690/71213_0000_stplus_usermanual_2009_02_04.pdf>

ULTRASONIC UNIT BLOOD FLOW DETECTION

TOC

MANUFACTURER: COOPER SURGICAL, INC.
Manufacturer Model# D8
Manufacturer's PHONE: (203) 601-5200 FAX: (203) 601-1007
Manufacturer's Website: <http://www.coopersurgical.com>

AAC 'J' ITEM NSN 6515-01-293-5578

UAs: 267C , P301 , P302 , P307 , P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $2,995.00

System Description: Detect air emboli during surgery where significant gravitation gradient exists between the heart and the operating site. Assess vessel potency or monitor and evaluate blood flow at surgical site. Obtain systolic blood pressure measurements during surgery. Flexible design allows for one Doppler and multiple probe frequencies.

DOPPLER ULTRASONIC FLOW DETECTOR
PART # D8
NSN 6515012935578

PENCIL STYLE PROBE - 8MHZ, 11.5CM
PART # 101-0013-010
NSN 6515014916202
Found in UA Support

ULTRASONIC UNIT BLOOD FLOW DETECTION
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**10**
	Width (Inches)	**10**
	Length (Inches)	**4.8**
	Cube (Cubic Feet)	**0.2778**
	Weight	**12 lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		**50 to 104 °F**
Operating Temp		**50 to 104 °F**
Storage Humidity		**30 to 70%**
Operating Humidity		**30 to 70%**
Amps		
Watts		
Power Requirements	**120/130 VAC, 50/60 Hz**	
Notes		

ULTRASONIC UNIT BLOOD FLOW DETECTION
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Cooper Surgical, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515012935578		Ultrasonic Unit Blood Flow Detection	D8		1	EA	$2,995.00	$2,995.00	N/A
6515014916202		Probe, Doppler	101-0013-010		1	EA	Incl w/NSN 5578	Incl w/NSN 5578	N/A
Not Required		Coupling Gel 6oz	70914		1	EA	Incl w/NSN 5578	Incl w/NSN 5578	N/A
NSN Not Required		Literature, Operator			1	EA	Incl w/NSN 5578	Incl w/NSN 5578	N/A

ULTRASONIC UNIT BLOOD FLOW DETECTION
ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THIS ITEM

NSN	Notes	Nomenclature	MFR PN Cooper Surgical, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515012935578		Ultrasonic Unit Blood Flow Detection	D8		1	EA	$2,995.00	$2,995.00	N/A
6515014916202		Probe, Doppler	101-0013-010		1	EA	$1,211.55	$1,211.55	N/A

ULTRASONIC UNIT BLOOD FLOW DETECTION
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Cooper Surgical, Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014916202		Probe, Doppler	101-0013-010		1	EA	$1,211.55	$1,211.55	N/A
NSN Not Required		Literature, Operator			1	EA	$0.00	$0.00	N/A

VENTILATOR VOLUME PORTABLE

TOC

MANUFACTURER: IMPACT INSTRUMENTATION INC.
Manufacturer Model# 754M
Manufacturer's PHONE: (973) 882-1212 FAX: (973) 882-4993
Manufacturer's Website: <http://www.impactii.com>

Item Web Link:
<http://www.impactinstrumentation.com/754.html>

AAC 'L' ITEM NSN 6530-01-464-0267

UAs: 257B , 267C , P308 , P309

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $12,912.18

System Description: Transport ventilator completely self contained, this unit is battery powered, weighs just over 12 lbs and consumes no gas. Featuring an internal compressor and blender, the the device offers PEEP with Controlled Assist, SIMV, Intubated CPAP, and CMV (for Apnea backup) ventilation modes. Bright graphic LCD provides monitoring and alarm settings. An interactive demo/teaching mode assures fast startup sequence in as little as three steps. This unit is EMI/RFI & air medical certified.

Features:
- Interactive Demo/Teaching Mode
- Operation Accomplished in as few as 3 steps
- Full altitude compensation
- Internal PEEP
- On-board emergency backup ventilator
- Automatic LCD backup lighting
- CD-ROM is available for operator familiarization

VENTILATOR VOLUME PORTABLE
PART # 754M
NSN 6530014640267



VENTILATOR VOLUME PORTABLE
PART # 754M
NSN 6530014640267

VENTILATOR VOLUME PORTABLE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**11.5**
	Width (Inches)	**8.87**
	Length (Inches)	**4.5**
	Cube (Cubic Feet)	**0.2656**
	Weight	**13 lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		**50 to 86 °F**
Operating Temp		**-13 to 120 °F**
Storage Humidity		**5 to 95%**
Operating Humidity		**5 to 95%**
Amps		
Watts		**100**
Power Requirements	**Battery, 6 VDC, 5 Amp Hours; 115/230 VAC ± 10%, 50-400 Hz; 16-30 VDC (DC Converter), negative ground**	
Notes	**Maintainer Test Kit:** **NSN 6530-01-546-1369, Kit Calibration Ventilator** **Located in the following UA's:** **N523, N725, T500, T501, T503**	

VENTILATOR VOLUME PORTABLE
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Impact Instrumentation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530014640267		Ventilator Volume Portable	754M		1	EA	$12,912.18	$12,912.18	N/A
	Awaiting NSN	Instructional Video - CD Format	909-0754-04		2	EA	Incl w/NSN 0267	Incl w/NSN 0267	N/A
4720013829231		High Pressure Oxygen Hose	825-0002-00		1	EA	Incl w/NSN 0267	Incl w/NSN 0267	N/A
6130014688360		Universal AC Power Supply	703-0754-09		1	EA	Incl w/NSN 0267	Incl w/NSN 0267	N/A
6130014688361	Installed in Unit	Battery Power Supply Used on Ventilator 6530014640267	704-0754-01		1	EA	Incl w/NSN 0267	Incl w/NSN 0267	N/A
6515014661195		Ventilator Circuit, Disposable/Single Patient Use	820-0067-15		1	EA	Incl w/NSN 0267	Incl w/NSN 0267	N/A
6515015097331		Strap, Velcro 24 in. Long	334-0020-00		2	EA	Incl w/NSN 0267	Incl w/NSN 0267	N/A
6530015192814		12 VDC Power Cable	703-0754-03		1	EA	Incl w/NSN 0267	Incl w/NSN 0267	N/A
6530015193018		High Pressure Air Hose	825-0004-00		1	EA	Incl w/NSN 0267	Incl w/NSN 0267	N/A
6545015190169		Case, Padded	402-0014-00		1	EA	Incl w/NSN 0267	Incl w/NSN 0267	N/A
7610015189213		Manual Technical Operators	906-0754-02		1	EA	Incl w/NSN 0267	Incl w/NSN 0267	N/A

VENTILATOR VOLUME PORTABLE
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Impact Instrumentation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	Instructional Video - CD Format	909-0754-04		1	EA	$0.00	$0.00	N/A
4720013829231		High Pressure Oxygen Hose	825-0002-00		1	EA	$15.28	$15.28	N/A
6130014688360		Universal AC Power Supply	703-0754-09		1	EA	$625.50	$625.50	N/A
6130014688361	Installed in Unit	Battery Power Supply Used on Ventilator 6530014640267	704-0754-01		1	EA	$72.00	$72.00	N/A
6515014661195		Ventilator Circuit, Disposable/Single Patient Use	820-0067-15		1	15/PG	$80.00	$80.00	N/A
6515015045417		HCH, Adult Filtered Bact/Viral	3005		2	25/PG	$66.82	$133.64	N/A
6515015097331		Strap, Velcro 24 in. Long	334-0020-00		2	EA	$20.00	$40.00	N/A
6530015185060		Oxygen Resrvoir Kit	820-097-15		1	EA	$189.00	$189.00	N/A
6530015192814		12 VDC Power Cable	703-0754-03		1	EA	$123.98	$123.98	N/A
6530015193018		High Pressure Air Hose	825-0004-00		1	EA	$25.63	$25.63	N/A

ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Impact Instrumentation Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6545015190169		Case, Padded	402-0014-00		1	EA	$150.00	$150.00	N/A
7610015189213		Manual Technical Operators	906-0754-02		1	EA	$50.00	$50.00	N/A

VENTILATOR VOLUME PORTABLE
WEB LINKS

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>

Click Below for Product Specifications

<http://impactii.com/images/754.pdf>

VITAL SIGNS MONITOR

TOC

MANUFACTURER: WELCH ALLYN
Manufacturer Model# PROPAQ 206EL W/PULSE OXIMETRY
Manufacturer's PHONE: (315) 685-4560 FAX: (315) 683-3361
Manufacturer's Website: <http://www.welchallyn.com>

Item Web Link:
<http://www.welchallyn.com/products/en-us/x-11-ac-100-0000000001101.htm>

AAC 'L' ITEM NSN 6515-01-432-2707

UAs: 257B , 261B , 267C , N432 , P308 , P309 , P433

USAMMA POC: Customer Relations Management 301-619-1288/4301 - DSN 343-1288/4301
UNIT PRICE: $13,077.98

System Description: Rugged, lightweight, portable vital signs monitor for field use.

Features:
- Motion tolerant monitoring
- Small, lightweight
- Easy to use
- Modular
- Ruggedized
- Automatic sensor detection

Tests Performed:
- Heart/Pulse rate
- 3-5 Lead ECG
- Non Invasive BP
- 2 Channel Invasive BP
- Temperature
- Pulse Oximetry
- Respiration

NOTE: New monitors coming from Welch Allyn include a 3-lead ECG cable (P/N 008-0315-00) and a 3-lead Electrode set (P/N 6200-9). These are not required components for this configuration and need not be purchased to reissue the Vital Signs Monitor.

MONITOR PATIENT VITAL SIGNS W SPO² AND EXPANSION MODULE WITH PRINTER
PART # Propaq 206 EL w/Pulse Oximetry
NSN 6515014322707



PROPAQ 206 EL VITAL SIGNS MONITOR, RIGHT SIDE VIEW
PART # Propaq 206 EL w/Pulse Oximetry
NSN 6515014322707

5 LEAD ECG CABLE, WITH ATTACHED LEAD WIRES
PART # 008-0313-00



NIBP CUFF, ADULT STUFF W TWIST LOCK CONNECTOR
PART # 008-0628-00



CABLE, PULSE OXIMETRY, 8 FEET
PART # 008-0742-00

HOSE, NIBP ADULT-PEDIATRIC
PART # 008-0238-00

AC POWER ADAPTER
PART # 503-0054-0



DURASENSOR REUSABLE FINGER, SPO2
PART # 900-0021-00



NIBP CUFF KIT, ADULT
PART # 008-0324-00



NIBP CUFFT, PEDIATRIC, REUSABLE FLEXIPORT
PART # REUSE-09-1MQ



NIBP CUFF KIT, THIGH
PART # 008-0324-00

TEMPERATURE PROBE
PART # 008-0230-00

MILITARY REUSABLE CONTAINER, SHOWN W ACCESSORIES
PART # 008-0586-00

VITAL SIGNS MONITOR
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	**Height (Inches)**	**9.65**
	Width (Inches)	**8.25**
	Length (Inches)	**7.56**
	Cube (Cubic Feet)	**0.3483**
	Weight	**13.5 lbs**
Ship Dimensions	**Height (Inches)**	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		**-4 to 140 °F (-20 to 60 °C)**
Operating Temp		**32 to 104 °F (0 to 40 °C)**
Storage Humidity		**15 to 95% Non-condensing**
Operating Humidity		**15 to 95% Non-condensing**
Amps		**0.5**
Watts		**60**
Power Requirements	**110/208 VAC ± 10%, 50/60 Hz; 12-23 VDC**	
Notes		

VITAL SIGNS MONITOR
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515014322707		Vital Signs Monitor	Propaq 206EL w/Pulse Oximetry		1	EA	$13,077.98	$13,077.98	N/A
	Awaiting NSN	Cable, 3 Lead ECG	008-0315-00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
	Awaiting NSN	Electrodes, Disposable ECG 3pg	6200-09		1	3/PG	Incl w/NSN 2707	Incl w/NSN 2707	N/A
	Awaiting NSN	NIBP Cuff, Pediatric, Reusable Flexiport	REUSE-09-1MQ		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6135013960704	One battery comes installed in unit	Battery Assembly E.I. Vital Signs Monitor 6515014322711	008-0125-00		2	EA	Incl w/NSN 2707	Incl w/NSN 2707	36
6515014128673	See Additional Note 1 Below, 3 Rolls in the case	Paper, Printer	008-0040-98		3	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515014365080		Hose NIBP Adult/Pediatric	008-0238-00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515014631759		NIBP Cuff, Adult Standard Reusable Flexiport	REUSE-11-1MQ		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515014989984		Temp Extension Cable,10 ft for Reusable Temp probe	008-0235-00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015010661		Cable, Pulse Oximetry, 8 foot extension	008-0742-00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015039828		Power Cord, Hospital Grade 100-120 VAC	008-0333-00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015189559		Military Container	008-0586-00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015190163		Pulse Oximetry Probe Reusable Durasensor DS100A	900-0021-00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015190962		ECG Cable, 5 Lead, 10 ft, w/5 Attached Lead Wires, Snap	008-0313-00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015191100		Cuff Kit, NIBP adult reusable w/“twist lock” connector	008-0324-00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015191102		AC Adapter for Recharging Battery, 120 VAC 60 HZ	503-0054-02		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015193763		Temp Probe General Purpose Reusable Adult General Purpose	008-0230-00		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
6515015195855		Electrode Electrocardiograph	6200-11		1	30/PG	Incl w/NSN 2707	Incl w/NSN 2707	N/A
NSN Not Required		Literature, Maintenance	810-1316-04		2	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
NSN Not Required		Literature, Maintenance CD Format	810-1084-03		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
NSN Not Required		Literature, Operator	810-2106-02		2	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A
NSN Not Required		Literature, Operator CD Format	810-1719-04		1	EA	Incl w/NSN 2707	Incl w/NSN 2707	N/A

VITAL SIGNS MONITOR
ACCESSORIES & CONSUMABLES - RESUPPLY

NSN	Notes	Nomenclature	MFR PN Welch Allyn	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
	Awaiting NSN	NIBP Cuff, Pediatric, Reusable Flexiport	REUSE-09-1MQ		1	EA	$0.00	$0.00	N/A
6135013960704	One battery comes installed in unit	Battery Assembly E.I. Vital Signs Monitor 6515014322711	008-0125-00		1	EA	$148.46	$148.46	36
6515014128673	See Additional Note 1 Below, 3 Rolls in the case	Paper, Printer	008-0040-98		1	10/PG	$27.00	$27.00	N/A
6515014365080		Hose NIBP Adult/Pediatric	008-0238-00		1	EA	$20.00	$20.00	N/A
6515014631759		NIBP Cuff, Adult Standard Reusable Flexiport	REUSE-11-1MQ		1	EA	$14.20	$14.20	N/A
6515014989984		Temp Extension Cable,10 ft for Reusable Temp probe	008-0235-00		1	EA	$49.75	$49.75	N/A
6515015010661		Cable, Pulse Oximetry, 8 foot extension	008-0742-00		1	EA	$65.00	$65.00	N/A
6515015039828		Power Cord, Hospital Grade 100-120 VAC	008-0333-00		1	EA	$23.00	$23.00	N/A
6515015189559		Military Container	008-0586-00		1	EA	$576.40	$576.40	N/A
6515015190163		Pulse Oximetry Probe Reusable Durasensor DS100A	900-0021-00		1	EA	$337.00	$337.00	N/A
6515015190962		ECG Cable, 5 Lead, 10 ft, w/5 Attached Lead Wires, Snap	008-0313-00		1	EA	$91.00	$91.00	N/A
6515015191100		Cuff Kit, NIBP adult reusable w/“twist lock” connector	008-0324-00		1	EA	$94.97	$94.97	N/A
6515015191102		AC Adapter for Recharging Battery, 120 VAC 60 HZ	503-0054-02		1	EA	$122.00	$122.00	N/A
6515015193763		Temp Probe General Purpose Reusable Adult General Purpose	008-0230-00		1	EA	$63.32	$63.32	N/A
6515015195855		Electrode Electrocardiograph	6200-11		1	30/PG	$22.39	$22.39	N/A
NSN Not Required		Literature, Maintenance	810-1316-04		1	EA	$45.00	$45.00	N/A
NSN Not Required		Literature, Maintenance CD Format	810-1084-03		1	EA	$45.00	$45.00	N/A
NSN Not Required		Literature, Operator	810-2106-02		1	EA	$45.00	$45.00	N/A
NSN Not Required		Literature, Operator CD Format	810-1719-04		1	EA	$0.00	$0.00	N/A

VITAL SIGNS MONITOR
ADDITIONAL NOTE:

1. Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.
2. CD-ROM for Operator familiarization is available.
3. New monitors coming from Welch Allyn include a 3-lead ECG cable (P/N 008-0315-00) and a 3-lead Electrode set (P/N 6200-9). These are not required components for this configuration and need not be purchased to reissue the Monitor, Patient Vital Signs.

VITAL SIGNS MONITOR
WEB LINKS

Click Below for Reference Guide, Software version 2.5x.

<http://www.welchallyn.com/documents/Patient%20Monitoring/Continuous%20Monitoring/Propaq%20Encore/2008_08_12_Propaq_Encore_Reference_Guide.pdf>

Click Below for Reference Guide, Software version 2.4x.

<http://www.welchallyn.com/documents/Patient%20Monitoring/Continuous%20Monitoring/Propaq%20Encore/usermanual_20070324_propaqencore_monitor.pdf>

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>