

**FREEZER UPRIGHT ULTRA-LOW TEMP**

**MANUFACTURER: THERMO-ELECTRON CORP**

**Manufacturer Model# ULT-1386-9A**

**Manufacturer's PHONE: (508) 482-7000 FAX: (508) 634-2110**

**Manufacturer's Website: <<http://www.thermo.com>>**

**Item Web Link:**

**<<http://www.thermoscientific.com/ecom/servlet/productsdetail?productId=13133047&groupType=PRODUCT&searchType=0&storeId=11152>>**

**AAC 'Y' ITEM NSN 4110-01-508-6668**

**USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301**

**UNIT PRICE: \$10,797.51**


**System Description:** This freezer was developed for the most critical material storage. The Revco Ultima II represents the finest, most enhanced ultra-low freezer anywhere. Available in general purpose and blood bank configurations, each Ultima II freezer includes the Revco IntrLogic® microprocessor control system with built-in voltage boost and surge suppressor, convenient eye-level controls on upright models and comprehensive monitoring technology such as Lifeguard compressor protection, A.I.M. (Automatic Incident Monitor), and extreme ambient alert.

- Features:**
- Minimum 5" (12.7 cm) foamed-in-place urethane insulation, closed-cell, CFC-free, to protect product against high ambient conditions.
  - Heavy-gauge steel cabinet with high impact powder paint finish.
  - Rounded interior corners for easy cleaning.
  - Access port, 1" (2.54 cm) diameter, with cap.
  - Recessed heavy duty swivel casters.
  - Temperature range -40 to 122.8 °F

**NOTE: NOW MANUFACTURED BY THERMO FISHER SCIENTIFIC.**



**FREEZER UPRIGHT ULTRA-LOW TEMP  
PART # ULT-1386-9A  
NSN 4110015086668**



**ADVANCED CABINET CONSTRUCTION - THERMO SCIENTIFIC ULTIMA II -86°C UPRIGHT, 24.4 CU. FT. (691 LITER), ILLUSTRATED WITH OPTIONAL TEMPERATURE RECORDER AND STAINLESS STEEL INVENTORY RACKS WITH BOXES.**

**FREEZER UPRIGHT ULTRA-LOW TEMP  
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

<b>Item Dimensions</b>	<b>Height (Inches)</b>	<b>77.5</b>
	<b>Width (Inches)</b>	<b>37.1</b>
	<b>Length (Inches)</b>	<b>31.3</b>
	<b>Cube (Cubic Feet)</b>	<b>52.0806</b>
	<b>Weight</b>	<b>655 lbs</b>
<b>Ship Dimensions</b>	<b>Height (Inches)</b>	
	<b>Width (Inches)</b>	
	<b>Length (Inches)</b>	
	<b>Cube (Cubic Feet)</b>	
	<b>Weight</b>	
<b>Storage Temp</b>		
<b>Operating Temp</b>		<b>60 to 90 °F</b>
<b>Storage Humidity</b>		
<b>Operating Humidity</b>		<b>Less than 90%</b>
<b>Amps</b>		<b>16</b>
<b>Watts</b>		<b>1840</b>
<b>Power Requirements</b>	<b>115 VAC, 50/60 Hz</b>	
<b>Notes</b>	<b>Storage Cubic Foot: 13.4 cu ft</b>	

**FREEZER UPRIGHT ULTRA-LOW TEMP  
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Thermo- Electron Corp	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
4110015086668		Freezer Upright Ultra-Low Temp	ULT-1386- 9A		1	EA	\$10,797.51	\$10,797.51	N/A
7610005437003		Literature, Operator	39125H01		1	EA	Incl w/NSN 6668	Incl w/NSN 6668	N/A

**FREEZER UPRIGHT ULTRA-LOW TEMP**  
**WEB LINKS**

**[Click Below for Manual Available Online](#)**

**[<http://www.thermoscientific.com/ecomm/servlet/techresource?storeId=11152&langId=-1&taxonomy=4&resourceId=95244&contentType=User+Manuals&productId=13133047#>](http://www.thermoscientific.com/ecomm/servlet/techresource?storeId=11152&langId=-1&taxonomy=4&resourceId=95244&contentType=User+Manuals&productId=13133047#)**

**Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.**

**[<http://www.usamma.army.mil/assets/apps/email\\_doc/email\\_doc\\_index.cfm>](http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm)**