

SPLINT TRACTION - EXTRICATION ADULT

MANUFACTURER: REEL RESEARCH & DVPMT

Manufacturer Model# 8801

Manufacturer's PHONE: (831) 336-3960 FAX: (931) 336-3532

Manufacturer's Website: <<http://www.splints.com>>

Item Web Link:

<<http://splints.webs.com/reeladult.htm>>

AAC 'L' ITEM NSN 6515-01-250-8936

UAs: 1374 , 256C , 257B , 267B , 268B , 269B , 506A , 9118 , P308 , P783

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$715.92

System Description: This version of the Reel Splint Immobilizer™ has a unique twist. Two snap ring twist "Quick Disconnect" sleeves are positioned at the bottom or distal end of the splint. These sleeves allow the Reel's exclusive traction ratchet to be inserted into the distal portion of the splint. With the immobilizer component in the straight and neutral position, the ratchet can then be connected; thus creating the world's most highly effective long bone traction splint. In this traction configuration, there are two vitally important developments incorporated into the splint's design.

- **ANATOMICAL PIVOTING ISCHIAL PAD:** This assures proper alignment at and with the patient's "ischial pathway angle." Pivoting left or right, the ischial pad can be situated with proper and complete consideration of delicate proximal injury sites. The majority of femur fractures occur in this upper third portion of the thigh making this a major concern.
- **POSITIVE MIDLINE POF:** Allows the knee to be slightly flexed and supported at an angle that emulates the patient's natural anatomical position of function (or POF). This is highly beneficial in achieving proper natural limb alignment during traction while positively effecting neuro vascular integrity.

Features:

- Extrication handles - ideal for patient and extremity management
- Wound visualization & treatment - strap design allows complete & total access
- Limb repositioning - adapts readily for patient comfort or neuron-vascular restoration
- Folding design for storage
- Autoclavable
- Elevation stand is pin free - makes stand deployment, storage retractions & replacement simple
- Single Hand Ratcheting Control - one medic can control both mechanical traction application & patient manual traction at the same time
- Safety Traction Lock - when engaged, this lock feature disables the traction ratcheting knob, preventing any accidental loss of traction
- Reel's one-size-fits-all Ankle Hitch saves time, money & training while providing a significantly improved neutral foot position result
- The smaller profile "wrap around" design leaves pulse points accessible




**SPLINT TRACTION - EXTRICATION WITH LEG
PART # 8801
NSN 6515012508936**



**SPLINT TRACTION - EXTRICATION RATCHET ATTACHMENT
PART # RSA-018**

REPLACEMENT PARTS


Reel Splint Immobilizer 9801
Reel Splint Tactical System 8801



SPLINT TRACTION - EXTRICATION PARTS
PART # 8801
NSN 6515012508936

REPLACEMENT PARTS

Reel Splint Immobilizer 9801
Reel Splint Tactical System 8801



SPLINT SUPPORT, LEG LOWER LIMB WITHOUT TRACTION REEL STYLE ADULT SIZE
PART # 9801
NSN 6515015141347

**SPLINT TRACTION - EXTRICATION ADULT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	41
	Width (Inches)	11
	Length (Inches)	5
	Cube (Cubic Feet)	1.305
	Weight	11 lbs
Ship Dimensions	Height (Inches)	28
	Width (Inches)	10.5
	Length (Inches)	5.5
	Cube (Cubic Feet)	0.9358
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	Storage Height: 17 inches Storage Width: 10 inches Storage Depth: 11 inches	

**SPLINT TRACTION - EXTRICATION ADULT
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Reel Research & Dvpmt	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515012508936		Splint Traction - Extrication Adult	8801		1	EA	\$715.92	\$715.92	N/A
7610005437003		Literature, Operator	8801 IM		2	EA	Incl w/NSN 8936	Incl w/NSN 8936	N/A