

FIBERSCOPE TRACHEAL INTUBATION

MANUFACTURER: OLYMPUS AMERICA

Manufacturer Model# LF-2

Manufacturer's PHONE: (484) 896-5000 FAX: (484) 896-7164

Manufacturer's Website: <<http://www.olympusamerica.com>>

Item Web Link:

<http://www.olympusamerica.com/msg_section/msg_product.asp?p=2&sc=2&product=881&fl=2>

AAC 'J' ITEM NSN 6515-01-397-5258


USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$11,322.39

System Description: The LF-2 provides exceptional flexibility and maneuverability for a tracheal intubation fiberoptic while still maintaining the same thin diameter its predecessor - the LF-1 - was known for. The LF-2's insertion tube has a combination of flexibility and stiffness for easier insertion and navigation into the trachea and easier placement of endotracheal/endobronchial tubes. A large 1.5mm channel permits improved aspiration of secretions. Incorporating Olympus' advanced optics along with a 90° field of view, the LF-2 provides excellent image quality and visualization to make it easier for you to quickly and successfully perform flexible tracheal intubation.

Features:

- Compatible with single-lumen endotracheal tubes with an internal diameter of 5.0mm or greater; double-lumen tubes 37Fr. or greater
- 1.5mm channel for easier aspiration/instillation of fluids
- Olympus optical technology produces high-quality images for observation
- Wider field of view (90°) for excellent visualization
- Insertion tube markers (bands) for quick determination of insertion depth
- Waterproof for thorough reprocessing



FIBERSCOPE TRACHEAL INTUBATION
PART # LF-2
NSN 6515013975258

**FIBERSCOPE TRACHEAL INTUBATION
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Ship Dimensions	Height (Inches)	6
	Width (Inches)	18
	Length (Inches)	24
	Cube (Cubic Feet)	1.5
	Weight	10 lbs
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	<ul style="list-style-type: none"> ● Optical System <ul style="list-style-type: none"> ○ Field of View - 90° ○ Direction of View - 0° (Forward viewing) ○ Depth of Field - 3 ~ 50 mm ○ Illumination method - Light guide system ● Distal End <ul style="list-style-type: none"> ○ Outer diameter 3.8 mm ● Bending Section <ul style="list-style-type: none"> ○ Range of tip bending Up 120°; Down 120° ● Insertion Tube <ul style="list-style-type: none"> ○ Outer diameter 4 mm ● Working Length <ul style="list-style-type: none"> ○ 600 mm ● Total Length <ul style="list-style-type: none"> ○ 830 mm ● Suction Channel <ul style="list-style-type: none"> ○ Inner diameter 1.5 mm 	

**FIBERSCOPE TRACHEAL INTUBATION
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Olympus America	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515013975258		Fiberscope Tracheal Intubation	LF-2		1	EA	\$11,322.39	\$11,322.39	N/A