

BRONCHOSCOPE, FIBER OPTIC

MANUFACTURER: PENTAX MEDICAL COMP

Manufacturer Model# FB-15V

Manufacturer's PHONE: (201) 391-0932 FAX: (201) 391-4189

Manufacturer's Website: <<http://www.pentaxmedical.com>>

Item Web Link:

<http://www.pentaxmedical.com/?page=shop.product_details&category_id=21&flypage=flypage.tpl&option=com_virtuemart&Itemid=148&product_id=30>

AAC 'J' ITEM NSN 6515-01-505-7783

UAs: P302

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$10,495.80

System Description: This slim insertion tube diameter allows for ease of introduction, minimizing patient discomfort. The 2.2mm instrument channel provides effective aspiration and smooth passage of accessories. State-of-the-art technology has succeeded in increasing the number of image fibers by 40%. In addition, enlargement of the image size by 10% allows larger, brighter, and more crisp images to be obtained. Together with the wide angle of 120°, these modifications dramatically improve observation performance, and greatly reduce eye fatigue. All Pentax scopes have effective aspiration capability, are fully immersible and reprocessible, and feature Pentax's unique autoclavable, closed suction valve mechanism.

Features: Unique Closed Suction Mechanism: PENTAX immersible Bronchoscopes have always incorporated a unique "closed" suction valve mechanism that prevents the siphoning of fluid back towards the aspirator during instillation of solution. Simple one component valves, available in semi-disposable rubber auto-clavable plastic versions, offer complete fingertip control of aspiration.

Large Working Channels: Large working channels provide maximum aspiration and smooth passage of accessories without sacrificing tip size.



**BRONCHOSCOPE, FIBER OPTIC
PART # FB-15V
NSN 6515015057783**



UNIQUE CLOSED SUCTION MECHANISM

**BRONCHOSCOPE, FIBER OPTIC
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	12 lbs
Ship Dimensions	Height (Inches)	5
	Width (Inches)	19
	Length (Inches)	24
	Cube (Cubic Feet)	1.3194
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	N/A	
Notes	Channel Diameter: 2.2 mm Distal Tip Diameter: 4.9 mm Working Length: 600 mm Angulation: 180° up/130° down Angle of View: 120 °	

**BRONCHOSCOPE, FIBER OPTIC
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Pentax Medical Comp	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015057783		Bronchoscope, Fiber Optic	FB-15V		1	EA	\$10,495.80	\$10,495.80	N/A
6515011669027	See Additional Note Below	Bite Block	OF-Z5		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6515014620643	See Additional Note Below	Cleaning Brush Small	CS- 6002SN		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6515015296270		Cleaning Adapter	OF-B75		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6515015296645		Cleaning Brush	CS-C3S		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6515015296799	See Additional Note Below	Cleaning Brush	CS-6015ST		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6515015296806		Kit, O-Ring for OFB76	OF-B80		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6515015296807		Adapter Sleeve	OF-G1		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6515015296809		Suction, Valve Auto	OF-B136		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6515015296812		Carrying Case	VF-B6		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6515015296820		Rubber Inlet Seal	OF-B173		10	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6515015296821		Cap, ETO Venting	OF-C5		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6650013857151		Eye Shield 2 Pieces	OF-D3		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
6850013850504		Silicone Oil	OF-Z11		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
NSN Not Required		Insert, Warranty	60127		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A
NSN Not Required		Literature Operator	Z185		1	EA	Incl w/NSN 7783	Incl w/NSN 7783	N/A

**BRONCHOSCOPE, FIBER OPTIC
ADDITIONAL NOTE:**

Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.