

## STIMULATOR ULTRASOUND COMBO PORTABLE

**MANUFACTURER: CHATTANOOGA GROUP**

**Manufacturer Model# INTEL 2 LEGEND COMBO**

**Manufacturer's PHONE: (423) 870-2281 FAX: (423) 870-7407**

**Manufacturer's Website: <<http://www.chattgroup.com>>**

**Item Web Link:**

**<<http://chattgroup.com/product.asp?pr=404&ln=1&cn=5>>**

**AAC 'J' ITEM NSN 6515-01-519-4251**

**UAs: N312**

**USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301**

**UNIT PRICE: \$2,042.15**

**System Description:** This unit offers the convenience of a full-featured stimulator and ultrasound in one, portable device. System is for use in applying muscle stimulation and/or deep heat. Ultrasound operation is independent or in combination with Interferential, Premodulated and High Volt waveforms.

**Features:**

- 2 channels
- Touch pad control
- Multi-Waveform capability with Interferential, Premod, Russian and High Volt currents
- Easy as 1 – 2 – Go : In two steps, you are ready to start therapy
- Clear LCD display
- Dual – Frequency ultrasound
- Programmable start – up presets
- Ergonomic applicators: 20° contour in handgrip
- Electronic signature: automatically calibrates system to any size Intellect Legend applicator
- Head warming: pre-treatment warming of ultrasound head makes contact with patient more comfortable



**STIMULATOR ULTRASOUND SOMBO PORTABLE  
PART # NTEL 2 LEGEND COMBO  
NSN 6515015194251**



**KIT, HIGH VOLTAGE PROBE  
PART # 79977  
NSN 6515015499422**



**APPLICATORS, ULTRASOUND**  
**PART # 78048, 78047, 78046 - Left to Right**



**WRAP, NYLATEX**  
**PART # 10648**



**ELECTRODES**  
**PART # 72853-Red, 72852-Black**

**STIMULATOR ULTRASOUND COMBO PORTABLE  
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

<b>Item Dimensions</b>	<b>Height (Inches)</b>	<b>4.75</b>
	<b>Width (Inches)</b>	<b>12</b>
	<b>Length (Inches)</b>	<b>14</b>
	<b>Cube (Cubic Feet)</b>	<b>0.4618</b>
	<b>Weight</b>	<b>6 lbs</b>
<b>Ship Dimensions</b>	<b>Height (Inches)</b>	
	<b>Width (Inches)</b>	
	<b>Length (Inches)</b>	
	<b>Cube (Cubic Feet)</b>	
	<b>Weight</b>	
<b>Storage Temp</b>		
<b>Operating Temp</b>		
<b>Storage Humidity</b>		
<b>Operating Humidity</b>		
<b>Amps</b>		<b>0.5</b>
<b>Watts</b>		<b>50</b>
<b>Power Requirements</b>	<b>11-17 VDC; 90-240 VAC, 50/60 Hz</b>	
<b>Notes</b>		

**STIMULATOR ULTRASOUND COMBO PORTABLE  
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Chattanooga Group	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015194251		Stimulator Ultrasound Combo Portable	INTEL 2 LEGEND COMBO		1	EA	\$2,042.15	\$2,042.15	N/A
	Awaiting NSN	Lead Wire, 6', Red/Black Channels 1 & 2	12213		1	EA	Incl w/NSN 4251	Incl w/NSN 4251	N/A
	Awaiting NSN	Power Supply	71585		1	EA	Incl w/NSN 4251	Incl w/NSN 4251	N/A
	Awaiting NSN, See Additional Note Below	Wrap, Nylatex, 2.5" x 24", Sewn	1264		1	2/PG	Incl w/NSN 4251	Incl w/NSN 4251	N/A
6515005293346	See Additional Note Below	Gel, Transmission Ultrasound	Aquasonic 100		1	8.5 OZ	Incl w/NSN 4251	Incl w/NSN 4251	N/A
6515015695403		Applicator, Ultrasound, 5 cm <sup>2</sup>	78047		1	EA	Incl w/NSN 4251	Incl w/NSN 4251	N/A
NSN Not Required		Electrodes, Carbonflex, 3" Round, Black	72852		2	EA	Incl w/NSN 4251	Incl w/NSN 4251	N/A
NSN Not Required		Electrodes, Carbonflex, 3" Round, Red	72853		2	EA	Incl w/NSN 4251	Incl w/NSN 4251	N/A
NSN Not Required		Manual Maintenance	79079		1	EA	Incl w/NSN 4251	Incl w/NSN 4251	N/A
NSN Not Required		Power Cord	78121		1	EA	Incl w/NSN 4251	Incl w/NSN 4251	N/A

**STIMULATOR ULTRASOUND COMBO PORTABLE  
ADDITIONAL NOTE:**

Start-up quantity or unit of issue is different from Resupply quantity/unit of issue.

**STIMULATOR ULTRASOUND COMBO PORTABLE**  
**WEB LINKS**

**[Click Below for Product Information](#)**

**[http://www.chattgroup.com/downloads/Brochure/Intelect%20Series%20\(2093C\).pdf](http://www.chattgroup.com/downloads/Brochure/Intelect%20Series%20(2093C).pdf)**

**[Click Below for Operator Manual](#)**

**[http://www.chattgroup.com/downloads/User%20Manual/79079\\_E\\_Usr.pdf](http://www.chattgroup.com/downloads/User%20Manual/79079_E_Usr.pdf)**