

VENTILATOR VOLUME PORTABLE

MANUFACTURER: AUTOMEDX

Manufacturer Model# 70000H

Manufacturer's PHONE: (301) 916-9508 FAX: (301) 916-7155

Manufacturer's Website: <<http://www.AutoMedX.biz>>

Item Web Link:

<<http://automedx.biz/products/>>

AAC 'J' ITEM NSN 6515-01-581-8155

UAs: 269B

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$2,270.00

System Description: This ventilator unit is designed to be quickly deployed in a pre-hospital environment or by a medic and most first responders with limited training. It is lightweight, rugged, hands-free, and contains a number of alarms and safety features not found in similar devices. This device addresses the dangers associated with bagging patients and frees up a responder to address other injuries or to perform compressions.


The ventilator is completely self-contained and does not require a compressed gas source. It can be used with a mask or a secure airway. Low pressure supplemental oxygen can be used if desired.

The unit mitigates the potential for injury, reduces operator error, complies with guidelines, and improves a medical responder's ability to perform other critical tasks. It is ideally suited for situations where the use of pressurized gas is inadvisable or unavailable or where size, weight, ease of use, and portability are a consideration.

Features:

- Easy to use
 - Single knob operation
 - Low training requirements
 - Hands free
- Versatile
 - Allows spontaneous breathing
 - Accepts up to 6 LPM of supplemental O2 (FiO2 as high as 62%)
 - Powered by rechargeable lead-acid battery or electrical outlet
- Safe
 - Single tidal volume and respiratory rate reduces chance of operator error
 - Tidal Volume = 600 mL
 - Breaths / minute = 10
 - EtCO2 detector (Optional)
 - No compressed gas required
- Intelligent Design
 - Detects blockage and disconnects
 - Fail-safe mechanisms and suppressible alarms
 - Up to 5.5 hours per charge

NOTE: When unit ships, one debris filter will be in the ventilator and one with each of the two circuit breathing components.



VENTILATOR VOLUME PORTABLE
PART # 70000
NSN 6515015818155



VENTILATOR VOLUME PORTABLE
PART # 7000
NSN 6515015607288



**CIRCUIT, VENTILATOR
PART # M40003
NSN 6515015800768**



SHOWING HOSE CONNECTION



IN OPERATION



**CASE, CARRY HARD
PART # F20020**



**CASE OPEN SHOWING VENTILATOR
PART # F20020**



**CASE OPEN SHOWING CONTENTS
PART # F20020**

**VENTILATOR VOLUME PORTABLE
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	2.5
	Width (Inches)	6.25
	Length (Inches)	6.5
	Cube (Cubic Feet)	0.0588
	Weight	3.1 lbs
Ship Dimensions	Height (Inches)	60
	Width (Inches)	9.2
	Length (Inches)	140
	Cube (Cubic Feet)	44.7222
	Weight	6.5 lbs
Storage Temp		14 to 140 °F
Operating Temp		32 to 122 °F
Storage Humidity		
Operating Humidity		15 to 95%
Amps		
Watts		
Power Requirements	100/240 VAC, 50/60Hz Rechargeable lead-acid battery	
Notes		

**VENTILATOR VOLUME PORTABLE
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN AutoMedX	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6515015818155		Ventilator Volume Portable	70000H		1	EA	\$2,270.00	\$2,270.00	
	Awaiting NSN	Ventilator Volume Portable Rechargeable 5.5 hrs charge	M50000		1	EA	Incl w/NSN 8155	Incl w/NSN 8155	N/A
6515015800768		Circuit, Single-Use Patient Breathing	M40003	25-150	2	EA	Incl w/NSN 8155	Incl w/NSN 8155	N/A
6515015802923		Strap, Head ResQStrap	E10492	25-170	1	EA	Incl w/NSN 8155	Incl w/NSN 8155	N/A
6515015803498		Mask, Patient	E10490	25-165	1	EA	Incl w/NSN 8155	Incl w/NSN 8155	N/A
6515015803522		Power Supply/Charger	E10478	25-145	1	EA	Incl w/NSN 8155	Incl w/NSN 8155	N/A
6515015803532		Tubing, O2 Smooth Bore 7ft	E10365	25-160	1	EA	Incl w/NSN 8155	Incl w/NSN 8155	N/A
6515015888198		Case Ventilator Hard Case for SAVe Ventilator w Foam Insert	F20020	25-190	1	EA	Incl w/NSN 8155	Incl w/NSN 8155	N/A
7610015437003	Electronic Copy Upon Request	Literature, Operator/Maint.	M40032	25-199	1	EA	Incl w/NSN 8155	Incl w/NSN 8155	N/A

VENTILATOR VOLUME PORTABLE
WEB LINKS

[Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military \(.mil\) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.](http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm)

[<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>](http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm)