

CURING UNIT LAB VISIBLE LIGHT

MANUFACTURER: DENTSPLY INTERNATIONAL INC.

Manufacturer Model# 70210

Manufacturer's PHONE: (717) 845-7511 FAX: (717) 767-8250

Manufacturer's Website: <<http://www.dentsply.com>>

AAC 'L' ITEM NSN 6520-01-373-0782

UAs: 271A

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$654.92

System Description: The Triad 2000 System is designed for easy fabrication of the acrylic devices you use routinely. Triad puts you in complete control from design to delivery. Now, any time you want a custom tray, provisional bridge, denture reline, or repair, you can create it -- easily and immediately. You need fewer patient visits for the same service and do fewer set-ups and clean-ups in the lab.

Allows for quick and easy fabrication of appliance for use in removable, maxillofacial, and C & B applications, such as:

- Provisional restorations
- Partial denture saddles and repairs
- Flippers
- Record Bases
- Denture repairs and relines
- Occlusal splints
- Implant stents and trays
- Identification procedures
- Custom impression trays
- Orthodontic appliances
- Emergency dentures

- Features:**
- Rotating adjustable turntable
 - Roomy chamber
 - Automatic timer
 - Smaller footprint
 - Powerful halogen tungsten lamp
 - Advanced cure management system



CURING UNIT LAB VISIBLE LIGHT 115V AC F FABRICATION OF ACRYLIC DVC
PART # 70210
NSN 6520013730782




FIGURE 1

1. POWER Switch
2. CURE Switch
3. Lift Knob
4. TIMER Dial
5. Table Switch
6. Lamp and Mounting Assembly
7. Curing Chamber Door
8. Safety Interlock Actuator
9. Curing Chamber

CURING UNIT LAB VISIBLE LIGHT
PART # 70210
NSN 6520013730782

**CURING UNIT LAB VISIBLE LIGHT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	12.13
	Width (Inches)	7
	Length (Inches)	10.75
	Cube (Cubic Feet)	0.5282
	Weight	10 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		2.3
Watts		264.5
Power Requirements	115 VAC, 50/60 Hz	
Notes		

**CURING UNIT LAB VISIBLE LIGHT
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Dentsply Internation al Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6520013730782		Curing Unit Lab Visible Light	70210		1	EA	\$654.92	\$654.92	N/A
7610005437003		Literature, Operator			1	EA	Incl w/NSN 0782	Incl w/NSN 0782	N/A