

OPERATING AND TREATMENT UNIT

MANUFACTURER: ASEPTICO INC.

Manufacturer Model# ADU-10CF, AA-75CF

Manufacturer's PHONE: (425) 487-3157 FAX: (360) 668-8722

Manufacturer's Website: <<http://www.aseptico.com>>

AAC 'J' ITEM NSN 6520-01-456-7170

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$11,408.80

System Description: Includes a dental unit and a compressor.

Features:

DENTAL UNIT:

- Portable dental unit includes high & low speed handpiece controls with individual water and air coolant controls.
- KaVo Fiber Optic illumination system for high speed handpiece control.
- Three-way air/water autoclavable syringe and tips.
- Self contained water system.
- Automatic HVE and saliva ejector vacuum systems with auto float shut-offs.
- Removable stainless steel tray.

COMPRESSOR:

- 3/4 H.P. oilless compressor.
- 3.4 CFM @ 50 PSI.
- Lid functions as weather shield.
- Corrosion resistant aluminum air storage tank.
- High capacity design for efficient use of available compressed air.
- 115/230v 50/60 Hz dual voltage auto switching.
- Specifically designed to meet all military specifications.
- Special designed fans, filters and coolant system for supplying cool, dry air in extreme weather conditions.



**ADU-10CF DENTAL UNIT AND AA-75CF COMPRESSOR ARE DESIGNED TO FUNCTION AS A COMPLETE SYSTEM.
PART # ADU-10CF, AA-75CF
NSN 6520014567170**



**ADU-10CF DENTAL UNIT AND AA-75CF COMPRESSOR HAVE BEEN DESIGNED TO FUNCTION AS A COMPLETE SYSTEM.
PART # ADU-10CF, AA-75CF
NSN 6520014567170**

**OPERATING AND TREATMENT UNIT
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	17
	Width (Inches)	17.5
	Length (Inches)	16
	Cube (Cubic Feet)	2.7546
	Weight	39 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	
Storage Temp		-4 to 140 °F
Operating Temp		36 to 120 °F
Storage Humidity		5 to 95%
Operating Humidity		
Amps		0.02
Watts		2.5
Power Requirements	115/230 VAC, 50/60 Hz	
Notes	Dimensions w/case & compressor: Height: 17.3" Width: 19" Length: 19" Cube: 3.61 Weight: 102 lbs. Storage Temp: -9° to 140°F Operating Temp: 35° to 120°F Humidity: 5 to 95% Power: 115/230 VAC, 50/60 Hz, 9 amps Watts: 1000	

**OPERATING AND TREATMENT UNIT
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Aseptico Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6520014567170		Operating and Treatment Unit	ADU-10CF, AA-75CF		1	SE	\$11,408.80	\$11,408.80	N/A
		AA-75CF Manual			1	EA	Incl w/NSN 7170	Incl w/NSN 7170	N/A
		ADU-10CF Manual			1	EA	Incl w/NSN 7170	Incl w/NSN 7170	N/A
		Pouch 1	460764-08		1	EA	Incl w/NSN 7170	Incl w/NSN 7170	N/A
		Pouch 2	460763-08		1	EA	Incl w/NSN 7170	Incl w/NSN 7170	N/A
		Pouch 3	460653-08		1	EA	Incl w/NSN 7170	Incl w/NSN 7170	N/A
		Solid Screen Filter for Dental Unit	730335		1	EA	Incl w/NSN 7170	Incl w/NSN 7170	N/A
		Syringe Tip	TA-1		2	EA	Incl w/NSN 7170	Incl w/NSN 7170	N/A
		Water Filter for Dental Unit	730326		1	EA	Incl w/NSN 7170	Incl w/NSN 7170	N/A
6520011732469		HVE Tip Plastic 5 in. Long	78110		1	100/PG	Incl w/NSN 7170	Incl w/NSN 7170	N/A
6520013849297		Saliva Ejector Plastic Disposable	450004		1	1000/P G	Incl w/NSN 7170	Incl w/NSN 7170	N/A