

## BABY WARMER SYSTEM

### MANUFACTURER: GE MEDICAL SYSTEMS

Manufacturer Model# Panda Baby Warmer 6600-0432-900

Manufacturer's PHONE: (608) 221-1551 FAX: (608) 221-4384

Manufacturer's Website: <http://www.gehealthcare.com>

#### Item Web Link:

<https://www2.gehealthcare.com/portal/site/usen/menuitem.e8b305b80b84c1b4d6354a1074c84130/?vgnextoid=d05f9daa2d930210VgnVCM10000024dd1403RCRD&productid=c05f9daa2d930210VgnVCM10000024dd1403>

AAC 'L' ITEM NSN 6530-01-533-8040

UAs: 625A

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$11,434.00

**System Description:** The Panda Baby Warmer is a fully integrated radiant warmer featuring a built-in bed to provide a complete and comfortable thermal environment for your newborns. The most recognizable feature of the new Panda Warmer from GE is the innovative recessed heater that completely eliminates the traditional, often awkward, overhead design. The sleek, modern design improves clinician and parent access to the infant, removing overhead obstacles while providing uniform heat across the entire mattress. Heat is delivered to the infant through an hourglass pattern and provides outstanding thermal performance that keeps excess heat away from caregivers.

Panda Baby Warmers give you all the warmth without the wait. The new Turbo PRE-HEAT mode warms the bed faster, providing immediate and reliable thermoregulation in the often-unpredictable LDR environment. Upon power-up, the heater warms the bed quickly at full heater power, then after 12 minutes, automatically reverts to 50% power indefinitely to maintain a warm, stable environment. You can now have confidence knowing you will always have a warm bed ready for the newborn. Turbo PRE-HEAT mode eliminates nuisance alarms. With conventional warmers, nuisance "Check Patient" alarms can be a real distraction before the baby is admitted to the bed. With Panda Baby Warmers, "Check Patient" alarms have been eliminated during PRE-HEAT mode. Once the baby is admitted, the warmer may be switched to manual or servo control mode with the touch of a button, giving you total and immediate thermal control.

#### Features:

- Microprocessor Controlled - Performs self-diagnostic checks to verify proper system function
- Convenient Storage Modules - Wood cabinet and rotating drawer options available for easy access to supplies
- Patented Dovetail Rail - Facilitates the convenient mounting and management of accessories and equipment
- Integrated Bed - Provides large workspace with four fold-down side panels for easy access to patient
- Superior Thermal Performance - Cal-rod heating element provides focused heat source for safe and effective thermal regulation
- Turbo Pre-Heat Mode - Warms the bed quickly and eliminates nuisance "Check Baby" alarms




**BABY WARMER SYSTEM**  
**PART # Panda Baby Warmer, 6600-0432-900**  
**NSN 6530015338040**



**INTEGRATED BED**



STORAGE DRAWERS



MICROPROCESSOR CONTROLLER



**DOVETAIL RAIL**

**BABY WARMER SYSTEM  
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

<b>Item Dimensions</b>	<b>Height (Inches)</b>	<b>73</b>
	<b>Width (Inches)</b>	<b>26</b>
	<b>Length (Inches)</b>	<b>41</b>
	<b>Cube (Cubic Feet)</b>	<b>45.0336</b>
	<b>Weight</b>	<b>210 lbs</b>
<b>Ship Dimensions</b>	<b>Height (Inches)</b>	<b>0</b>
	<b>Width (Inches)</b>	<b>0</b>
	<b>Length (Inches)</b>	<b>0</b>
	<b>Cube (Cubic Feet)</b>	<b>0</b>
	<b>Weight</b>	
<b>Storage Temp</b>		
<b>Operating Temp</b>		
<b>Storage Humidity</b>		
<b>Operating Humidity</b>		
<b>Amps</b>		
<b>Watts</b>		
<b>Power Requirements</b>	<b>220 VAC, 60Hz</b>	
<b>Notes</b>	<b>Foot Print: 26 X 41 in</b> <b>Floor Space: 1066 sq in</b> <b>Bed Size: 19 X 26 in</b> <b>Bed to Floor: 40 in</b> <b>Bed Tilting: ± 10° Trendelenburg and Reverse Trendelenburg, damped</b>	

**BABY WARMER SYSTEM  
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN GE Medical Systems	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530015338040		Baby Warmer System	Panda Baby Warmer 6600-0432- 900		1	EA	\$11,434.00	\$11,434.00	N/A
7610015437003		Literature, Operator	702-00046		1	EA	Incl w/NSN 8040	Incl w/NSN 8040	N/A