

## ENCLOSURE FILTERED PURIFIER HEPA

**MANUFACTURER: LABCONCO CORP.**

**Manufacturer Model# 3980300**

**Manufacturer's PHONE: (816) 333-8811 FAX: (816) 363-0130**

**Manufacturer's Website: <<http://www.labconco.com>>**

**Item Web Link:**

**<<http://www.labconco.com/scripts/EditItem.asp?ItemID=1774>>**

**AAC 'L' ITEM NSN 6640-01-528-6988**

**UAs: 9409**

**USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301**

**UNIT PRICE: \$3,393.02**

**System Description:** Purifier HEPA Filtered Enclosures protect the user from agents that require Biosafety Level 1, 2 or 3 containment but no product protection. Exclusive features include: ergonomic air foil with aerodynamic Clean-Sweep airflow openings; upper dilution air supply; zone-perforated rear baffle; side-entry air foils; and upper containment sash foil. Other features include: nominal inflow velocity of 75 to 105 fpm; 99.99% efficient exhaust HEPA filter; variable speed built-in blower with vibration-isolated impeller and solid state control rated for 2 amps; intrinsically-safe, negative pressure design; Minihelic pressure gauge; low discharge volume and quiet operation; epoxy-coated aluminum and steel construction; fluorescent lamp; switches for blower and light; 1/4" thick tempered safety glass front sash and sides; 9.44" high sash opening; ergonomic 10° angled and hinged sash that pivots upward, locks to a loading height of 20" and has side wiping seals to contain contaminants; two utility ports; particulate containment tested,

- Features:**
- Ergonomic air foil with aerodynamic Clean-Sweep airflow openings
  - Upper dilution air supply; zone-perforated rear baffle
  - Side-entry air foils; and upper containment sash foil
  - Nominal inflow velocity of 75 to 105 fpm
  - 99.99% efficient exhaust HEPA filter
  - Variable speed built-in blower with vibration-isolated impeller and solid state control rated for 2 amps
  - Intrinsically-safe, negative pressure design
  - Minihelic pressure gauge
  - Low discharge volume and quiet operation
  - Epoxy-coated aluminum and steel construction
  - Fluorescent lamp; switches for blower and light
  - 1/4" thick tempered safety glass front sash and sides
  - 9.44" high sash opening
  - Ergonomic 10° angled and hinged sash that pivots upward, locks to a loading height of 20" and has side wiping seals to contain contaminants
  - Two utility ports
  - Particulate containment tested

**NOTE: Stand not included with unit.**



**ENCLOSURE FILTERED PURIFIER HEPA  
PART # 3980300  
NSN 6640015286988**



**ENCLOSURE FILTERED PURIFIER HEPA  
PART # 3980300  
NSN 6640015286988  
Stand Not Included**

**ENCLOSURE FILTERED PURIFIER HEPA  
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

<b>Item Dimensions</b>	<b>Height (Inches)</b>	<b>37.08</b>
	<b>Width (Inches)</b>	<b>35.75</b>
	<b>Length (Inches)</b>	<b>28.64</b>
	<b>Cube (Cubic Feet)</b>	<b>21.9708</b>
	<b>Weight</b>	
<b>Ship Dimensions</b>	<b>Height (Inches)</b>	<b>0</b>
	<b>Width (Inches)</b>	<b>0</b>
	<b>Length (Inches)</b>	<b>0</b>
	<b>Cube (Cubic Feet)</b>	<b>0</b>
	<b>Weight</b>	
<b>Storage Temp</b>		
<b>Operating Temp</b>		<b>41 to 104 °F</b>
<b>Storage Humidity</b>		
<b>Operating Humidity</b>		
<b>Amps</b>		<b>3</b>
<b>Watts</b>		<b>345</b>
<b>Power Requirements</b>	<b>115 VAC, 60 Hz</b>	
<b>Notes</b>	<b>Exhaust Volume: 165 - 230 cfm</b> <b>Product Subcategory: Class I and HEPA Filters Enclosures</b>	

**ENCLOSURE FILTERED PURIFIER HEPA  
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN LabConCo Corp.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6640015286988		Enclosure Filtered Purifier HEPA	3980300		1	EA	\$3,393.02	\$3,393.02	N/A
	Awaiting NSN	Replacement HEPA Filter	3707901		1	EA	Incl w/NSN 6988	Incl w/NSN 6988	N/A
	Awaiting NSN	Replacement Lamp, Fluorescent, 15W	9721902		1	EA	Incl w/NSN 6988	Incl w/NSN 6988	N/A
7610015437003		Literature, Operator	3905500		1	EA	Incl w/NSN 6988	Incl w/NSN 6988	N/A