

CENTRIFUGE LABORATORY

DISTRIBUTOR: GSS INC.

MANUFACTURER: THERMO-ELECTRON CORP

Manufacturer Model# IEC426PACKAGEEA

Distributor's PHONE: (703) 734-1805 FAX: (703) 734-1803

Manufacturer's PHONE: (508) 482-7000 FAX: (508) 634-2110

Distributor's Website: <<http://www.govsci.com>>

Manufacturer's Website: <<http://www.thermo.com>>

Item Web Link:

<<http://www.thermo.com/cda/product/detail/1,1055,23636,00.html>>

AAC 'L' ITEM NSN 6640-01-531-1374

ECAT Item Number: IEC426PACKAGEEA

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$2,473.74

System Description: The kit comes with a compact simple and economical benchtop centrifuge for basic research and clinical applications. Features At-Speed timing mode provides greater quality control over sample preparation. Case is included.

- Features:**
- Capacity: 300 mL (6 x 50 mL)
 - Maximum speed/force: 8500 rpm/4680 x g
 - Microprocessor-controlled membrane touch panel for setting speed and run time
 - LCD readout for both speed and run time
 - Variable speed control 1,000 to 8,500 rpm in 100 rpm increments
 - Timer: 30 minutes; Run time can be set from 5 seconds to 1 minute (in 5-sec. increments), from 1 to 5 minutes (15-sec.), and from 5 to 30 minutes (1-min.)
 - HOLD position for continuous runs
 - At-Speed timing mode: When activated, unit delays countdown until rotor reaches operating speed
 - Accepts variety of tube sizes from 1.5 to 50 mL based on rotor/adaptor configuration (rotors and adaptor sold separately)
 - Cover interlock prevents lid from being opened until rotor reaches a complete stop
 - Quiet-running motor generates less than 52 dBA



**CENTRIFUGE LABORATORY
PART # IEC426PACKAGEEA
NSN 6640015311374**



ROTOR CENTRIFUGE SWING BUCKET 4 PLACE

**CENTRIFUGE LABORATORY
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

Item Dimensions	Height (Inches)	10.75
	Width (Inches)	13.25
	Length (Inches)	15.75
	Cube (Cubic Feet)	1.2983
	Weight	24 lbs
Ship Dimensions	Height (Inches)	
	Width (Inches)	
	Length (Inches)	
	Cube (Cubic Feet)	
	Weight	24 lbs
Storage Temp		
Operating Temp		39.2 to 95 °F
Storage Humidity		30 to 60 % Non-condensing
Operating Humidity		30 to 60 % Non-condensing
Amps		1.45
Watts		175
Power Requirements	120 VAC, 50/60 Hz	
Notes	600 BTU/Hr	

**CENTRIFUGE LABORATORY
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Thermo- Electron Corp	DIST PN GSS Inc.	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6640015311374		Centrifuge Laboratory		IEC426PA CKAGEEA	1	EA	\$2,473.74	\$2,473.74	N/A
	No NSN Required	Maintenance/Operation Manual	IM-426		2	EA	Incl w/NSN 1374	Incl w/NSN 1374	N/A
6545015302001		Case, Centrifuge Microscope		DSI- 041505- 1000SEA	1	EA	Incl w/NSN 1374	Incl w/NSN 1374	N/A
6640014953773		Rotor Centrifuge, Swing Bucket 4 Place Hd, 50ml Tube 3900 Max Spd	05-101-9		1	EA	Incl w/NSN 1374	Incl w/NSN 1374	N/A
6640014955598		Insert Tu 5-7ml 7 Slots	05-101-16		1	PG	Incl w/NSN 1374	Incl w/NSN 1374	N/A
6640014955607		Insert Tu 7-10ml 4 Slots	05-101-15		1	PG	Incl w/NSN 1374	Incl w/NSN 1374	N/A
6640014963020		Centrifuge Laboratory	05-101-7		1	EA	Incl w/NSN 1374	Incl w/NSN 1374	N/A
6640014982122		Insert Tube 115ml Lg2s	05-101-13		1	PG	Incl w/NSN 1374	Incl w/NSN 1374	N/A