

## CAMERA SYSTEM DIGITAL

**DISTRIBUTOR: DEFENSE LOGISTICS AGENCY**

**MANUFACTURER: OLYMPUS AMERICA**

**Manufacturer Model# D-620L**

**Distributor's PHONE: (269) 961-7766 FAX: (269) 961-5305**

**Manufacturer's PHONE: (484) 896-5000 FAX: (484) 896-7164**

**Distributor's Website: <<http://www.dla.mil>>**

**Manufacturer's Website: <<http://www.olympusamerica.com>>**

### Item Web Link:

**<[http://www.olympusamerica.com/cpg\\_section/cpg\\_archived\\_product\\_details.asp?id=98](http://www.olympusamerica.com/cpg_section/cpg_archived_product_details.asp?id=98)>**

**AAC 'Y' ITEM NSN 6720-01-467-7996**

**USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301**

**UNIT PRICE: \$956.84**

**System Description:** A device consisting of a camera, still picture and digital imaging equipment of various configurations designed to capture images directly into a storage unit with immediate availability for viewing or transmission.

### Features:

Control images like you would with a great film camera:

- Control flash exposures automatically with the intelligent six-mode flash, choosing between the built-in flash and an external flash
- Choose between automatic focus, or three manual quick-focus settings
- Control color with through-the-lens, automatic white balance or six-step manual override from 3000K to 6500K
- Adjust exposure with  $\pm 3$ -step control
- Incorporate professional external flash equipment using PC-sync connector
- Choose between center-weighted metering and precise-spot metering to compensate for difficult lighting conditions
- Threaded lens barrel for optional telephoto, wide angle, macro lenses, and many filters

Discover digital power and convenience:

- Preview images immediately with built-in LCD
- Fire off a series of five shots at any resolution in less than 2 seconds with the burst-shooting mode, as quickly as you can compose and shoot in normal photography
- Three preset focus settings make quick adjustments easy
- Three recording compression levels let you define image quality
- Reusable SmartMedia Cards available in 2, 4, 8, 16 or 32 MB
- Download shots directly to a computer using the included serial cable or FlashPath floppy disk adapter
- Fully integrated low-power mode extends battery life

The quality construction you expect from Olympus:

- Versatile 3X 9.2 to 28 mm f2.8-3.9 optical zoom lens (36-110 mm equivalent)
- Aspherical, all-glass lens system provides the highest quality images
- Optical SLR viewfinder provides the most accurate way to compose and focus the photograph
- Optical viewfinder incorporates dioptic correction for added viewfinder sharpness
- NiMH rechargeable batteries and charger included



**CAMERA SYSTEM DIGITAL  
PART # D-620L  
NSN 6720014677996**



**CAMERA SYSTEM DIGITAL (BACK)  
PART # D-620L  
NSN 6720014677996**

**CAMERA SYSTEM DIGITAL  
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

<b>Item Dimensions</b>	<b>Height (Inches)</b>	<b>2.2</b>
	<b>Width (Inches)</b>	<b>4.5</b>
	<b>Length (Inches)</b>	<b>5.1</b>
	<b>Cube (Cubic Feet)</b>	<b>0.0292</b>
	<b>Weight</b>	<b>16.6 oz</b>
<b>Ship Dimensions</b>	<b>Height (Inches)</b>	<b>0</b>
	<b>Width (Inches)</b>	<b>0</b>
	<b>Length (Inches)</b>	<b>0</b>
	<b>Cube (Cubic Feet)</b>	<b>0</b>
	<b>Weight</b>	<b>2.25</b>
<b>Storage Temp</b>		<b>-4 to 140 °F</b>
<b>Operating Temp</b>		<b>22 to 104 °F</b>
<b>Storage Humidity</b>		<b>10-90%</b>
<b>Operating Humidity</b>		<b>20-90%</b>
<b>Amps</b>		
<b>Watts</b>		
<b>Power Requirements</b>	<b>Camera comes with four NiMH AA batteries and charger. Can also use AA alkaline or AA NiCd batteries. Manganese and lithium batteries cannot be used.</b>	
<b>Notes</b>		

**CAMERA SYSTEM DIGITAL  
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Olympus America	DIST PN Defense Logistics Agency	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6720014677996		Camera System Digital		D-620L	1	EA	\$956.84	\$956.84	N/A
	Recommended storage temperature are - 4° to 115°F	Battery rechargeable NiMH	200728-410		1	4/PG	Incl w/NSN 7996	Incl w/NSN 7996	N/A
	NOT an AC adapter for digital camera	Cable 110VAC for Battery Charger	200670-410		1	EA	Incl w/NSN 7996	Incl w/NSN 7996	N/A
	includes 4 Ni-MH rechargeable batteries	Charger & Battery Set Ni-MH rechargeable (4AA)	200899-410		1	EA	Incl w/NSN 7996	Incl w/NSN 7996	36
6760014677065		Case Photo Equipment	4139 CS-20		1	EA	Incl w/NSN 7996	Incl w/NSN 7996	N/A
7610015437003	download below	Literature Operator			1	EA	Incl w/NSN 7996	Incl w/NSN 7996	N/A

**CAMERA SYSTEM DIGITAL  
WEB LINKS**

**[Click Below for Accessories Brochure](#)**

**<[http://www.olympusamerica.com/cpg\\_section/cpg\\_archived\\_accessories.asp?id=98&ct=all](http://www.olympusamerica.com/cpg_section/cpg_archived_accessories.asp?id=98&ct=all)>**

**[Click Below for Operator Manual](#)**

**<<http://www.olympusamerica.com/files/d620lmanual.pdf>>**