

CLEANER VACUUM ELECTRIC

MANUFACTURER: MINUTEMAN INTERNATIONAL INC.

Manufacturer Model# L0-065

Manufacturer's PHONE: (630) 627-6900 FAX: (630) 627-1130

Manufacturer's Website: <<http://www.minutemanintl.com>>

Item Web Link:

<http://www.minutemanintl.com/Critical_Filter/CriticalVacs.html>

AAC 'L' ITEM NSN 7910-01-327-0757

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$2,145.54

System Description: For use in the Operating Room to remove infectious waste; portable and lightweight with all the necessary components. Storage and transit conditions range in temperature from -80 to 155 °F with air pressure up to 2.47 psi.

- Features:**
- Wet/Dry, four-stage filtration system includes filter protector, washable cloth filter, pre-filter, and HEPA filter
 - HEPA filter is 99.97% efficient at .3 microns, tested in accordance with IEST-RP-CC007 standards
 - Rugged design, easy to maneuver stainless steel tank with heavy cast aluminum wheel assembly
 - Patented self-sealing/quick release intake mechanism.
 - Indicator light on lid assembly alerts operator when filters require servicing
 - Lid design protects motor from water damage, diffusing air alongside the tank for less disruption of ambient particulate matter resulting in a safer work environment
 - Convenient 50-ft power cord
 - Replacement disposable filters



CLEANER VACUUM ELECTRIC
PART # L0-065
NSN 7910013270757




FIGURE 2

WET & DRY

- 1. Vacuum Lid Assembly Complete
- 2. Stainless Steel Adapter Complete
- 3. Liquid Shut-Off Assembly Complete
- 4. 15 Gallon Stainless Steel Tank
- 5. Hose Assembly 1 1/2" x 10'
- 6. Wand Assembly Complete - Chrome Plated
- A. 14" Squeegee Tool
- B. 14" Bare Floor Tool
- C. 16" Carpet Tool

CLEANER VACUUM ELECTRIC VERTICAL TANK - DIAGRAM
 PART # L0-065
 NSN 7910013270757

**CLEANER VACUUM ELECTRIC
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS**

| | | |
|---------------------------|---------------------------|----------------------|
| Item Dimensions | Height (Inches) | 38 |
| | Width (Inches) | 24 |
| | Length (Inches) | 26 |
| | Cube (Cubic Feet) | 13.7222 |
| | Weight | 86 lbs |
| Ship Dimensions | Height (Inches) | 0 |
| | Width (Inches) | 0 |
| | Length (Inches) | 0 |
| | Cube (Cubic Feet) | 0 |
| | Weight | |
| Storage Temp | | -80 to 155 °F |
| Operating Temp | | -80 to 155 °F |
| Storage Humidity | | |
| Operating Humidity | | |
| Amps | | 7.5 |
| Watts | | 900 |
| Power Requirements | 120/130 VAC, 50 Hz | |
| Notes | | |

**CLEANER VACUUM ELECTRIC
ACCESSORIES & CONSUMABLES - STARTUP**

| NSN | Notes | Nomenclature | MFR PN Minuteman Internation al Inc. | DIST PN | QTY | UI | Unit Price | Total Price | Shelf Life Mon. |
|---------------|------------------------|--|---|---------|-----|----|--------------------|--------------------|-----------------------|
| 7910013270757 | | Cleaner Vacuum Electric | L0-065 | | 1 | EA | \$2,145.54 | \$2,145.54 | N/A |
| 4470014961503 | Located Inside Unit | Filter, Hepa Hygenic, Located Inside Unit | 110010 | | 1 | EA | Incl w/NSN 0757 | Incl w/NSN 0757 | N/A |
| 7910015280008 | | Adapter, Vacuum | 750081-1 | | 1 | EA | Incl w/NSN 0757 | Incl w/NSN 0757 | N/A |
| 7910015280253 | | Handle, Floor, Wand Assembly | 290000 | | 1 | EA | Incl w/NSN 0757 | Incl w/NSN 0757 | N/A |
| 7910015280256 | | Hose Vacuum Cleaner, 1 1/2" X 10' | 800317 | | 1 | EA | Incl w/NSN 0757 | Incl w/NSN 0757 | N/A |
| 7910015280260 | | Tool, Carpet & Rug - 16 Inch | 807237 | | 1 | EA | Incl w/NSN 0757 | Incl w/NSN 0757 | N/A |
| 7910015280264 | | Brush, Bare Floor Tool | 800603 | | 1 | EA | Incl w/NSN 0757 | Incl w/NSN 0757 | N/A |
| 7920015310978 | | Squeegee (14") | 800605 | | 1 | EA | Incl w/NSN 0757 | Incl w/NSN 0757 | N/A |

**CLEANER VACUUM ELECTRIC
WEB LINKS**

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

<http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm>