

SC 6545-8-MQ8

DEPARTMENT OF THE ARMY SUPPLY CATALOG

---

*SETS, KITS, AND OUTFITS  
COMPONENTS LIST/HAND RECEIPT*

**MEDICAL MATERIEL SET  
MEDICAL MAINTENANCE: DEPMEDS (M321)**

NSN 6545-01-332-0147

LIN: M47987

---

HEADQUARTERS, DEPARTMENT OF THE ARMY

31 JANUARY 1994

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

## SECTION I - INTRODUCTION

## 1. GENERAL.

a. This catalog provides an alphabetical listing of the Medical Materiel Set (MMS) Medical Maintenance: DEPMEDS (M321).\*

b. The component listing/hand receipt is identified by a four-segment symbol:

(1) The first segment (SC) indicates Supply Catalog.

(2) The second segment (6545) identifies the Federal Supply Classification (FSC).

(3) The third segment (8) identifies the compiler.

(4) The fourth segment (MQ8) distinguishes the SKO from others in the same FSC.

c. The title SKO is authorized by The Army Authorization Documents Systems (TAADS).

d. The term SKO in the SC introduction will be replaced by the specific title for each SC (i.e., MES, DES, MMS, etc.).

e. This Catalog is not an authorization for requisitioning NSN 6545-01-332-0147. Components listed may be requisitioned in quantities indicated when the set is authorized by Modification Table of Organization and Equipment (MTOE) or other Department of the Army (DA) authorization document(s).

## 2. PURPOSE.

This SC prescribes initial allowances and quantities of basic medical maintenance shop furniture, equipment, tools, and supplies to support the medical maintenance functions. This constitutes the minimum basic load to sustain this SC.

## 3. RESPONSIBILITY.

a. The Defense Medical Standardization Board (DMSB) is responsible for the overall management of the DEPMEDS MMS. The DMSB approves the composition of the DEPMEDS MMS. The Surgeon General (TSG) is responsible for budgeting and for the initial issue of the DEPMEDS MMS to include all procurement appropriation funded medical equipment.

\*Initial DEPMEDS SC issue.

b. USAMMA coordinates requirements with the Defense Personnel Support Center (DPSC). USAMMA performs staff-management actions as directed by TSG and as outlined in AR 40-61.

c. USAMMA develops the requirements; OTSG coordinates programming and budgeting from the proper appropriation (OMA, OMAR, OMNG, OPA, or Stock Fund\*\*) for procurement of newly developed or significantly revised MMS and for Associated Support Items of Equipment (ASIOE).

\*\*Reference AR 40-61 dated 01 August 1989, Section I, Abbreviations Glossary.

d. After initial fielding, MACOMs (in addition to OCAR and the ARNG) are responsible for follow-up requisitioning, storing, and maintaining those MMS and equipment authorized to be on-hand in TOE units or TDA activities. MACOMs program and budget for replacement of consumable and expense equipment components, and for minor changes to MMS on-hand at TOE units.

#### 4. EXPLANATION AND USE OF COLUMNS.

The following information is a brief description of the contents and layout of data provided to user(s) of this Supply Catalog:

a. ACT (Action Code). A one-position alphabetic code that records the action taken in a component list/hand receipt. They are:

C (CHANGE)	Indicates a change to the AMDF unit of issue, set measurement quantity/unit of issue, ARC, or Remarks Code since the previous publication.
D (DELETION)	Indicates the NSN has been deleted and not replaced.
N (NEW)	Indicates the NSN was not previously included in the basic publication or changes.
R (REPLACEMENT)	Indicates the NSN has been replaced or changed.

b. ILLUSTRATION/NATIONAL STOCK NUMBER (NSN). Not all the NSNs in this SC are represented by an illustration. The items that have an illustration show an illustration number in the "ILL NO" column of the CL/HR. For easy reference, the illustration number is also listed under each illustration.

(1) The illustrations may not be exact representations of the items in the assemblage since the products of the various manufacturers may vary in appearance.

(2) A cross-reference list of NSN-to-Illustration Number is provided as Section V. This list is in NSN sequence and will further assist in identifying NSNs that have an illustration.

c. ITEM DESCRIPTION. The item descriptions are listed in alphabetical sequence by item name with additional

c. ITEM DESCRIPTION. The item descriptions are listed in alphabetical sequence by item name with additional descriptive information required for identification.

(1) The first description shown is that of the MMS. Subsequent descriptions are for the components by item names in alphabetical and ascending size sequence within each Accounting Requirements Code (ARC) group (i.e., N, D, and X).

(2) The statement "Item Not Illustrated" indicates that an illustration should not appear.

(3) Manufacturer's code, part number, and/or the applicable specification references follow the description, when applicable.

d. RMKS (REMARKS). Space reserved for notes which are explained in the "Special Information" paragraph.

e. ARC (ACCOUNTING REQUIREMENTS CODE). This is a one-position alphabetic code that identifies the way an item is accounted for by the Army. One of the following codes must be entered here.

N-NONEXPENDABLE - This code identifies identifies items which are not used up and keep their identity

throughout their life and must be accounted for in the property book.

D-DURABLE - This code identifies items which are not used up. These items keep that identity throughout their life. Items identified by this code are accounted for by hand-receipt or other similar documents.

X-EXPENDABLE - This code identifies items which will be used up. These items do not need to be entered on hand receipts; however, preprinted hand receipts list expendable items for information purposes only.

f. CIIC (CONTROLLED ITEM INVENTORY CODE). This is a one-position alphabetic/numeric code which indicates the security classification, security risk, or pilferage controls required for storage and transportation of DOD assets, DA PAM 710-2-1 identifies those items that must be inventoried monthly. The CIIC Code applicable to components of this SC unless otherwise indicated in the CIIC column, is U (UNCLASSIFIED).

g. UI (UNIT OF ISSUE). This is a two-position code which shows the smallest quantity in which an item can be requisitioned and issued.

h. PEC (PRIMARY ESSENTIAL CODE). The revised editions of AR 40-61 and AR 200-1 will eliminate the requirements for PECs for Equipment On Hand (EOH) computation procedures. References to PECs in the future UA Listings (UAL) and Supply Catalogs (SCs) will not be shown.

i. QTY AUTH (QUANTITY AUTHORIZED). This is the quantity authorized to be on-hand for each end item or component of an end item.

j. QUANTITY ON HAND (A Thru F). These columns are for the actual quantity on-hand for each component listed.

#### 5. ABBREVIATIONS:

Standard abbreviations are listed in AR 310-50 (Authorized Abbreviations and Brevity Codes) and the DoD Medical Catalog Introduction (Authorized Abbreviations Referenced to Terms). Some words will be truncated (with vowels removed that do not meet the above references) in order to fit a limited-space nomenclature field. Army acronyms used in this SC are defined in AR 40-61, Glossary, Section I Abbreviations. Nonstandard abbreviations listed and used in this publication are:

Abbreviation	Explanation
ABS	Absorbent, Absorbable
ABSORB	Absorbable
AC	Alternating Current
ACET	Acetate
ACR	Acrylic
ACRY	Acrylic
ADH	Adhesive, Adhere
ADMIN	Administration
ADJ	Adjustable
ADL	Adult
ADU	Adjustable
AE	Antiembolism
AERS	Aerosol
AHP	Angle Handpiece
AL	Aluminum, Alloy
ALC	Alcohol
ALUM	Aluminum
AMPS	Amperes
ANALYZ	Analyzer
ANAS	Anastomosis
ANER	Aneroid
ANES	Anesthesia
ANG	Angle
ANGIO	Angioplasty
ANGLD	Angled
AORT	Aorta
APP	Apparatus
APPAR	Apparatus
APPROX	Approximately
APPRX	Approximately
ARM	Armed
ASIF	Association For The Study of Internal Fixation
ASST	Assortment
AUTO	Automatic
AUTOCL	Automatic Closure, Autoclavable

<u>Abbreviation</u>	<u>Explanation</u>	<u>Abbreviation</u>	<u>Explanation</u>
BACITR	Bacitracin	CHAMB	Chamber
BAL	Balloon	CHEM	Chemical
BAND	Bandage	CHI-ADU	Child-Adult
BAT	Battery	CHL	Chloride
BAT CHAR	Battery Charger	CHLD	Child
BAT/OP	Battery Operated	CHLORAM	Chloramphenicol
BEVL	Bevel	CHLORAME	Chloramphenicol
BIO	Biological	CHRM	Chrome
BIOLOG	Biological	CIR	Circle
BICAR	Bicarbonate	CLIN	Clinical
BILI	Bilirubin	CLINDAMY	Clindamycin
BILIR	Bilirubin	CLO	Closure
BLD	Blood	CLR	Clear
BLDE	Blade	CM	Centimeter
BLK	Black	COL	Collecting
BLN	Blunt	COLL	Collection, Collect
BNK	Bank	COLLECTI	Collecting
BR	Braided	COMB	Combination
BRST	Breast	COMP	Compressor
BT	Bottle	CONCEN	Concentration
C	Celsius, Cycle, Centigrade	CONN	Connector
CØ2	Carbon Dioxide	CONSEC	Consecutive
CAL	Calcium	COT	Cotton
CAP	Capsule, Capacity	CR	Cream
CAPS	Capsules	CRES	Crescent
CARB	Carbide	CRM	Corrosion-Resisting Metal
CARDIO	Cardiovascular	CRS	Corrosion Resisting Steel
CART	Cartridge	CRVD	Curved
CART-NDL	Cartridge Needle	CS	Carbon Steel
CAS	Cassette	CTN	Cotton
CASS	Cassette	CU	Cubic
CAT	Catheter	CULT	Culture
CATH	Catheter	CUSH	Cushion
CATH&NDL	Catheter and Needle	CVD	Curved
CATH-TUBE	Catheter-Tube	CVR	Cover
CH	Child	CVRS	Covers
CHAM	Chamber		

<u>Abbreviation</u>	<u>Explanation</u>	<u>Abbreviation</u>	<u>Explanation</u>
CYL	Cylinder, Cycle, Cylindrical	ELEC	Electric
CYLIN	Cylindrical	EDTA	Ethylenediaminetetra Acetic Acid
D	Deep	EKG	Electrocardiogram
DA	Double Armed	ELECTROSURG	Electrosurgical
DARKRM	Darkroom	ENDOTRAC	Endotrachael
DBL	Double	ENDOTRACH	Endotrachael
DC	Direct Current	ENE	Enema
DEG	Degree	EPIN	Epinephrine
DEN	Dental	EQ	Equivalent
DENT	Dental	EQUI	Equivalent
DEPMEDS	Deployable Medical Systems	EQUIP	Equipment
DES	Dental Equipment Set	EQUIV	Equivalent
DET	Detachable	ERYTHROM	Erythromycin
DETACH	Detachable	EX	Examining
DETERG	Detergent	EXAM	Examining
DEVEL	Developer	EXP	Explosion
DEX	Dexamethasone	EXT	Extension, Extra
DFLCTNG	Deflecting	F/	For
DIA	Diameter	FAB	Fabrication
DIAG	Diagnostic, Diagonal	FABRCTN	Fabrication
DIAGN	Diagnostic	F/ALL	For All
DFLCTNG	Deflecting	FED	Federal
DILUT	Diluting	FIB	Fiber
DIS	Disposable	FILT	Filter
DISP	Disposable	FIX	Fixer, Fixed
DISPEN	Dispensers	FL	Fluid
DISPO	Disposable	FLD	Field
DISPSNERS	Dispensers	FLEX	Flexible
DP	Deep, Durable Press	FLM	Film
DRESS	Dressing	FLR	Floor
EA	Each	FNGR	Finger
ECG	Electrocardiogram	FOLD	Folding
ELAS	Elastic	FRICT	Friction
		FOUNT	Fountain
		FR	French
		FRM	Form

<u>Abbreviation</u>	<u>Explanation</u>	<u>Abbreviation</u>	<u>Explanation</u>
FT	Feet/Foot	I	Inch
FST	Fastener	ID	Inside Diameter, Identification
F/SZ	For Size	ILLUM	Illuminator
GA	Gage	IMP	Impregnated
GAL	Gallon	IMPREG	Impregnated
GEL	Gelatin	IN	Inch, Injection
GEN	General	IND	Individually/Individual
GL	Gallon	INDI	Indicating
GLA	Glass	INDIC	Indicating
GLAS	Glass	INF	Infant
GLU	Glucose	INF-CH-AD	Infant-Child-Adult
GM	Gram	INFO	Information
GMS	Grams	INJ	Injection
GP	General Purpose	INS	Inserts
GRA	Gramicidin	INST	Instrument
GRP	Group	INSTR	Instrument (s)
GYN	Gynecology	INSUL	Insulated
H	High	INTERMIT	Intermittent
HCL	Hydrochloride	INTRA	Intravenous
HEMO	Hemostatic	INTRAVEN	Intravenous
HEXAG	Hexagonal	INTRO	Introduction
HG	Height	INVER	Inverted
HI	High/Highly	INW	Inch Wide
HNDL	Handle	IOTHALA	Iothalamate
HNDPC	Handpiece	I.S.	Individually Sealed
HOR	Horizontal	ISO	Isopropyl
HORIZ	Horizontal	IV	Intravenous
HOSP	Hospital	KET	Ketone (s)
HRS	Hours	KG	Kilogram
HTD	Heated	KILO	Kilogram
HYDROCOR	Hydrocortisone	KT	Kit
HYDROX	Hydroxide	L	Long
HYP	Hypodermic	LAB	Laboratory
HYP0	Hypodermic	LACT	Lactated
HZ	Hertz		

<u>Abbreviation</u>	<u>Explanation</u>	<u>Abbreviation</u>	<u>Explanation</u>
LG	Length, Long, Large	MIX	Mixing
LGTH	Length	ML	Milliliter
LI	Liter	MM	Millimeter
LIQ	Liquid	MODIF	Modified
LO	Low	MONIT	Monitor
LPM	Liters Per Minute	MONO	Monofilament
LRG	Large	MR	Meter
LRGE	Large	MT	Mount
LSE	Leaf	MTD	Mounted
LT	Light		
		NAS	Nasal
M	Meter	NASOPHAR	Nasopharyngeal
MACH	Machine	NDL	Needle
MAG	Magnesium	NEG	Negative
MAGNES	Magnesium	NF	National Formulary
MAN	Manual	NIT	Nitrate
MATL	Materials	NITR	Nitrite, Nitrate
MAX	Maximum	NLD	Needle
MCG	Microgram	NO	Number
MCGM	Microgram	NONADJ	Nonadjustable
MECH	Mechanical/Mechanic	NONABS	Nonabsorbable, Nonabsorbent
MED	Medium, Medical, Medicinal	NONAUTO	Nonautoclavable
MEDROXYPR	Medroxyprogesterone	NONAUTOCL	Nonautoclavable
MEG	Megetholate	NONCORR	Noncorrosive
MEQ	Milliequivalents	NONFLAM	Nonflammable
MER	Mercury	NONSTER	Nonsterile
MERC	Mercury	NONWOV	Nonwoven
MERTH-OD-FORM	Merthiolate-Iodine- Formalin	NONWVN	Nonwoven
		NORM	Normal
METR	Metered	NYST	Nystatin
MG	Milligram		
MICON	Miconazole	OB	Obstetrical
MICROSURG	Microsurgery	OCCU	Occlusion
MIN	Minimum, Minute	O/D	Outside Diameter
MISS	Medical Instrument Supply Set	OD	Outside Diameter, Olive Drab

<u>Abbreviation</u>	<u>Explanation</u>	<u>Abbreviation</u>	<u>Explanation</u>
OP	Operated, Open	PORT	Portable
OIN	Ointment	POS	Positive, Position
OINT	Ointment	POSTOP	Post Operative
OPER	Operated, Operating	POT	Potassium
OPHTH	Ophthalmic	POVIDONE-IOD	Povidone-Iodine
OPNG	Opening	POV- IOD	Povidone-Iodine
OPT	Optic	PR	Pair
O.R.	Operating Room	PREP	Preparation
ORAN	Oranasal	PRES	Pressure
ORTHO	Orthopedic	PRF	Proof
OSCILL	Oscillations	PRIM	Primary
O/T	Outlet	PROC	Procedure
OXY	Oxygen	PROCH	Prochlorperazine
OZ	Ounce	PROHIB	Prohibits
		PROT	Protein
PØ2	Oxygen Partial Pressure	PROTECT	Protective
PAPR	Paper	PRTBLE	Portable
PAR	Partial	PRTO	Protein
PAT	Patient	PSI	Pounds Per Square Inch
PDWR	Powder	PT	Pint, Points
PED	Pediatric	PTBL	Portable
PG	Package	PTS	Points
PH	Potential Hydrogen	PUR	Purpose
PHARYN	Pharyngeal	PURP	Purpose
PHENYLEP	Phenylephrine	PWDR	Powder
PHENYLPRO	Phenylpropanolamine		
PHOS	Phosphate	QS	Sufficient Quantity
PL	Plus, Plated	QT	Quart
PLAS	Plastic		
PLTD	Plated	RAD	Radiological
PLYSTR	Polyester	RADGR	Radiographic
PNEU	Pneumatic	RADIO	Radiopaque, Radiological
POLY	Polyester, Polyurethane, Polyethylene,	RADIOP	Radiopaque
POLYGL	Polyglycolic, Polyglactin	R-ANG	Right Angle
POLYMY	Polymyxin	RAY	Rayon
POLYPROP	Polypropylene	RBBR	Rubber
POLYUR	Polyurethane	RD	Round, Radiographic
		REAG	Reagent

<u>Abbreviation</u>	<u>Explanation</u>	<u>Abbreviation</u>	<u>Explanation</u>
REC	Rectal	SH	Sheet
RECEP	Receptacle	SHPE	Shaped, Shape
RECIP	Reciprocating, Reciprocation	SIL	Silicone
RECT	Rectal	SIMETH	Simethicone
REF	Refrigerator	SM	Small
REFRIG	Refrigeration, Refrigerator	SML	Small
REG	Regular, Regulator	SMPL	Sample
REINF	Reinforced	SNG	Single
REMOV	Removable	SNGL	Single
RES	Rest	SOD	Sodium
RESP	Respiratory	SOL	Solution, Soluble
REV	Reverse	SPD	Speed
REVERS	Reversible	SPEC	Specimen
RH	Rhodium	SPHER	Spherical
RNG	Ring	SPHYGMO	Sphygmomanometer
RO	Roll	SQ	Square
RPM	Revolutions Per Minute, Rotations Per Minute	SS	Stainless Steel
RUB	Rubber	STD	Standard
RUBB	Rubber	STER	Sterile, Sterilize, Sterilizing, Sterilized
SA	Single-Armed	STERIL	Sterilization
SE	Set	STERLZR	Sterilizer
SEA	Sealed	STETHO	Stethoscope
SEAL	Sealed	STL	Steel
SEL	Self	STR	Strength, Straight
SEN	Sensitive	SUBNORM	Subnormal
SENS	Sensitive	SUCT	Suction
SENSI	Sensitive	SUL	Sulfate
SEP	Separate	SULF	Sulfate
SERA	Serum	SUPOS	Suppositories
SET	Setting	SURG	Surgical, Surgery
SFTY	Safety	SURGY	Surgery
SGL	Single	SUS	Suspension
		SUST REL	Sustained Release
		SUT	Suture
		SYN	Synthetic
		SYNTH	Synthetic

<u>Abbreviation</u>	<u>Explanation</u>
SYR	Syringe
SYR NDL	Syringe Needle
SYS	System
SZ	Size
TABS	Tablets
TEMP	Temperature
TENN	Tennessee
TERM	Terminal
TH	Thick
THK	Thick
THR	Thread
TOW	Towel
TP	Tip
TRACH	Tracheal, Tracheotomy
TREAT	Treatment
TUNGS	Tungsten
TY	Type
U	University
UN	Unit
UNC	Unified National Coarse
UNF	Unified National Fine
URE	Urethral
URETH	Urethral
UNIV	Universal
UNIVER	Universal
URIN	Urinalysis
UROBIL	Urobilinogen
USP	United States Pharmacopoeia
V	Volt(s)
VAG	Vaginal
VAL	Valve

<u>Abbreviation</u>	<u>Explanation</u>
VAR	Variable
VIS	Visual
VOL	Volume
VENT	Vented
VERT	Vertical
VET	Veterinary
VS	Versus
W/	With
W	Wide/Watts, Wide, With
W/BAT-CHAR	With Battery Charger
WBC	White Blood Cell
WD	Wide
W/FLEX	With Flexible
W/HDL	With Handle
WHL	Whole
W/O	Without
W/SEP	With Separate
WT	Weight
WVN	Woven
X	Extra
XLGE	Extra Large
XLR	Extra Large
YD/YDS	Yard(s)

#### 6. SPECIAL INFORMATION.

a. The items listed in Section III of this SC beginning with Page III-03 are ASIOE end items dedicated to the operation and/or maintenance of this medical assemblage.

b. ASIOE are separately documented into TOE/The Army Authorization Documents System (TAADS) and are not to be considered components of this medical assemblage.

c. They are listed in this section for information purposes only and do not constitute an additional authorization. Total authorization is reflected on the Unit's MTOE.

\*\*\*2 indicators will still be reflected in the Remarks column of this report noting these items will appear in Section II of the Unit Assemblage List (UAL). THE ITEMS ON THIS REPORT WITH \*\*\*2 INDICATORS WILL NO LONGER APPEAR IN THE SECTION II HAND RECEIPT PORTION OF THIS SC.

The previously used \*\*\*3 indicators have been removed and those items are now part of the Section II hand receipt portion of this SC.

d. To assist physicians in prescribing items initially supplied with this set, a Therapeutic Index constructed in accordance with the American Hospital Formulary Service (AHFS) is provided on page IV-01. The Therapeutic Index may not be required for all SCs. This index lists the FSC 6505 components of the major assemblage with a therapeutic classification in NSN sequence within each therapeutic class.

**NOTE: THIS SC DOES NOT CONTAIN ANY SECTION IV INFORMATION**

e. Permission to use the Pharmacologic-Therapeutic Classification Systems of the AHFS has been granted by the American Society of Hospital Pharmacists. The Society is not responsible for the accuracy of transpositions, or additions, or excerpts from the original context. For complete information concerning all drugs, consult the AHFS, copyright 1959-1987, American Society of Hospital Pharmacists, Inc., All Rights Reserved.

f. REMARKS COLUMN: The symbols shown in the Remarks Column apply to this SC only and include the following:

- F - Subject to Damage by Freezing
- G - Requires refrigeration between 2 degrees to 8 degrees Centigrade (35 degrees to 46 degrees Fahrenheit)
- I - Flammable or Oxidizing
- P - Potency-Type Items
- \*\*\*2 - ASIOE Items

g. COMPONENTS LISTINGS.

(1) To support Army Medical Department Activities, USAMMA also provides floppy disks for UA component listings in lieu of hard-copy versions. For each UA requested, the disk will consist of UA information in raw data format and a report file which is in the same two-section format as the current hard-copy component listing. A brief instruction guide on "How to Access and Print the Information" is included on the disk. Additionally, a separate enclosure with the data record layout of the raw data will be included to allow the

user to merge the data with the user's existing software, i.e. DBase, Lotus, or Paradox.

(2) USAMMA will not send a hard-copy version of the component listing to those activities that have the floppy disk system. Only one method of receiving listings is allowed. The disk will be furnished just once during the current year. Only the addition of a new set by MTOE update will permit the release of additional disks. Commands responsible for more than one unit should indicate this and furnish the various UICs and UAs under their command on their request. It is recommended that this original USAMMA disk be copied to your hard drive and the USAMMA disk be retained as the official record.

(3) Once an activity receives their initial UAs on disk(s), their address will be retained for an automatic distribution of the succeeding year's annual update via disk. Activities that have automated capabilities and choose the disk method, should send their complete address and UIC along with all UAs authorized under that UIC to:

Commander  
U.S. Army Medical Materiel Agency  
ATTN: SGMMA-OCU  
Fort Detrick  
Frederick, MD 21702-5001

(4) Component authorizations are published in medical materiel set computer listings/floppy disks available from USAMMA and in the appropriate supply catalogs (SC 6545-8 Series publications). Revisions

to components are published annually in the DA SB 8-75 Series Publication and are reflected in current year computer listings/floppy disks.

(5) Publication of component authorization changes in the SB 8-75 Series Publication (and/or a current year medical materiel set computer listing/floppy disk) constitutes authority for updating assemblages in respective units and serves as the authorization document of assemblage component.

(6) Commanders of DEPMEDS Units will continue to utilize the UA list initially fielded with the unit until authorized for update by USAMMA. This may result in the use of several UA listings with different dates for different assemblages until a single, current year update is provided by USAMMA. Commanders should annually request a current year medical unit assemblage listing/floppy disk by submitting written requests to:

Commander  
U.S. Army Medical Materiel Agency  
ATTN: SGMMA-OCU  
Fort Detrick  
Frederick, MD 21702-5001  
Telephones: DSN 343-4318  
COMM 301-619-4318

The request should identify the unit assemblage (UA) number, Nomenclature, Line Item Number (LIN), or NSN for each medical materiel set required.

(7) Commanders who do not have automated capabilities and need the hard copy

listing should continue to request a current-year medical materiel UA listing by submitting written requests to the aforementioned address. The request should identify the UA Number, Nomenclature, Line Item Number (LIN), or NSN for each medical equipment set required.

e. AMDF INCOMPATIBILITIES. If incompatibilities are discovered between this publication and the AMDF (Army Master Data File), the latter will govern.

f. SECTION VI, NSNS DELETED FROM PREVIOUS PUBLICATIONS AND APPLICABLE REPLACEMENTS.

(1) This Section appears in all editions subsequent to the previous edition of the Supply Catalog.

(2) It includes all deletions and replacements made to Section II since the previous edition.

**NOTE: THIS INITIAL ISSUE DOES NOT CONTAIN  
A SECTION VI**

## 7. ACCOUNTABILITY.

a. Page II-2, Section II (FROM:) identifies the element from which the property is issued. Enter the name of the organization, unit, section, or squad which issues the property.

b. The block (TO:) identifies the element to which the property is issued. Enter the name and rank of the person receiving the property. TOE/MTOE paragraph, line number, and job title may be added as optional information.

c. HAND RECEIPT NUMBER: Enter a locally assigned number.

d. END ITEM STOCK NUMBER: Enter the NSN of the MMS.

e. END ITEM DESCRIPTION: Enter a short description of the MMS.

f. PUBLICATION NUMBER: SC Number.

g. PUBLICATION DATE. SC Effective Date.

h. QUANTITY ON HAND: These columns are for the actual quantity-on-hand for each component listed.

(1) Enter the quantity on-hand for each component listed. Line out all unused blocks in columns with recorded quantities.

(2) Advance all quantities to the next column when quantities change. Quantities must be advanced when changing hand-receipt holders.

(3) The person receiving the property will sign, enter his/her rank, and date the proper quantity column on the last page (ink entry). The last page is the last-numbered page and

may be an odd or even number. The last page may be reserved for signature only. (The original page will have an original signature; the copy may have a carbon signature.)

#### 8. TRANSPORTATION INFORMATION.

a. Supplies will be packed in containers suitable for operations under field conditions.

b. Packages or containers will ordinarily be of such size and weight as to permit handling by two soldiers.

c. When practicable, crating will be such as to permit equipment to be readily accessible by removing the front, side, or top of the container.

d. To reduce the overall bulk when this assemblage is packed by the Depot, empty chests which appear as components on the equipment list will be utilized wherever possible as shipping containers.

e. The following information is applicable to this MMS. Weight given is in pounds (LBS) and Volume is in Cubic Feet (CU FT). Total Weight and Volume of this MMS:

Weight: 8,749.20  
Volume: 1,403.763

9. POWER REQUIREMENTS. An external power source is required to support this MMS. The following NSNs operate on 115V, single-phase power with wattage requirements as shown:

<u>NSN</u>	<u>ITEM</u>	<u>WATTS</u>	<u>VOLTAGE</u>
4110-01-180-3420,	Refrig-Freezer,		
	110/220V	517	110/220
5410-01-294-9866,	Shelter	900	208
6230-01-110-3829,	Floodlight,		
	Electric	30	120
6545-01-163-1897,	Sink Unit,		
	CRS, 30-inch	3800	208
6730-01-102-7697,	VWR MF,		
	Type I, Rear	150	120
7910-01-177-0622,	Cleaner,		
	Vacuum, Elec	900	120/230

#### 10. REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS.

You can help improve this supply catalog. If you find any mistakes or know a way to improve the information, please let us know. Mail your letter or DA Form 2028 (Recommended Changes to Publication and Blank Forms) direct to:

Commander  
US Army Medical Materiel Agency  
ATTN: SGMMA-OCU  
Frederick, MD 21702-5001

SECTION II: ILLUSTRATED COMPONENT LIST/HAND RECEIPT

6545-01-332-0147  
NOT ILLUSTRATED

7125-01-005-8477  
NOT ILLUSTRATED

7910-01-177-0622  
NOT ILLUSTRATED

7110-00-267-1999  
NOT ILLUSTRATED

4110-01-180-3420  
NOT ILLUSTRATED

7195-00-893-7349  
NOT ILLUSTRATED

3920-01-113-0140  
NOT ILLUSTRATED

SECTION II. ILLUSTRATED  
 COMPONENT LIST/HAND RECEIPT  
 FOR USE OF THIS HAND  
 RECEIPT SEE SECTION I.

FROM:

TO:

HAND RECEIPT NO:

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE	QUANTITY										
6545-01-332-0147	MMS MED MAINT DEP/M	SC 6545-B-MQB	31 JAN 94											
ACT	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY	AUT	A	B	C	D	E
	6545-01-332-0147		MEDICAL MATERIEL SET MEDICAL MAINTENANCE; DEPMEDS		N		SE	1.00						
			M321 M47987											
	7125-01-005 8477		CABINET SAFETY ADJ SHELVES 40BY14 3/4IN TWO VENT OPENING METAL 32572 25450		N		EA	1.00						
	7910-01-177-0622		CLEANER VACUUM ELECTRIC VERTICLE TANK PRBLE 120/230V 50HZ AC 64616 CN 4-199-P		N		EA	1.00						
	7110-00-267-1999		DESK FIELD; WOOD BODY AND PARTITIONS 2 FOLDING STOOLS W/PADLOCKS 81349 MIL-D-10821		N		EA	1.00						
	4110-01-180-3420		REFRIGERATOR FREEZER MECHANICAL FIELD WARD 4.5CU FT 110/220V 62525 45-70105-102		N		EA	1.00						
	7195-00-893-7349		TABLE WORK PLA LAM72X36X35.5"WORK SUR STEEL NONPOR19X20X5"DRAWER 89669 X436-1L		N		EA	4.00						
	3920-01-113-0140		TRUCK HAND TWO WHEELED; GAS CYLINDER TYPE 81348 KKK-T-683 X48640		N		EA	1.00						

6730-01-102-7697  
NOT ILLUSTRATED

6530-01-190-4378  
NOT ILLUSTRATED

6530-01-163-3761  
NOT ILLUSTRATED

6530-01-162-8237  
NOT ILLUSTRATED



ILL. NO. 00001

5130-01-014-6856  
NOT ILLUSTRATED



ILL. NO. 00002

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE	QUANTITY										
6545-01-332-0147	MMS MED MAINT DEP/M	SC 6545-B-MQB	31 JAN 94											
ACT	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY	AUT	A	B	C	D	E
	6730-01-102-7697		VIEWER MICROFICHE: TYPE 1 (FULL SIZE) OR TYPE 11 (3/4 SIZE)		N		EA	1.00						
			81349 MIL-V-B0240 Y03820											
	6530-01-190-4378		BOX PLASTIC STORAGE BIN W/REMOVABLE TOP 9.25X5.75X5" MOLDED SLOT		D		EA	50.00						
			81841 PB3											
	6530-01-163-3761		CABINET MEDICINE BASE SECTION STEEL 23X18X37IN FLOOR MTD GREEN		D		EA	4.00						
			26954 950S945											
	6530-01-162-8237		CABINET PHARMACEUTICAL UPPER SECTION STEEL 36" LG 31" H 12" DEEP		D		EA	2.00						
			26954 950S903											
	5110-00-596-9162	00001	CUTTER 80LT CLIPPER CUT 18 IN LG 5/16 IN W		D	M	EA	1.00						
			3942B 3771A13											
	5130-01-014-6856		ROTARY TOOL KIT ELEC 30 COMPONENTS CASE MANUAL ACCESSORY LIST		D	M	EA	1.00						
			18531 381											
	7105-00-710-0210	00002	TABLE FOLDING LEGS: LABORATORY		D		EA	3.00						
			81349 MILT36072											



ILL. NO. 00003

8040-00-142-9193  
NOT ILLUSTRATED

8040-00-843-0802  
NOT ILLUSTRATED



ILL. NO. 00004

7105-00-269-8463  
NOT ILLUSTRATED

7110-00-281-4469  
NOT ILLUSTRATED

5315-00-598-5916  
NOT ILLUSTRATED

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE	QUANTITY
6545-01-332-0147	MMS MED MAINT DEP/M	SC 6545-B-MQ8	31 JAN 94	

ACT	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY	AUT	QUANTITY ON HAND				
										A	B	C	D	E
	5120-00-180-0681	00003	WISE MACHINISTS: SWIVEL BASE STATIONARY JAW OPTL JAW WIDTH/OPEN 19204 103250		D	M	EA	1.00						
	8040-00-142-9193		ADHESIVE RESIN ETHYL CYANOACRYLIC LIQUID 1 OUNCE  05972 49550		X		BX	2.00						
	8040-00-843-0802		ADHESIVE RUBBER SYNTHETIC SILICONE TRANSLUCENT PASTE 3OZ  19200 10545698-2		X		KT	5.00						
	7920-00-291-5815	00004	BRUSH WIRE SCRATCH  21363 D-1416		X		EA	1.00						
	7105-00-269-8463		CHAIR FOLDING W/O ARMS STEEL GRAY ENAMEL  80063 SC05 39471		X		EA	4.00						
	7110-00-281-4469		CHAIR ROTARY STYLE AG12 W/FOOTREST FABRIC UPHOL 4LEGS GRAY 80049 50188B		X		EA	3.00						
	5315-00-598-5916		COTTER PIN ASSORTME  81348 FF-P-386		X		AT	2.00						

4210-01-088-7560  
NOT ILLUSTRATED


7110-00-823-7218  
NOT ILLUSTRATED

6230-01-110-3829  
NOT ILLUSTRATED

9620-01-025-1508  
NOT ILLUSTRATED

9150-00-269-8255  
NOT ILLUSTRATED

6625-00-126-9941  
NOT ILLUSTRATED



ILL. NO. 00005

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE	QUANTITY										
6545-01-332-0147	MMS MED MAINT DEP/M	SC 6545-8-MQB	31 JAN 94											
ACT	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY	AUT	A	B	C	D	E
	4210-01-088-7560		EXTINGUISHER FIRE CHARGED STANDARD 10LB		X		EA	2.00						
			98752 1RA 4210-031 10LB											
	7110-00-823-7218		FILING CABINET; LETTER SZ W OR W/O LOCK		X		EA	6.00						
			81349 MILF43101											
	6230-01-110-3829		FLOODLIGHT ELECTRIC 120 V AC 3IN HEIGHT		X		EA	2.00						
			16543 ELSQ											
	9620-01-025-1508		GRAPHITE DRY 1 LB CAN LARGE FLAKES PARTICLE SIZE NO. 1		X		EA	1.00						
			72657 GRAPHITE											
	9150-00-269-8255		GREASE AIRCRAFT GELLING AGENT MIN DROP POINT 325 DEG F LOW EVAPO		X		CN	1.00						
			81349 MIL-G-4343											
	6625-00-126-9941		INDICATOR PHASE SEQUENCE 3 PHASE 60HZ WIRE LEAD W/CLIP4X2.8X1.6"		X		EA	1.00						
			73342 6872159-48											
	4930-00-253-2478	00005	LUBRICATING GUN HAND LEVER OPERATED 14OZ CAPACITY		X	J	EA	1.00						
			77335 30-310											



5310-00-297-3751  
NOT ILLUSTRATED

ILL. NO. 00006

9150-00-261-7899  
NOT ILLUSTRATED

6830-00-469-6540  
NOT ILLUSTRATED

6850-00-880-7616  
NOT ILLUSTRATED

5440-00-061-8900  
NOT ILLUSTRATED

8030-00-889-3535  
NOT ILLUSTRATED

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE	QUANTITY
6545-01-332-0147	MMS MED MAINT DEP/M	SC 6545-8-MQB	31 JAN 94	

ACT	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY	AUT	QUANTITY ON HAND				
										A	B	C	D	E
	5310-00-297-3751		NUT ASSORTMENT 81348 FFN836		X		AT	2.00						
	4930-00-262-8868	00006	OILER HAND LEAKPROOF 16 OZ CAPACITY 58536 A50477-1-4-8-6		X	J	EA	1.00						
	9150-00-261-7899		PENETRATING OIL 1 PT 81348 VV-L-216		X		PT	2.00						
	6830-00-469-6540		PROPANE INSTRUMENT GRADE 7.5 CUBIC FEET 212.40 LITERS 12S 22270 57000		X		BX	1.00						
	6850-00-880-7616		SILICONE COMPOUND SILICONE W/CORROSION INHIBITOR TUBE 8 OUNCES 01139 G-624		X		TU	12.00						
	5440-00-061-8900		STEPLADDER FIBERGLASS 6IN 39428 8136T33		X		EA	1.00						
	8030-00-889-3535		TAPE ANTISEIZING 52152 4B		X		EA	7.00						

5970-00-686-9151  
NOT ILLUSTRATED

5970-00-482-2559  
NOT ILLUSTRATED

5940-00-525-0907  
NOT ILLUSTRATED



ILL. NO. 00007

5310-00-209-2312  
NOT ILLUSTRATED

7240-00-151-6630  
NOT ILLUSTRATED

4940-01-250-4237  
NOT ILLUSTRATED

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE	QUANTITY										
6545-01-332-0147	MMS MED MAINT DELIVM	SC 6545-B-MQ8	31 JAN 94											
ACT	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY	AUT	A	B	C	D	E
	5970-00-686-9151		TAPE INSULATION ELECT		X		RO	2.00						
			20999 27-11N22HITE											
	5970-00-482-2559		TAPE INSULATION ELECTRICAL 792.0X0.7501N PLASTIC GRAY		X		RO	6.00						
			75037 35 3/4 GRAY											
	5940-00-525-0907		TERMINAL KIT COMPARTMENTED BOX 13.25X9.25X1" W/500 TERMINALS		X		KT	1.00						
			0GA21 A1-177-0000											
	6685-01-070-1510	00007	THERMOMETER SELF INDICATING LIQUID IN GLASS 100 300 DEG F		X		EA	3.00						
			21518 21466-2											
	5310-00-209-2312		WASHER ASSORTMENT		X		AT	2.00						
			66732 DATA NOT AVAIL											
	7240 00-151-6630		WASTE RCPT GRAY PLAS POLYETHYLENE PLATFORM MOUNTED 32"H 24"DIA		X		EA	1.00						
			58536 A-A-295											
	4940-01-250-4237		WORK STATION KIT ELECTROSTATIC CONTROL		X		EA	1.00						
			16236 CS-4940-0011											









SECTION III: ILLUSTRATED ASSOCIATED SUPPORT ITEMS OF EQUIPMENT (ASIOE)

5411-01-294-9866  
NOT ILLUSTRATED

6545-01-163-1899  
NOT ILLUSTRATED

## SECTION III - ASSOCIATED SUPPORT ITEMS OF EQUIPMENT (ASIOE)

THE ITEMS LISTED BELOW ARE ASIOE END ITEMS DEDICATED TO THE OPERATION AND/OR MAINTENANCE OF THIS MEDICAL ASSEMBLAGE. ASIOE ARE SEPARATELY DOCUMENTED INTO TOE/THE ARMY AUTHORIZATION DOCUMENTS SYSTEM (TAADS) AND ARE NOT TO BE CONSIDERED COMPONENTS OF THIS MEDICAL ASSEMBLAGE. THEY ARE LISTED IN THIS SECTION FOR INFORMATION PURPOSES ONLY AND DO NOT CONSTITUTE AN ADDITIONAL AUTHORIZATION. TOTAL AUTHORIZATION IS REFLECTED ON THE UNIT'S MTOE.

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE
6545-01-332-0147	MMS MED MAINT DEP/M	SC 6545-B-MQB	31 JAN 94

ACT	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY	AUT
	5411-01-294-9866		SHELTER: TACTICAL EXPANDABLE TWO SIDE	***2	N		EA	1.00	
			81337 5-4-3201						501359
	6545-01-163-1899		SINK UNIT SCRUB FIELD HOSPITAL CRS 30 INCH: DEPMEDS	***2	N		EA	1.00	
			64616 G-253						S91263

SECTION IV: THIS SUPPLY CATALOG DOES NOT CONTAIN ANY  
AMERICAN HOSPITAL FORMULARY SERVICE THERAPEUTIC CLASSIFICATIONS

SECTION V: NSN/ILLUSTRATION NUMBER CROSS REFERENCE

## SECTION V

## NSN/ILLUSTRATION NUMBER/PAGE NUMBER CRO

END ITEM STOCK NUMBER			END ITEM DESCRIPTION			PUBLICATION NUMBER			PUBLICATION DATE		
6545-01-332-0147			MMS MED MAINT DEP/M			SC 6545-8-MQB			31 JAN 94		
NSN	ILL NO	PAGE NR	NSN	ILL NO	PAGE NR	NSN	ILL NO	PAGE NR	NSN	ILL NO	PAGE NR
4110 01 180 3420	-	II-002	9620 01 025 1508	-	II-008						
4210 01 088 7560	-	II-008	5110 00 596 9162	00001	II-004						
4940 01 250 4237	-	II-012	7105 00 710 0210	00002	II-004						
5130 01 014 6856	-	II-004	5120 00 180 0681	00003	II-006						
5310 00 209 2312	-	II-012	7920 00 291 5815	00004	II-006						
5310 00 297 3751	-	II-010	4930 00 253 2478	00005	II-008						
5315 00 598 5916	-	II-006	4930 00 262 8868	00006	II-010						
5411 01 294 9866	-	III-002	6685 01 070 1510	00007	II-012						
5440 00 061 8900	-	II-010									
5940 00 525 0907	-	II-012									
5970 00 482 2559	-	II-012									
5970 00 686 9151	-	II-012									
6230 01 110 3829	-	II-008									
6530 01 162 8237	-	II-004									
6530 01 163 3761	-	II-004									
6530 01 190 4378	-	II-004									
6545 01 163 1899	-	III-002									
6545 01 332 0147	-	II-002									
6625 00 126 9941	-	II-008									
6730 01 102 7697	-	II-004									
6830 00 469 6540	-	II-010									
6850 00 880 7616	-	II-010									
7105 00 269 8463	-	II-008									
7110 00 267 1999	-	II-002									
7110 00 281 4469	-	II-006									
7110 00 823 7218	-	II-008									
7125 01 005 8477	-	II-002									
7195 00 893 7349	-	II-002									
7240 00 151 6630	-	II-012									
7910 01 177 0622	-	II-002									
8030 00 889 3535	-	II-010									
8040 00 142 9193	-	II-006									
8040 00 843 0802	-	II-006									
9150 00 261 7899	-	II-010									
9150 00 269 8255	-	II-008									

SECTION VI: THIS SUPPLY CATALOGS DOES NOT CONTAIN ANY  
NSNS DELETED FROM PREVIOUS PUBLICATIONS  
AND/OR  
APPLICABLE REPLACEMENTS

## SECTION VI

## NSNS DELETED FROM PREVIOUS PUBLICATION AND APPLICABLE REPLACEMENTS

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE
6545-01-332-0147	MMS MED MAINT DEP/M	5C 6545-8-MQB	31 JAN 94

DELETED NSN	REPLACEMENT NSN	REPLACEMENT NSN DESCRIPTION
-------------	-----------------	-----------------------------


THERE ARE NO DELETED NSNS TO PRINT FOR THIS ASSEMBLAGE

THE ACTIONS REFLECTED IN THIS SECTION ARE CUMULATIVE ACTIONS RESULTING FROM THE ANNUAL UPDATE PROCESS TO THIS SKO. THE DATA SHOWN ABOVE SHOULD BE USED TO BRING YOUR SET, KIT, OR OUTFIT AND MANAGEMENT RECORDS UP-TO-DATE.

By Order of the Secretary of the Army:

GORDON R. SULLIVAN  
General, United States Army  
Chief of Staff

Official:



**MILTON H. HAMILTON**  
*Administrative Assistant to the  
Secretary of the Army*

Distribution:

To be distributed in accordance with DA Form 12-21-E, Block 1859, requirements for SC 6545-8-MQ8.